INDEX TO VOLUMES 32, 33 AND 34

(1948, 1949 and 1950)*

SYMPOSIA

1948

January (Chicago)	ENDOCRINOLOGY
March (Nationwide)	DISEASES OF DIGESTIVE SYSTEM
May (New York)	NEUROLOGY AND PSYCHIATRY
July (Mayo Clinic)	ANOMALIES OF THE HEART
September (Boston)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia)	RECENT ADVANCES IN GYNECOLOGY AND OBSTETRICS

1949

January (Chicago)	DISEASES OF THE SKIN
March (Nationwide)	TREATMENT OF LONG-TERM ILLNESS
May (New York)	CARDIOVASCULAR DISEASE ESPECIALLY HYPERTENSION
July (Mayo Clinic)	GASTROINTESTINAL CONDITIONS
September (Massachusetts General Hospital)	RECENT ADVANCES IN MEDICINE
November (Philadelphia)	1. MEDICAL EMERGENCIES 2. NUTRITIONAL DISEASES

1950

January (Chicago)	PEDIATRICS
March (Nationwide)	MEDICAL THERAPEUTICS
May (New York)	CARDIOVASCULAR DISEASES
July (Mayo Clinic)	PSYCHIATRY AND THE GENERAL PRACTITIONER
September (Boston)	SPECIFIC METHODS OF TREATMENT
November (Philadelphia) (Georgetown University)	THE INFECTIOUS DISEASES CURRENT CONCEPTS OF PATHOGENESIS AND TREATMENT

A377 in rickettsial diseases *1948:* Sept., 1337
Abdominal operations, air travel after, *1948:* July, 1091
  pain, differential diagnosis, *1948:* March, 389–397
  paracentesis in nephritic edema, *1950:* Jan., 88
Abortion, habitual, *1949:* July, 1115
  treatment, *1949:* July, 1118
Abortion, infertility and its relation to, *1949:* July, 1111–1120
  therapeutic, in heart disease in pregnancy, *1950:* May, 801
Abscess of brain, complicating atrial septal defect, *1948:* July, 905
  complicating pulmonary stenosis, *1948:* July, 870
  diagnosis, *1948:* May, 800
  penicillin in, *1950:* March, 323

* NOTE: The volume year is given in *italic* type.

Abscess of kidney, cortical, *1949:* Sept., 1465
of liver, acute, *1948:* March, 481
amebic, *1948:* March, 479; *1950:* Nov., 1762
of lung, *1949:* March, 395
antibiotic aerosols in, *1948:* July, 1082; *1949:* March, 404
penicillin in, *1948:* Sept., 1221
postpneumonic, *1950:* Nov., 1664
treatment, *1949:* March, 400
of nasopharyngeal bursa, *1950:* Nov., 1633
perinephritic, *1949:* Sept., 1465
peritonsillar, *1950:* Nov., 1631
retropharyngeal, *1950:* Nov., 1634
Acarophobia, *1948:* May, 673; *1949:* Jan., 18
Acetarsone in pemphigus, *1949:* Jan., 175
Acetyl strophanthidin in congestive heart failure, *1950:* May, 670
Acetyl-beta-methylcholine in congenital megacolon, *1948:* July, 983
Acetylcholine in paroxysmal tachycardia in infancy, *1950:* Jan., 219
Acid-ash diet in nephrotic edema, *1950:* Jan., 87
Acid-base balance, *1948:* Jan., 268, 270; *1950:* Jan., 57, March, 402
regulation of, *1948:* Jan., 264
mechanism, changes in, tests for determining, *1948:* Jan., 267
Acidosis, diabetic, in children, parenteral fluid therapy in, *1950:* Jan. 59
repair solutions in, *1948:* Sept., 1296
treatment, *1949:* March, 491
metabolic, repair solutions in, *1948:* Sept., 1293–1307
renal, repair solutions in, *1948:* Sept., 1301
respiratory, in children, parenteral fluid therapy, *1950:* Jan., 65
treatment, *1948:* Jan., 264–271; *1950:* March, 407
Acne vulgaris, emotional factors, *1948:* May, 678
excoriations associated with, *1948:* May, 674
treatment, *1950:* Sept., 1476
Acromioclavicular joint, injuries, *1950* Sept., 1332
Acrosclerosis, *1949:* Jan., 57
ACTH in relief of pain, *1950:* March, 374
in rheumatic disorders, *1949:* Nov., 1620; *1950:* March, 374, Sept., 1424
untoward reactions, *1950:* Sept., 1428
Actinomycosis, *1949:* Jan., 244
antibiotics in, choice of, *1950:* March, 313
of lungs, *1949:* Nov., 1490
penicillin in, *1948:* July, 1109; *1950:* March, 324
Adams-Stokes syndrome, treatment, *1949:* Nov., 1520
Addison's disease, diffuse scleroderma and, differentiation, *1949:* Jan., 265
Adenoma of adrenal, benign, *1949:* Nov., 1748
parathyroid, multiple, associated with islet-cell tumors of pancreas, report of 2 cases, with necropsy findings, *1949:* July, 1141–1156
Adolescence, endocrine problems during, *1948:* Jan., 140–150
Adoptive placements, intelligence tests in, *1950:* July, 1073
Adrenal adenoma, benign, *1949:* Nov., 1748
cortex, functions, evaluation of *1948:* Jan., 89–96
disorders in adolescence, *1948:* Jan., 147
Adrenalin. See *Epinephrine.*
Adrenal-sympathetic syndrome in pheochromocytoma, *1950:* May, 761
Adrenergic blockade, clinical application, *1950:* March, 379–394
Adrenocortical insufficiency in children, parenteral fluid therapy, *1950:* Jan., 65
Adrenolytic drugs, *1949:* Nov., 1745
Aerosol administration of antibiotic preparations, critical evaluation, *1948:* July, 1077–1085
Age, increased, of population medicine and, *1949:* March, 295–308
pertinent characteristics of, *1949:* March, 303
Agenesis, ovarian, *1948:* Jan., 156
Aging and aged, clinical problems, *1948:* Jan., 223–229
nutritional aspects, *1949:* Nov., 1681–1684
psychosomatic problems, *1950:* July, 1091–1105
Agglutination test in viral diseases, *1950:* Nov., 1612
Air, transporation of patients by, *1948:* July, 1084–1093
Alcoholic coma, *1948:* May, 802
Alcoholism, chronic, prefrontal lobotomy for, *1950:* July, 1047
morphine in, dangers, *1950:* Nov., 1773
nature and treatment, *1948:* May, 687–693
nutritional polyneuropathy in, *1948:* May, 731
portal cirrhosis and, *1948:* March, 503, 509
Alkalosis, metabolic, *1948:* Jan., 270, 271
repair solutions in, *1948:* Sept., 1293–1307
respiratory, in children, parenteral fluid therapy, *1950:* Jan., 65

Alkalosis, treatment, *1950:* March, 408
Allergic diseases, antihistaminic drugs in, *1950:* March, 351–368
treatment, *1948:* Sept., 1369–1376
reactions, criteria for defining, *1949:* Jan., 179
shock from pollen injections, prevention, *1949:* March, 412
stomatitis, *1948:* March, 361
Allergy, dermatologic, *1949:* Jan., 177–204
food, *1948:* Jan., 245–263
in infancy and childhood, *1950:* Jan., 3–11
role, in neurodermatitis, *1950:* July, 1610
Aluminum chloride in dermatologic therapy, *1949:* Jan., 278
Alzheimer's disease, *1950:* July, 1099
Amebiasis, *1950:* Nov., 1670
analysis of 100 consecutive cases at Cleveland Clinic, *1948:* March, 413
and indeterminate ulcerative colitis, *1948:* March, 408–418
diagnosis, *1948:* March, 411; *1949:* May, 900
concentration technic, *1949:* May, 901
treatment, *1948:* March, 414
Amebic dysentery, *1950:* Nov., 1670, 1672
hepatitis, *1948:* March, 479, 481
Amenorrhea, *1948:* Jan., 65
endocrine therapy, *1950:* Sept., 1538
functional, management, *1948:* Nov., 1509
psychosomatic approach, *1948:* Nov., 1585
treatment, *1948:* Jan., 69
with psychosomatic disturbances, treatment, *1948:* Jan., 71
Amethone in gastrointestinal disorders, *1948:* Sept., 1232, 1237
A-methopterin in leukemia, *1950:* Jan., 210, 211, March, 451
pharmacology, *1950:* March, 442
Amidopyrine in measles, *1950:* Jan., 142
Amino acids, *1949:* Nov., 1714, 1728
Amino-an-fol, *1949:* Nov., 1722
in leukemia, *1950:* Jan., 211
pharmacology, *1950:* March, 442
Aminophylline in acute heart failure, *1949:* Nov., 1527
in allergy in infants, *1950:* Jan., 9
in asthma, *1948:* Jan., 238, Sept., 1373; *1949:* March, 418
in primary atypical pneumonia, *1950:* Nov., 1646
in status asthmaticus, *1949:* Nov., 1598
to potentiate mercurials, *1950:* May, 623
Aminopterin, *1949:* Nov., 1722
hypoprothrombinemia induced by, *1949:* Nov., 1703
in leukemia, *1950:* Jan., 209, 210, 211, March, 451
pharmacology, *1950:* March, 442
Ammonia-urea compounds in dentifrices and mouthwashes, *1950:* Jan., 28
Ammonium chloride in nephrotic edema, *1950:* Jan., 87
Amnesia, production, in obstetrics, *1950:* Sept., 1522
Amphetamine in gastrointestinal disorders, *1948:* Sept., 1233, 1235
in hypertension, *1949:* Sept., 1271
in obesity in childhood, *1950:* Jan., 232
Amphojel regimen, diet for use with, *1948:* Sept., 1328
Ampulla of Vater, carcinoma, *1948:* March, 498
Amylase test in pancreatic disease, *1948:* March, 522
Amyloid disease of heart, *1950:* July, 1137–1144
tumors of larynx and trachea, *1950:* July, 1145–1150
Amyloidosis, classification and general aspects, *1950:* July, 1107–1111
complicating myeloma, *1950:* July, 1151–1164
diagnosis, laboratory and biopsy, *1950:* July, 1171–1176
primary systemic, *1950:* July, 1119–1135
with symptoms and signs of liver disease, diagnosis by biopsy, *1950:* July, 1113–1118
secondary, liver involvement in, *1950:* July, 1165–1169
Amyotonia congenita, *1950:* Jan., 147
Amyotrophies, nuclear, *1950:* Jan., 147
Analeptics in respiratory failure, *1950:* Sept., 1359
Analgesia, caudal, continuous, in obstetrics, present status, *1948:* Nov., 1683–1697
in obstetrics, *1950:* Sept., 1521–1535
Analgesics, synthetic, newer, *1950:* March, 369–378
Anaphylactic type of sensitivity, *1949:* Jan., 186
Anatomic warts, *1949:* Jan., 244
Androgen therapy. See *Testosterone.*
Androgenic function of adrenal, 17-ketosteroids and androgens, *1948:* Jan., 89
Anemia(s), air travel in, *1948:* July, 1092
causes and treatment, *1949:* March, 541–560
classification, *1948:* Sept., 1262
diagnosis, *1948:* Sept., 1259

Anemia(s), due to acute blood loss, *1950:* Sept., 1292
due to deficiency of essential maturation materials, *1949:* March, 547
due to excessive peripheral demand, *1949:* March, 551
due to toxic agents, *1949:* March, 545
electrocardiogram in, *1950:* May, 871
hemolytic, *1949:* March, 552
splenectomy for, relapses after, *1949:* March, 557
treatment, *1948:* Sept., 1269
hypochromic, *1949:* March, 551; *1950:* Sept., 1300
in diseases of intestinal tract, *1948:* March, 382–388
iron deficiency, *1949:* March, 551; *1950:* Sept., 1303
treatment, *1948:* Sept., 1264; *1950* Nov., 1779–1789
macrocytic, *1949:* March, 548
related to pernicious anemia, *1950:* Sept., 1299
treatment, *1948:* Sept., 1265
Mediterranean, *1949:* March, 543
megaloblastic, of infants, vitamin B_{12} in, *1950:* July, 1201
of pregnancy, vitamin B_{12} in, *1950:* July, 1202
myelophthisic, *1949:* March, 543
nutritional, treatment, *1948:* Sept., 1268
of central bone-marrow origin, *1949:* March, 543
pernicious, *1949:* March, 548; *1950:* Sept., 1295
carcinoma of stomach, prevention, *1949:* Sept., 1397
combined system disease, treatment, *1949:* Sept., 1392
desiccated stomach in, *1948:* July, 1116
etiology and therapy, recent theories, *1948:* July, 1131
folic acid in, *1948:* July, 1125, 1133; *1949:* March, 549, 550, Sept., 1394; *1950:* Sept., 1299
neurologic complications *1948:* July, 1134
hydrochloric acid in, *1949:* Sept, 1392
iron in, *1949:* Sept., 1391
liver therapy, *1948:* July, 1118, Sept., 1266; *1949:* Sept., 1386; *1950:* Sept., 1298
reactions to, *1948:* July, 1121; *1949:* Sept., 1389
pathologic physiology, *1948:* July, 1113
therapeutic test, *1950:* Sept., 1297
transfusions in, *1949:* Sept., 1386
Anemia(s), pernicious, treatment, *1948:* July, 1113–1142; *1949:* Sept., 1385–1400; *1950:* Sept., 1298
vitamin B_{12} in, *1949:* March, 551, Sept., 1394; *1950:* July, 1197–1204
sickle cell, *1949:* March, 543
treatment, *1948:* Sept., 1259–1271; *1949:* March, 541–560, *1950:* Sept., 1291–1304
Anesthesia for elderly patients, *1949:* March, 584
for major urologic operations, *1949:* March, 476
in obstetrics, *1950:* Sept., 1521–1535
local, in bursitis, *1949:* Nov., 1622
spinal, continuous, in obstetrics, present status, *1948:* Nov., 1683–1697
surgical, newer drugs in, *1950:* March, 589–597
Anesthetic agents in dermatologic therapy, *1949:* Jan., 271
Aneurysym, cardiac, pulsation of, *1950:* May, 724
intracranial, headache due to, *1949:* July, 989
intrathoracic, and tumor, differentiation, angiocardiography in, *1950:* May, 746, 747
Angina pectoris, *1950:* May, 687
neuralgic features, *1949:* May, 635–649
occurrence, in hypertension, *1949:* May, 653, 654
tetraethylammonium in, *1949:* May, 827
treatment, *1949:* May, 644
Vincent's, *1950:* Nov., 1626
Angiocardiography, advances in, *1950:* May, 745–756
Angioma, senile, *1949:* Jan., 227
simplex, *1949:* Jan., 222
Angioneurotic edema, antishistaminic drugs in, *1950:* March, 358
mouth lesions in, *1948:* March, 361
treatment, *1950:* Sept., 1478
Anhidrotic agents in dermatology, *1949:* Jan., 278
Anhydroxyprogesterone in dysmenorrhea, *1950:* Sept., 1544
in functional uterine bleeding, *1950:* Sept., 1547, 1560
Animal protein factor, *1949:* Nov., 1723
Ankle, sprains, in athletics, treatment, *1950:* Sept., 1259
strapping, protective, in athletics, *1950:* Sept., 1266
Anomalies of heart, symposium on, *1948:* July, 855
Anorexia nervosa, *1950:* Sept., 1492
in adolescence, *1948:* Jan., 142

Anoxemia test in heart disease, *1950:* May, 713–717
Anoxia, anoxic, in air travel, *1948:* July, 1087
myocardial, in causation of angina, *1949:* May, 636
Antacids in peptic ulcer, *1950:* Sept., 1453
Anthrax, antibiotics in, choice of, *1950:* March, 313
skin lesions, *1949:* Jan., 243
Antibiotics. See also *Penicillin, Streptomycin*, etc.
bacterial resistance, *1950:* March, 313
choice, in various infections, *1950:* March, 313
clinical use, *1950:* March, 307–318
combinations, use of, *1950:* March, 315
dosages, *1950:* March, 316
in dermatology, *1949:* Jan., 273
laboratory control, *1950:* Nov., 1600
pharmacology and toxicology, *1950:* March, 308
use by aerosol method, critical evaluation, *1948:* July, 1077–1085
Anticoagulants, administration, *1949:* March, 342
in cerebral thrombosis, *1950:* May, 909–924
in chronic cardiovascular diseases, *1949:* March, 335–345
in prevention of intravascular thrombosis, *1949:* Nov., 1507
in treatment of thrombosis and embolism, *1949:* Nov., 1509
Anticonvulsant drugs, *1950:* March, 341–350
Antihistaminic drugs, *1950:* March, 351–368
clinical uses, *1950:* March, 357
in allergy in infants, *1950:* Jan., 9
in asthma, *1948:* Jan., 244; *1949:* March, 419
in common cold, *1950:* Nov., 1641
in contact dermatitis, *1949:* Jan., 185
pharmacology, *1950:* March, 354
side effects, *1950:* March, 362
toxicity, *1950:* March, 364
Antiphlogistic agents in dermatology, *1949:* Jan., 271
Antipruritics in dermatologic therapy, *1949:* Jan., 271
in eczema, *1949:* Jan., 209
Antiseborrheic agents in dermatology, *1949:* Jan., 276
Antiseptic agents in dermatology, *1949:* Jan., 273
Antiseptics, urinary. See under *Urinary tract infections*
Antispasmodics in gastrointestinal disorders, *1948:* Sept., 1227–1240
in peptic ulcer, *1948:* March, 322
Antistine, dosages, *1950:* March, 353, 357
Antivitamins, *1949:* Nov., 1715, 1721
Anuria, acute, treatment, *1950:* March, 509–523
conservative management, *1949:* July, 1007
in heart and kidney disease, water balance and, *1950:* March, 571–587
Anus, pruritus, *1949:* Jan., 16
Anxiety as reaction to disease, *1949:* March, 440
neurosis, *1949:* Sept., 1343–1364
recognition and management, *1948:* May, 597–608; *1949:* March, 441, 442
separation, in children, *1950:* July, 1084
state, *1950:* Sept., 1491
Aorta and pulmonary artery, complete transposition, with patent ductus arteriosus and defect in membranous portion of ventricular septum, *1948:* July, 890
coarctation, angiocardiography in, *1950:* May, 750
electrocardiogram in, *1949:* July, 1159
hypertension in, *1949:* Nov., 1748
with hypotension in left arm, physiologic observations, *1950:* July, 1177–1185
descending, left-sided, and left-sided ductus arteriosus, *1948:* July, 929
upper portion on right side, right-sided ductus arteriosus with, *1948:* July, 938
effect of syphilis on, clinicopathologic study, *1948:* Sept., 1439–1466
Aortic arch, atresia, partial, *1948:* July, 933
double, functioning, *1948:* July, 929, 938
with atresia of one of arches, *1948:* July, 942
left-sided, and left-sided descending aorta, *1948:* July, 936
with retro-esophageal segment and upper portion of descending aorta on right side, *1948:* July, 942
right-sided, and upper portion of descending aorta on right side, *1948:* July, 945
with retro-esophageal segment and left-sided descending aorta, *1948:* July, 933
system, derivatives, anomalies of, *1948:* July, 925–949
atresia with intact ventricular septum, patent foramen ovale and patent ductus arteriosus, *1948:* July, 883
regurgitation, pulsation in, *1950:* May, 725

Aortitis, syphilitic, *1948:* Sept., 1439
angiocardiography in, *1950:* May, 752
diagnosis and course, *1948:* Sept., 1458
Apex beat in heart disease, *1950:* May, 722
Aphasia complicating hemiplegia, treatment, *1948:* May, 741
Apnea neonatorum, *1950:* Sept., 1532
Apomorphine in auricular paroxysmal tachycardia, *1950:* May, 737
in obstetrics, *1950:* Sept., 1524
Apophysitis of os calcis, *1950:* Jan., 183
Apoplexy, after-treatment, *1948:* May, 739
prevention, *1948:* May, 735
questionable use of term, *1950:* July, 1058
treatment, *1948:* May, 736
Appendicitis, acute, air travel in, *1948:* July, 1092
pain in, *1948:* March, 394
Arrhythmias, cardiac, dibenamine in, *1950:* March, 391
insurance aspect, *1950:* May, 808
pulsation of neck veins in, *1950:* 727
congenital, electrocardiogram in, *1949:* July, 1168
Arsenic in leukemia, *1949:* March, 537
Arsenical keratoses, *1949:* Jan., 110
Arsenicals in urinary infections, *1949:* Sept., 1479; *1950:* March, 533
Arsphenamine, dermatitis exfoliativa due to, *1949:* Jan., 136
Artane in parkinsonism, *1949:* July, 1135
Arterial disease, hypertension with, *1949:* March, 313
occlusive, chronic, anticoagulants in, *1949:* March, 335
varices, differential diagnosis and treatment, *1950:* May, 897–908
Arteries, cranial, dilatation, headache due to, *1948:* May, 558
peripheral, examination, methods, *1950:* May, 887–896
Arteriography, *1950:* May, 894
Arteriosclerosis, cerebral, misdiagnosed, *1949:* July, 927
coronary, cholesterol levels in, *1950:* May, 678
insurance aspect, *1950:* May, 812
diabetes and, *1949:* May, 784, 795–804
diet in, *1949:* Nov., 1684
metabolic aspects, *1949:* May, 783
obliterans, anticoagulants in, *1949:* March, 335
physical medicine in, *1949:* March, 348
of coronary arteries, *1949:* May, 652
Arteriosclerosis, pathogenesis, cholesterol in, *1950:* May, 673–683
prevention and treatment, *1949:* May, 773–781
choline in, *1950:* May, 677
Arteriovenous fistula, hypertension in, *1949:* Nov., 1751
Arteritis, temporal, headache and, *1949:* July, 996
Arthritis, hypertrophic, *1950:* Sept., 1435–1446
physical medicine in, *1949:* Sept., 1313–1319
of cervical spine, *1950:* Sept., 1324
psoriatic, postpartum plasma in, *1949:* May, 907–911
rheumatoid, ACTH in, *1950:* March, 374
amyloidosis secondary to, *1950:* July 1167
cortisone in, *1950:* March, 373, Nov., 1703
gold therapy, *1948:* Sept., 1365; *1949:* Sept., 1382; *1950:* Nov., 1700
infection and, *1950:* Nov., 1693–1704
orthopedic treatment, *1949:* Sept., 1379
physical therapy, *1949:* Sept., 1378
roentgen treatment, *1949:* Sept., 1383
treatment, *1948:* Sept., 1357–1367; *1949:* Sept., 1375–1384; *1950:* Nov., 1700
vaccines in, *1950:* Nov., 1701
senescent, physical medicine in, *1949:* Sept., 1313–1319
Arthogryposis multiplex congenita, *1950:* Jan., 153
Artificial respiration, methods, *1950:* Sept., 1348
Ascites, recurrent, in pulmonary stenosis without septal defect, *1950:* July, 1187–1195
Ascorbic acid, interrelationships, *1949:* Nov., 1712
Aspiration biopsy of sternal marrow, *1950:* Sept., 1388
of testis to obtain sperm, *1948:* Jan., 77
of trachea in pulmonary atelectasis, *1949:* Nov., 1614
Aspirin in rheumatic fever, *1950:* Sept., 1421
Asthenia, neurocirculatory, *1949:* Sept., 1343–1364
Asthma, bronchial, *1948:* Jan., 230–244
acute attack, treatment, *1948:* Jan., 243
air travel in, *1948:* July, 1090
aminophylline in, *1948:* Jan., 238, Sept., 1373; *1949:* March, 418

Asthma, bronchial, antibiotic aerosols in, *1948:* July, 1082
antihistaminic drugs in, *1948:* Jan., 244; *1949:* March, 419; *1950:* March, 360
bronchoscopic aspiration in, *1948:* Jan., 242; *1949:* March, 418
complications and their treatment, *1949:* March, 423
demerol in, *1948:* Sept., 1374
dibenamine in, *1950:* March, 390
ephedrine in, *1948:* Jan., 243, Sept., 1373
epinephrine in, *1948:* Jan., 238, 243, Sept., 1373; *1949:* March, 418
etiologic diagnosis and treatment, *1948:* Jan., 235
hyposensitization, short interval, *1949:* March, 415
intractable, severe, management, *1949:* Nov., 1597–1603
ipecac in, *1949:* March, 417
morphine in, dangers, *1950:* Nov., 1767
pathogenesis, *1950:* Nov., 1829–1838
penicillin in, *1948:* Sept., 1220; *1949:* March, 417
rehabilitation in, *1949:* March, 420
sedatives in, *1949:* March, 419
treatment, *1948:* Sept., 1372
new trends, *1949:* March, 411–425
Atelectasis, pulmonary, *1949:* Nov., 1613
Atherosclerosis, metabolic aspects, *1949:* May, 783–794
prevention and treatment, *1949:* May, 773–781
Athlete's foot, treatment, *1950:* Sept., 1481
Athletic injuries, treatment, *1950:* Sept., 1255–1269
Athyreosis, *1948:* Jan., 122, 125; *1950:* Jan., 241–244
Atopic dermatitis, *1949:* Jan., 7, 186, 190, 205–218
eczema, Kaposi's varicelliform eruption complicating, *1949:* Jan., 214
Atresia of esophagus, congenital, *1950:* Jan., 247–256
tricuspid, congenital, anatomical classification, *1949:* July, 1177–1196
Atrial function, disturbances, unipolar precordial electrocardiogram in, *1950:* May, 840
septal defects, *1948:* July, 895–910
electrocardiogram in, *1949:* July, 1159
Atropine in gastrointestinal disorders, *1948:* Sept., 1229, 1203
in parkinsonism, *1949:* July, 1136
in ventricular paroxysmal tachycardia, *1950:* May, 741
Attitude, relation, to cardiovascular patterns, *1950:* May, 824
Aureomycin, dosages, *1950:* March, 317
in amebiasis, *1950:* Nov., 1672
in influenza, *1950:* Nov., 1645
in meningitis in children, *1950:* Nov., 1686
in pharyngitis, *1950:* Nov., 1633
in primary atypical pneumonia, *1950:* Nov., 1647
in psittacosis, *1950:* Nov., 1651
in Q fever, *1950:* Nov., 1651
in septic sore throat, *1950:* Nov., 1624
in subacute bacterial endocarditis, *1950:* May, 781
in urinary infections, *1949:* Sept., 1477; *1950:* March, 532
pharmacology and toxicology, *1950:* March, 309
toxicity, *1950:* March, 312
Auricular fibrillation, anticoagulants in, *1949:* March, 341
digitalis in, *1950:* May, 653
paroxysmal, *1950:* May, 741, 742
treatment, *1949:* Nov., 1530
flutter, diagnosis, *1949:* Sept., 1258
digitalis in, *1950:* May, 653
management, *1949:* Sept., 1255–1267
paroxysmal, *1949:* Nov., 1529; *1950:* May, 743, 744
premature contractions, digitalis in, *1950:* May, 653
tachycardia, paroxysmal, *1950:* May, 735
Azosulfamide. See *Neoprontosil.*
Azotemia in chronic nephritis, *1950:* Jan., 83
prerenal, pathogenesis, *1950:* May, 642

BACITRACIN, dosage, *1950:* March, 316
in amebiasis, *1950:* Nov., 1672
pharmacology and toxicology, *1950:* March, 308
toxicity, *1950:* March, 311
Back pain, low, treatment, *1949:* Nov., 1625
Bacteremia, penicillin in, *1950:* March, 321
streptomycin in, *1950:* March, 328
Bacteriologic specimens, selection for diagnosis, *1950:* Nov., 1594–1597
Bacteriologist, role, in diagnosis and treatment of acute infectious diseases, *1950:* Nov., 1589–1604
Bacteriology, diagnostic, *1950:* Nov., 1590
Bakers' dermatitis, *1949:* Jan., 246
BAL in acute mercury bichloride poisoning, *1950:* March, 469–484
in gold salt toxicity, *1948:* Sept., 1366
Banti's disease, *1950:* Sept., 1271

Banti's disease, splenectomy for, effect on subsequent pregnancies, *1950:* July, 1223
Barach equalizing pressure chamber, *1950:* Sept., 1357
Barbiturates, addiction to, manifestations and treatment, *1950:* March, 425–438
in obstetrics, *1950:* Sept., 1523
in surgical anesthesia, *1950:* March, 592
Basal body temperatures in functional uterine bleeding, *1948:* Jan., 60
in study of sterility, *1948:* Jan., 51, Nov., 1549
cell epithelioma, *1949:* Jan., 111
metabolism test, clinical application, *1950:* Nov., 1839–1851
Base coats, nail changes following use, *1949:* Jan., 95–107
Basilar impression of skull, *1950:* Jan., 155
Bath(s), carbon dioxide, in peripheral vascular disease, *1949:* March, 352
in dermatologic therapy, *1949:* Jan., 271
tub, continuous, in psychoses, *1949:* July, 1124
Beard, folliculitis, pyogenic, treatment, *1950:* Sept., 1476
Bed exercises for paralyzed patients, *1948:* Sept., 1284, 1286
in rheumatoid arthritis, *1948:* Sept., 1361
wetting, causes and treatment, *1950:* July, 1085
Bedside care of newborn by parturient mother, *1948:* Nov., 1699–1709
Behavior disorders in intellectual inadequacy, *1948:* May, 659
intelligence tests in, *1950:* July, 1073
postencephalitic, *1948:* May, 660
post-traumatic, *1948:* May, 661
problems of children, *1948:* May, 655–667
Bell's palsy, physical medicine in, *1948:* May, 783
Bellabulgara in parkinsonism, *1949:* July, 1137
Belladonna in gastrointestinal disorders, *1948:* Sept., 1229
in parkinsonism, *1949:* July, 1136
in peptic ulcer, *1948:* March, 322
Bellafoline in gastrointestinal disorders, *1948:* Sept., 1229, 1230
Benadryl, dosages, *1950:* March, 352, 357
in hay fever, *1948:* Sept., 1372
in parkinsonism, *1949:* July, 1138
Bence-Jones proteinuria in cancer, *1950:* Sept., 1395
Benemid with oral penicillin, *1950:* Nov., 1659
Benzedrine in gastrointestinal disorders, *1948:* Sept., 1233, 1235
Benzodioxanes as adrenergic blocking agents, *1950:* March, 381
test in pheochromocytoma, *1950:* May, 762
Benzol in leukemia, *1949:* March, 537
Benzyl benzoate in dermatologic therapy, *1949:* Jan., 274
Beriberi, cardiovascular manifestations, *1949:* Nov., 1643–1655
Besnier's lupus pernio, *1949:* Jan., 31, 37
prurigo, *1949:* Jan., 186
Beta-haloalkylamines as adrenergic blocking agents, *1950:* March, 380
Bile ducts, carcinoma, *1948:* March, 498
common, stone in, *1948:* March, 495
obstruction, jaundice due to, *1948:* March, 450
stricture, benign, *1948:* March, 496
pigment metabolism, normal and abnormal, *1948:* March, 443, 444
Biliary calculi. See also *Gallbladder disease.*
jaundice due to, *1948:* March, 450
cirrhosis, *1948:* March, 512
serum protein fractions in, *1948:* March, 463
colic, *1948:* March, 487
drainage in diagnosis of gallstones, *1948:* March, 489
dyskinesia, *1948:* March, 390, 497
obstruction or fistula, hypoprothrombinemia of, *1949:* Nov., 1695, 1706
tract, diseases, *1948:* March, 486–499
Bilirubin metabolism in estimate of liver function, *1950:* Sept., 1463
Biopsy, endometrial, *1948:* Jan., 49, 61, Sept., 1181, Nov., 1551
in diagnosis of amyloidosis, *1950:* July, 1173
of cancer, *1950:* Sept., 1387
of liver, evaluation, *1950:* Sept., 1466
testicular, *1948:* Jan., 81, 98, Sept., 1175, Nov., 1538
Bladder, carcinoma, *1949:* March, 482
decompression, in prostatism, *1949:* March, 474
training, in paralyzed patients, *1948:* Sept., 1285
B.L.B. mask in status asthmaticus, *1948:* Jan., 238, 241
Blood, conservation, in severe hemorrhage, *1949:* Nov., 1556
dyscrasias, cutaneous lesions in, *1949:* Jan., 281
pressure, basic, determination, *1949:* May, 688
control, role of carotid sinus in, *1949:* May, 619–633
stream infections, penicillin in, *1950:* March, 321
transfusions. See *Transfusions.*

Blood, urea nitrogen in gastrointestinal hemorrhage, *1949:* Nov., 1569
vessels, peripheral, examination, methods, *1950:* May, 887–896
Body compartments, biochemical structure, deviations in disease, *1950:* March, 398
normal, *1950:* March, 396
Boeck's sarcoid, *1949:* Jan., 32, 35, 36, 257, 258
Boils, treatment, *1950:* March, 324, Sept., 1476
Bone, necrosis, avascular, in children, *1950:* Jan., 165–186
sarcoidosis of, *1949:* Jan., 42
Bone marrow, anemias originating in, *1949:* March, 543
aspiration technic, *1950:* Nov., 1817–1827
examination, diagnostic importance, in acute hematogenous tuberculosis, *1950:* Nov., 1817–1827
Bowel training of paralyzed patients, *1948:* Sept., 1285
Bowen's disease, *1949:* Jan., 125–134
precancerous dermatosis, *1949:* Jan., 125–134
Bragg-Paul pulsator, *1950:* Sept., 1357
Brain, abscess, complicating atrial septal defect, *1948:* July, 905
complicating pulmonary stenosis, *1948:* July, 870
diagnosis, *1948:* May, 800
penicillin in, *1950:* March, 323
areas, localization, clinical aspects, *1948:* May, 721–726
injuries, coma in, *1948:* May, 798
lesions, hemiplegia due to, treatment, *1948:* May, 735–742
metabolic disease, cerebral, *1950:* Nov., 1801–1815
organic injury, psychologic testing in, *1950:* July, 1074
tumors, coma in, *1948:* May, 800
psychotic symptoms masking, *1948:* May, 759–767
Branham's sign, *1949:* Nov., 1752
Bread, salt-free, recipe, *1950:* March, 567
Breast, carcinoma, hormone therapy, *1948:* Jan., 18–36; *1950:* March, 447, 448, Sept., 1409
feeding in acute hemolytic disease, *1948:* Nov., 1643
Breathing, positive pressure, effects on circulation, *1950:* Sept., 1344
Bright's disease, hemorrhagic, *1950:* Jan., 95–105. See also *Nephritis.*
Brine flotation technic for amebae, *1949:* May, 901
Bromides in epilepsy, *1950:* March, 348
Bromsulfalein excretion test, evaluation, *1950:* Sept., 1465
in gastrointestinal hemorrhage, *1949:* Nov., 1568
Bronchial asthma. See *Asthma.*
infections, antibiotics in, aerosol method, *1948:* July, 1079
Bronchiectasis, diagnosis, *1949:* July, 1054
penicillin in, *1948:* July, 1081, Sept., 1218; *1949:* March, 404
secretions, common pathogenic bacteria found in, *1948:* July, 1084
streptomycin in, aerosol method, *1948:* July, 1081
suppurative, *1949:* March, 393
treatment, *1949:* March, 400
Bronchitis, chronic, antibiotic aerosols in, *1948:* July, 1082
Bronchogenic cyst, diagnosis, angiocardiography in, *1950:* May, 747, 748
Bronchography, value, *1949:* July, 1054
Bronchopneumonia, penicillin in, *1948:* Sept., 1212
Bronchopulmonary suppurations, nontuberculous, management, *1949:* March, 391 410
Bronchoscopic aspiration in asthma, *1948:* Jan., 242; *1949:* March, 418
Bronchoscopy, value, *1949:* July, 1054
Brucella dermatitis, *1949:* Jan., 243
Brucellosis, antibiotics in, choice of, *1950:* March, 313
streptomycin in, *1950:* March, 329
and sulfadiazine in *1949:* July, 1079–1088
treatment, advances in, *1948:* July, 1108
Buerger's disease. See *Thromboangiitis obliterans.*
exercises, *1949:* March, 353
Bullous diseases, *1949:* Jan., 165
drug eruption, *1949:* Jan., 173, 174
impetigo, *1949:* Jan., 173, 174
Burns, severe, in children, parenteral fluid therapy, *1950:* Jan., 65
Bursitis, subacromial, *1949:* Nov., 1621
subdeltoid, *1949:* Nov., 1621; *1950:* Sept., 1330, 1331
Butcher's peniphigus, *1949:* Jan, 243

CAFERGONE in migraine, *1949:* Nov., 1586, 1588
Caffeine sodium in respiratory failure, *1950:* Sept., 1359
Caffey's syndrome, streptomycin in, *1948:* May, 834
Calciferol in sarcoidosis, *1949:* Jan., 59
Calcinosis in diffuse scleroderma, *1949:* Jan., 61
Calcium gluconate in auricular paroxysmal tachycardia, *1950:* May, 739

Calcium oxalate stones, medical management, *1948:* Sept., 1319
phosphate stones, medical management, *1948:* Sept., 1321
Calculi, biliary. See also *Gallbladder disease.*
jaundice due to, *1948:* March, 450
common duct, *1948:* March, 495
ureteral, *1948:* Sept., 1415, 1416
urinary, medical management, *1948:* Sept., 1315–1332
Calvé's disease, *1950:* Jan., 170
Cancer. See *Carcinoma.*
Cancerophobia, *1948:* May, 674
Canker sores, *1948:* March, 361
Capillaries, inspection, *1950:* May, 888
Capillary fragility in hypertension, *1949:* May, 675–686
nevus, *1949:* Jan., 220, 222
Carbamylcholine in auricular paroxysmal tachycardia, *1950:* May, 738
in gastrointestinal disorders, *1948:* Sept., 1238, 1240
Carbarsone in amebic dysentery, *1950:* Nov., 1672
Carbohydrate metabolism, vascular degeneration and, *1949:* May, 785
Carbon dioxide baths in peripheral vascular disease, *1949:* March, 352
therapy in psychoses, *1950:* Sept., 1500
Carbuncles, penicillin in, *1950:* March, 324
Carcinoma, biopsy in, *1950:* Sept., 1387
clinical manifestations, early, *1950:* Sept., 1381
cytologic study of body secretions, *1950:* Sept., 1395–1404
diagnosis, early, *1950:* Sept., 1381–1408
hormonal treatment, *1950:* Sept., 1409–1417
laboratory aids in, *1950:* Sept., 1395
of ampulla of Vater, *1948:* March, 498
of bile ducts, *1948:* March, 498
of bladder, *1949:* March, 482
of breast, hormone therapy, *1948:* Jan., 18–36; *1950:* March, 447, 448, Sept., 1409
of colon, anemia in, *1948:* March, 386
of esophagus, *1948:* March, 370
of gallbladder, *1948:* March, 497
of liver with portal cirrhosis, clinicopathologic conference, *1948:* March, 537–544
of lung, inoperable, nitrogen mustards in, *1949:* Sept., 1309
nitrogen mustard in, *1950:* March, 450
of pancreas, *1948:* March, 533
Carcinoma, of pancreas head, jaundice in, *1948:* March, 451
of prostate gland, *1949:* March, 479
estrogen therapy, *1948:* Jan., 111; *1950:* March, 445, 446, Sept., 1411
orchiectomy in, *1948:* Jan., 117; *1950:* Sept., 1411
phosphatase determinations, *1948:* Jan., 112
of skin, *1949:* Jan., 109–117
treatment, *1949:* Jan., 119–123
of stomach in pernicious anemia, prevention, *1949:* Sept., 1397
perforated, pain in, *1949:* July, 965–972
simulating gastric diverticulum, *1948:* March, 348
of thyroid, radioiodine in, *1948:* July, 962; *1950:* March, 450
of uterus, diagnosis, vaginal smear for, *1948:* Nov., 1563–1572
early detection, value of periodic examination of well women in, *1948:* Nov., 1557
pelvic, diagnosis, delay period in, *1948:* Nov., 1573–1581
physical examination in, *1950:* Sept., 1386
roentgen diganosis, *1950:* Sept., 1390
squamous cell, *1949:* Jan., 115
Cardiac. See also *Heart.*
cirrhosis, *1948:* March, 514
neurosis, *1949:* Sept., 1343–1364
Cardiospasm, *1948:* March, 366
dibenamine in, *1950:* March, 390
Cardiorespiratory arrest, *1950:* Sept., 1343
Cardiovascular conditions, acute, treatment, *1949:* Nov., 1519–1535
diseases, studies, recent trends, *1950:* May, 609–614
symposium on, *1949:* May, 607; *1950:* May, 609
effects of tetraethylammonium, *1949:* May, 805–831
manifestations of heart disease, *1949:* Nov., 1643–1655
symptoms and disease, relationship of life stress to, *1950:* May, 817–831
syphilis, *1948:* Sept., 1439–1466
late, treatment, *1950:* March, 499
Caries, dental, *1949:* Nov., 1713
control and prevention, *1950:* Jan., 13–32
Caronamide, *1948:* July, 1106
Carotid sinus pressure in auricular flutter, *1949:* Sept., 1258
in auricular paroxysmal tachycardia, *1950:* May, 736
role, in blood pressure control, *1949:* May, 611–617
syncope, treatment, *1949:* Nov., 1520

Castration in cancer of breast, *1950:* Sept., 1409
in cancer of prostate gland, *1950:* Sept., 1411
Casts in rheumatoid arthritis, *1949:* Sept., 1380
Catheterization of bladder in prostatism, *1949:* March, 474
Cauda equina injuries, care of patients paralyzed by, *1948:* Sept., 1273–1291
Caudal analgesia, continuous, in obstetrics, present status, *1948:* Nov., 1683–1697
in obstetrics, *1950:* Sept., 1527
Cavernous hemangioma, *1949:* Jan., 225
Cecum, carcinoma, anemia in, *1948:* March, 386, 387
Cell count, spinal fluid, in neurosyphilis, *1948:* May, 708
Cellular nevi, *1949:* Jan., 229
Cellulitis and lymphangitis, recurrent, of extremities, *1949:* July, 1089–1098
penicillin in, *1950:* March, 324
Cephalgia, histaminic, *1949:* July, 977, 1002, Sept., 1447
Cerebral. See also *Brain.*
arteriosclerosis, misdiagnosed, *1949:* July, 927
embolism, *1948:* May, 739
hemorrhage, *1948:* May, 735, 736
differentiated from thrombosis and embolism, *1948:* May, 799
localization, clinical aspects, *1948:* May, 721–726
macular degeneration, *1950:* Jan., 162
metabolic disease, pathologic physiology, *1950:* Nov., 1801–1815
treatment, *1948:* May, 789–793
sinuses and veins, thrombosis of, *1948:* May, 739
thrombosis, *1948:* May, 738
anticoagulants in, *1949:* March, 339; *1950:* May, 909–924
differentiation from hemorrhage and embolus, *1950:* May, 910
vascular accidents, priscoline in, *1950:* March, 385
Cerebrospinal fluid in infants and children, *1950:* Jan., 107–118
methods of obtaining, *1950:* Jan., 115
Cervical rib, *1950:* Sept., 1236
smear in cancer diagnosis, *1950:* Sept., 1396
spine, lesions, *1950:* Sept., 1323
traction, method, *1950:* Sept., 1325
Cervix uteri, carcinoma, diagnosis, vaginal smear for, *1948:* Nov., 1563–1572
Cervix uteri, carcinoma, early detection, value of periodic examination of well women in, *1948:* Nov., 1557
diagnostic tests, in infertility, *1948:* Sept., 1179
hypersecretion, simple, *1948:* Nov., 1603
Cesarean section under caudal analgesia, *1948:* Nov., 1688
under spinal anesthesia, *1948:* Nov., 1691
Charcot's triad in multiple sclerosis, *1948:* May, 746
Chemotherapy of neoplastic diseases, *1950:* March, 439–458
Chest conditions, abdominal pain in, *1948:* March, 389
disease, angiocardiography in, *1950:* May, 746
Chickenpox, diagnosis, *1950:* Sept., 1310
treatment, *1950:* Jan., 144, Sept., 1318
Chigger infestation, *1950:* Jan., 267
Childbirth. See *Labor.*
Children, behavior problems, *1948:* May, 655–667
cerebrospinal fluid in, *1950:* Jan., 107–118
diagnostic problems in, *1950:* July, 1079–1089
diseases of, symposium on, *1950:* Jan., 1
parenteral fluid therapy in, *1950:* Jan., 53–70
problems of, *1948:* Jan., 272–282
Chloramphenicol. See *Chloromycetin.*
Chlorides, excretion, urinary, test, *1949:* Sept., 1273
replacement, *1950:* March, 406
Chloroform anesthesia in obstetrics, *1950:* Sept., 1529
Chloromycetin, dosages, *1950:* March, 318
in meningitis in children, *1950:* Nov., 1686
in pneumonia, *1950:* Nov., 1661
in primary atypical pneumonia, *1950:* Nov., 1647
in ricksettsial diseases, *1948:* Sept., 1337
in subacute bacterial endocarditis, *1950:* May, 781
in typhoid fever, *1950:* Nov., 1675
in urinary infections, *1949:* Sept., 1478; *1950:* March, 533
pharmacology and toxicology, *1950:* March, 311
toxicity, *1950:* March, 313
Chlorothen, dosages, *1950:* March, 352, 357
Chlor-trimeton, dosages, *1950:* March, 353, 357

Cholangitis, complicating common duct stone, *1948:* March, 496
Cholecystectomy, biliary dyskinesia following, *1948:* March, 390
Cholecystitis, acute, *1948:* March, 490
chronic, *1948:* March, 494
pain in, *1948:* March, 394, 395
Cholera, *1950:* Nov., 1675
antibiotics in, choice of, *1950:* March, 313
immunization, *1950:* Nov., 1730
Cholesterol, blood, in hypothyroidism, *1950:* Jan., 236
dietary, effect on blood levels, *1950:* May, 679
in pathogenesis of arteriosclerosis, *1950:* May, 673–683
restriction in atherosclerosis, *1949:* May, 775
Cholesterosis of gallbladder, *1948:* March, 494
Choline in prevention of arteriosclerosis, *1950:* May, 677
Chorea, diagnosis and treatment, *1950:* July, 1079
Choriomeningitis, lymphocytic, *1950:* Nov., 1686
diagnosis, *1950:* Sept., 1316
management, *1950:* Sept., 1321
Chronic disease, adjustment to, *1949:* March, 439
anxiety as reaction, *1949:* March, 440, 442
certain characteristics of, *1949:* March, 300
dietary needs in, *1948:* Sept., 1159–1169; *1949:* March, 561–572
in the constitutionally inadequate. *1949:* March, 427–434
mastery of, *1949:* March, 435–446
patient as surgical risk, *1949:* March, 573–585
planning for, *1949:* March, 587–597
prevalence of, *1949:* March, 435
social and cultural aspects, *1949:* March, 437
treatment, symposium on, *1949:* March, 293
Chrysarobin in dermatology, *1949:* Jan., 276
Cigarettes, smoking, in heart disease, *1950:* May, 697–703
Circulation time measurements, *1950:* May, 892
Circulatory considerations in respiratory failure, *1950:* Sept., 1343
failure, renal insufficiency due to, *1950:* May, 641–648
Cirrhosis, *1948:* March, 500–517
biliary, *1948:* March, 512
serum protein fractions in, *1948:* March, 463
cardiac, *1948:* March, 514; *1950:* May, 626
Cirrhosis, congestive, *1948:* March, 514
Laennec's, serum protein fractions in, *1948:* March, 460
of liver, diet in, *1949:* March, 570, Nov., 1661
hemorrhage in, massive, *1948:* March, 328
pigmentary, *1948:* March, 511
portal, *1948:* March, 501
acute hepatitis and, *1948:* March, 505
alcoholism and, *1948:* March, 503, 509
dietary deficiencies and, *1948:* March, 503
lipotropic factors in, *1948:* March, 502, 509
treatment, *1948:* March, 508
with primary carcinoma, clinicopathologic conference, *1948:* March, 537–544
postnecrotic, *1948:* March, 511
syphilitic nodular, *1948:* March, 514
toxic, *1948:* March, 511
Cisternal puncture in infants and children, *1950:* Jan., 117
Climacteric. See *Menopause.*
Clinicopathologic conference, *1948:* Jan., 161–175, March, 537–544
Clostridial infections, antibiotics in, choice of, *1950:* March, 313
Coal tar in eczematous dermatoses, *1949:* Jan., 209
Coarctation of aorta, angiocardiography in, *1950:* May, 750
electrocardiogram in, *1949:* July, 1159
hypertension in, *1949:* Nov., 1748
with hypotension in left arm, physiologic observations, *1950:* July, 1177–1185
Coccal infections, electrocardiogram in, *1950:* May, 871
Codeine in hypertrophic arthritis, *1950:* Sept., 1438
Cold agglutination test, *1950:* Nov., 1612
Cold, common, *1950:* Nov., 1637
antihistaminic drugs in, *1950:* March, 362, Nov., 1641
diagnosis, *1950:* Sept., 1311
prevention and treatment, *1950:* Nov., 1640
Colectomy in congenital megacolon, *1948:* July, 985
Coli-aerogenes infections, antibiotics in, choice of, *1950:* March, 314
Colic, abdominal, *1948:* March, 392
biliary, *1948:* March, 487
Colitis, thrombo-ulcerative (streptococcal), present-day therapy, *1948:* July, 967–979
ulcerative, chronic, anemia in, *1948:* March, 384

Colitis, ulcerative, indeterminate, and amebiasis, *1948:* March, 408–418
treatment, *1948:* March, 414
malignant degeneration in, report of 7 cases, *1949:* Sept., 1421–1437
present-day therapy, *1948:* July, 967-979
salicylazosulfapyridine in, *1949:* July, 935–942
streptococcal, medical management, *1948:* July, 967
surgical management, *1948:* July, 975
with ileostomy, abdominal pain in, *1948:* March, 392
Collapse procedures in tuberculosis, changing picture, *1950:* Sept., 1367
Collodion in dermatologic therapy, *1949:* Jan., 270
Colon, carcinoma, anemia in, *1948:* March, 386
dilatation, idiopathic, congenital, treatment, recent advances, *1948:* July, 981–987
irritable, diagnosis and treatment, *1948:* March, 398–407
physiology, *1948:* March, 400
psychosomatic factors, *1948:* March, 400
lavage, in renal failure, *1948:* July, 995
obstruction, *1949:* Sept., 1461
Colonic mucus, cytology of, in cancer diagnosis, *1950:* Sept., 1403
Colorado tick fever, diagnosis, *1950:* Sept., 1314
management, *1950:* Sept., 1320
Coma, diabetic, *1949:* Nov., 1537–1553
treatment, *1949:* March, 493, Nov., 1550
differential diagnosis, *1948:* May, 795–803
laboratory examination in, *1948:* May, 798
symptoms and signs, *1948:* May, 795
Common duct stones, *1948:* March, 495
Complement fixation, test in viral diseases, *1950:* Nov., 1610
spinal fluid in neurosyphilis, *1948:* May, 708
Compound E. See *Cortisone.*
Compression, arterial, to control hemorrhage, *1949:* Nov., 1558
dressings in severe hemorrhage, *1949:* Nov., 1557
Compulsive movements, skin lesions due to, *1948:* May, 674
reactions, *1950:* July, 1027
Conception, physiology of, *1948:* Jan., 40
Conduct disorders in children, *1948:* May, 664
Confusion reactions, *1950:* July, 1020
Congenital heart disease, electrocardiogram in, *1949:* July, 1157–1175
symposium on, *1948:* July, 855
tricuspid atresia, classification, *1949:* July, 1177–1196
Congo red test for amyloidosis, *1950:* July, 1165, 1171
Connective tissue nevi, *1949:* Jan., 237
Constipation, *1949:* July, 957–963
management, *1949:* July, 959
Constitutional diseases, abdominal pain in, *1948:* March, 391
Constitutionally inadequates, chronic illness and, *1949:* March, 427–434
Contact dermatitis, *1949:* Jan., 181
desensitization in, *1949:* Jan., 185
due to foods, *1949:* Jan., 239–247
therapy and general management, *1949:* Jan., 184
Contagious diseases. See *Infectious diseases, acute.*
Contraception, methods, *1948:* Nov., 1630
role, in preventive medicine, *1948:* Nov., 1629–1634
Contusions, muscle, in athletics, treatment, *1950:* Sept., 1264
Conversion hysteria, *1950:* Sept., 1489
Convulsions, cerebrospinal fluid in, *1950:* Jan., 109
coma following, *1948:* May, 801
of epilepsy, treatment, *1950:* March, 341–350, Sept., 1507–1520
Convulsive therapy in psychoses, *1950:* Sept., 1504
Cor pulmonale, morphine in, dangers, *1950:* Nov., 1768
precordial leads in, *1948:* Jan., 205
Cornea, erosion, unilateral, nocturnal, recurrent, *1949:* July, 998
Coronary arteries, anomalies, electrocardiogram in, *1949:* July, 1167
arteriosclerosis, *1949:* May, 652
cholesterol levels in, *1950:* May, 678
insurance aspect, *1950:* May, 812
artery disease, anoxemia test in, *1950:* May, 713–717
diet in, *1949:* Nov., 1631
exercise test, electrocardiogram in, *1950:* May, 877
terminology and diagnosis, *1950:* May, 685–696
two-step exercise test in, *1950:* May, 705–713
blood flow, reflex disturbances, electrocardiogram in, *1950:* May, 876
failure, *1950:* May, 688
insufficiency, *1950:* May, 686
thrombosis, abdominal pain in, *1948:* March, 389
in aged, *1948:* Jan., 227

Cortisone in relief of pain, *1950:* March, 372
in rheumatic disorders, *1949:* Nov., 1620; *1950:* March, 373, Sept., 1424
in rheumatoid arthritis, *1950:* Nov., 1703
Cosmetic dermatitis, *1949:* Jan., 183
Cough, habit, *1949:* July, 1055
in thoracic disease, diagnostic significance, *1949:* July, 1054
Coxa plana, *1950:* Jan., 173
Coxsackie virus, diagnosis, *1950:* Sept., 1314
Cranial arteries, dilatation, headache due to, *1948:* May, 558
Creatine excretion in hypothyroidism, *1950:* Jan., 236
Cretinism, *1947:* May, 714; *1948:* Jan., 122–139; *1950:* Jan., 238–241
Cross-eyes, treatment, problems in, *1950:* Jan., 283–302
Culdoscopy, *1948:* Sept., 1187
Curare in poliomyelitis, *1948:* Sept., 1392; *1950:* March, 556
in surgical anesthesia, *1950:* March, 591
Curettage, endometrial, *1948:* Nov., 1515
uterine, in uterine hemorrhage, *1948:* Jan., 67
Cushing's syndrome, hypertension in, *1949:* Nov., 1746
Cutaneous. See *Skin.*
Cyanosis, heart anomalies associated with, *1948:* July, 855, 879
Cyclopropane anesthesia, *1950:* March, 594
in obstetrics, *1950:* Sept., 1530
Cystic enlargement of ovary, significance with respect to treatment, *1948:* Nov., 1611–1628
Cystine stones, medical management, *1948:* Sept., 1316
Cystitis, *1949:* Sept., 1465
Cystoscopy in prostatism, *1949:* March, 475
Cystosis, follicular, *1948:* Nov., 1611
Cysts, bronchogenic, diagnosis, angiocardiography in, *1950:* May, 747, 748
pancreatic, *1948:* March, 532
Cytologic methods in cancer diagnosis, *1948:* Nov., 1563–1572; *1950:* Sept., 1395

DARIER-ROUSSY sarcoid, *1949:* Jan., 31, 32, 36, 37
DDT in pediculosis, *1950:* Sept., 1478
Decamethonium bromide in obstetrics, *1950:* Sept., 1531
with electroshock therapy, *1950:* Sept., 1506
Decapryn, dosages, *1950:* March, 352, 357
Deficiency diseases, stomatitis due to, *1948:* March, 360
Degenerative joint disease, *1950:* Sept., 1435–1446
Dehydration, acute anuria due to, *1950:* March, 511
as surgical risk, *1949:* March, 578
in infantile diarrhea, *1949:* May, 851–870
routine treatment, *1949:* May, 867
rationale for, *1949:* May, 860
treatment, *1950:* March, 405
Delirious reactions, *1950:* July, 1021
diagnosis and treatment, *1948:* May, 647–654
Delusions of parasitosis, *1949:* Jan., 18
Dementia, arteriosclerotic, *1950:* July, 1099
praecox, *1948:* May, 623–629
psychoneurosis and, differentiation, *1950:* July, 963, 964
senile, *1950:* July, 1099
Demerol in asthma, *1948:* Sept., 1374
in obstetrics, *1950:* Sept., 1524
in relief of pain, *1950:* March, 371
Dengue, *1950:* Sept., 1315, 1320
Dental caries, *1949:* Nov., 1713
control and prevention, *1950:* Jan., 13–32
Dentifrices, ammonia-urea compounds in, *1950:* Jan., 28
fluoride, *1950:* Jan., 27
penicillin, *1950:* Jan., 30
Deodorants, antiperspirant, dermatitis due to, *1949:* Jan., 184
Depressed patients, prefrontal lobotomy for, *1950:* July, 1046
Depression as mood response in illness, *1950:* July, 1026
electroschock therapy, report of 200 cases, *1949:* March, 515–526
psychotic and neurotic, differentiation, *1950:* July, 962
Dermal leishmaniasis, diagnosis, *1949:* May, 904
Dermatitis, allergic, extrinsic, *1950:* Sept., 1474
intrinsic, *1950:* Sept., 1482
atopic, *1949:* Jan., 7, 186; *1950:* Sept., 1482
emotional factors, *1948:* May, 675
Kaposi's varicelliform eruption complicating, *1949:* Jan., 214
of cubitals, forearms, dorsa of hands and wrist, *1949:* Jan., 217
treatment, *1949:* Jan., 190, 205–218
with seborrheic features, *1949:* Jan., 215
bakers', *1949:* Jan., 246
brucella, *1949:* Jan., 243

Dermatitis, contact, *1949:* Jan., 181
antihistaminic drugs in, *1950:* March, 360
desensitization in, *1949:* Jan., 185
due to foods, *1949:* Jan., 239–247
treatment, *1949:* Jan., 185; *1950:* Sept., 1474
cosmetic, *1949:* Jan., 183
eczematous, treatment, *1950:* Sept., 1482
exfoliative, *1949:* Jan., 135–144
factitia, *1948:* May, 674
functional, *1949:* Jan., 3–19
herpetiformis, *1949:* Jan., 170
in fishermen and fish handlers, *1949:* Jan., 245
medicamentosa, *1949:* Jan., 136, 198
occupational, *1949:* Jan., 183
plant, *1949:* Jan., 184
pyogenic, treatment, *1950:* Sept., 1475
schistosome, *1950:* Jan., 266
seborrheic, exfoliative dermatitis, and, *1949:* Jan., 136, 142
venenata, *1949:* Jan., 181
treatment, *1949:* Jan., 184; *1950:* Sept., 1474
Dermatologic disorders, psychogenic factors in, *1948:* May, 669–685
therapy, pharmacodynamics of vehicles and drugs used in, *1949:* Jan., 263–279
Dermatology, symposium on, *1949:* Jan., 1
Dermatomyositis, *1949:* Jan., 21–29
Dermatopathology as window to internal disease, *1949:* 281–287
Dermatophytids, *1949:* Jan., 197
Dermatophytosis, emotional factors, *1948:* May, 680
of feet, treatment, *1950:* Sept., 1481
trichophyton in diagnosis and treatment, *1949:* Jan., 197
Dermatoses, common, dermatitis exfoliativa in, *1949:* Jan., 136
precancerous, *1949:* Jan., 109
Bowen's, *1949:* Jan., 125 134
psychogenic, *1948:* May, 673
treatment, *1950:* Sept., 1473–1486
Desensitization in contact dermatitis, *1949:* Jan., 185
Dextrocardia, isolated, electrocardiogram in, *1949:* July, 1164
DFP in gastrointestinal disorders, *1948:* Sept., 1239, 1242
DHO 180 in hypertension, *1948:* Sept., 1253
Diabetes mellitus, arteriosclerosis and, *1949:* May, 784, 795–804
early vascular degeneration in, *1949:* May, 784; treatment and, *1949:* May, 791
in childhood, prognosis, *1949:* March, 495
Diabetes mellitus, late, vascular degeneration in, treatment and, *1949:* May, 791
management, during acute complications and surgery, *1949:* Sept., 1413–1419
nature of, *1949:* March, 485
surgery in, preparation for, *1949:* March, 580
treatment, by clinical approach, *1950:* March, 485–494
optimism in, *1949:* March, 485–496
vascular sclerosis in, *1950:* March, 491
pancreatic, frequency, in chronic pancreatitis, *1949:* May, 883–897
Diabetic acidosis in children, parenteral fluid therapy in, *1950:* Jan., 59
repair solutions in, *1948:* Sept., 1296
treatment, *1949:* March, 491
coma, *1948:* May, 801; *1949:* Nov., 1537–1553
treatment, *1949:* March, 493, Nov., 1550
Diagnostic problems in children, *1950:* July, 1079–1089
Dialysis in renal failure, basic principles, *1948:* July, 990
peritoneal, in acute renal failure, *1948:* July, 995; *1950:* March, 516
in congestive heart failure, *1950:* May, 624
Diaphragmatic hernia, air travel in, *1948:* July, 1092
Diarrhea, acute, with acidosis and postacidotic tetany in children, parenteral fluid therapy in, *1950:* Jan., 57
epidemic, *1950:* Nov., 1675
infantile, dehydration in, *1949:* May, 851–870
streptomycin in, *1948:* May, 805
Diatrin, *1950:* March, 352, 357
Dibenamine as adrenergic blocking agent, *1950:* March, 380
in arterial-embolism, *1950:* March, 385
in asthma, *1950:* March, 390
in Buerger's disease, *1950:* March, 386
in cardiac arrhythmias, *1950:* March, 391
in cardiospasm, *1950:* March, 390
in frostbite, *1950:* March, 386
in glaucoma, *1950:* March, 389
in hypertension, *1948:* Sept., 1252; *1950:* March, 387
in pheochromocytoma, diagnostic, *1950:* March, 386, May, 765
in psychoses, *1950:* March, 392

Dibenamine in Raynaud's disease, *1950:* March, 385
in shock, *1950:* March, 391
Dibutoline in gastrointestinal disorders, *1948:* Sept., 1232, 1237
Dicumarol, administration, *1949:* March, 343
hemorrhage in, control, *1949:* Nov., 1514
laboratory control, *1949:* Nov., 1513
and heparin, combined use, *1949:* March, 344
hypoprothrombinemia induced by, *1949:* Nov., 1700, 1706
in cerebral thrombosis, *1950:* May, 909–924
in chronic cardiovascular diseases, *1949:* March, 335–345
in multiple sclerosis, *1948:* May, 753
in prevention of intravascular thrombosis, *1949:* Nov., 1507
in rheumatic heart disease with periodic arterial embolism, *1948:* Sept., 1309–1313
in treatment of thrombosis and embolism, *1949:* Nov., 1509, 1511
poisoning, hypoprothrombinemia of, treatment, *1950:* March, 462
therapy with, dangers, *1950:* Nov., 1791
Diet, acid ash, *1948:* Sept., 1324
high vitamin, *1948:* Sept., 1327
in nephrotic edema, *1950:* Jan., 87
defective, portal cirrhosis and, *1948:* March, 503
for use with Amphojel regimen, *1948:* Sept., 1328
in acute glomerulonephritis, *1950:* Jan., 102
in acute renal failure, *1949:* July, 1016; *1950:* March, 511
in arteriosclerosis, *1949:* Nov., 1684
in cirrhosis of liver, *1949:* March, 570
in congestive heart failure, *1949:* Nov., 1631–1641
in constipation, *1949:* July, 960
in coronary artery disease, *1949:* Nov., 1631
in epilepsy, *1950:* Sept., 1518
in gastrointestinal hemorrhage, *1949:* Nov., 1576
in heart disease, *1949:* March, 564 Nov., 1631–1641
in heart failure, *1949:* March, 365; *1950:* March, 566
in hypertension, *1948:* Sept., 1256; *1949:* March, 566, May, 662, 691 Sept., 1271, Nov., 1639; *1950:* Nov., 1742
in hypertrophic arthritis, *1950:* Sept., 1438
Diet in intestinal obstruction, *1948:*, March, 378
in kidney disease, *1949:* March, 565
in long-term illness, *1948:* Sept., 1159–1169; *1949:* March, 561–572
in massive hemorrhage from peptic ulcer, *1947:* Sept., 1126; *1948:* March, 330
in nephritis, *1949:* March, 565
in nephrosclerosis, *1949:* March, 566
in obesity in childhood, *1950:* Jan., 230
in peptic ulcer, *1948:* March, 321; *1950:* Sept., 1452
in portal cirrhosis, *1948:* March, 508
in psychosomatic disorders, *1949:* March, 571
in rheumatoid arthritis, *1948:* Sept., 1363; *1949:* Sept., 1382
in rickettsial diseases, *1948:* Sept., 1334
in senility, *1949:* March, 563, Nov., 1682
in spinal cord injuries, *1948:* Sept., 1280
in tuberculosis, *1949:* March, 563
in ulcerative colitis, *1948:* July, 968
in viral hepatitis, *1949:* March, 455
Karell, *1949:* March, 365, 366, 564, Nov., 1636
low cholesterol, in atherosclerosis, *1949:* May, 775
low purine, *1948:* Sept., 1318
low sodium, in heart failure, *1949:* March, 328, 329, 366, Nov., 1638; *1950:* March, 566
in hypertensive vascular disease, *1949:* May, 713–725, Sept., 1274
reduction, in hypertension, *1949:* March, 569
rice, in hypertension, *1949:* March, 323, 325, 568; May, 662, Sept., 1271, Nov., 1639; *1950:* Nov., 1742
Schemm, *1949:* Nov., 1636
sodium-free, foods to avoid, *1949:* March, 567
Dietary factors in liver injury, *1949:* Nov., 1657–1669
needs in long-term illness, *1949:* March, 561–572
Diethylstilbestrol in carcinoma of prostate, *1948:* Jan., 115
in cystic enlargement of ovary, *1948:* Nov., 1620
in dysmenorrhea, *1950:* Sept., 1543
in menopause, *1950:* Sept., 1549
in mumps orchitis, *1950:* Jan., 135
in prostatic hypertrophy, *1948:* Jan., 119
Digestive system, diseases, symposium on, *1948:* March, 301
Digitalis, action of, *1950:* May, 649
ambulatory use, *1950:* May, 657
contraindications, *1950:* May, 659

Digitalis in auricular fibrillation, *1949:* Nov., 1531; *1950:* May, 653
in auricular flutter, *1949:* Nov., 1529; *1950:* May, 653
in auricular paroxysmal tachycardia, *1950:* May, 738
in heart block, *1950:* May, 653
in heart failure, *1949:* March, 367, Nov., 1526; *1950:* March, 565, May, 651, 663–671
in paroxysmal auricular fibrillation, prophylactic, *1950:* May, 743
in paroxysmal auricular flutter, *1950:* May, 744
in paroxysmal tachycardias, *1950:* May, 653
in infancy and childhood, *1950:* Jan., 219, 222
in premature contractions, *1950:* May, 653
in surgery and obstetrics *1950:* May, 660
preparations and dosages, *1950:* May, 653
toxicity, *1950:* May 626, 658
use of, directions for, *1950:* May, 649–662
whole leaf, *1950:* May, 655
Digitoxin, *1950:* May, 656
in congestive heart failure, *1950:* May, 668
Digoxin, *1950:* May, 657
in auricular flutter, *1949:* Sept., 1261
in congestive heart failure, *1950:* May, 669
Dihydroergocornine in hypertension *1950:* March, 388
Dihydroergotamine in migraine, *1948:* May, 562, Sept., 1352; *1949:* Nov., 1587, 1588
Dihydrostreptomycin, current uses, *1950:* March, 326–330
dosage and administration, *1950* March, 317, 327
Dihydrostreptomycin in brucellosis, *1949:* July, 1087
in influenzal meningitis, *1950:* Jan., 137
in subacute bacterial endocarditis, *1950:* May, 781
in tuberculous meningitis, *1950:* Jan., 138
pharmacology and toxicology, *1950:* March, 309
toxicity, *1950:* March, 312
Dihydrotachysterol in sarcoidosis, *1949:* Jan., 50
Dilantin sodium in epilepsy, *1950:* March, 346, Sept., 1513, 1516
Diodoquin in amebic dysentery, *1950:* Nov., 1672
Diphenylhydantoin sodium. See *Dilantin sodium.*
Diphtheria, *1950:* Nov., 1628
antibiotics in, choice of, *1950:* March, 314
antitoxin therapy, *1950:* Nov., 1630
immunization, *1950:* Jan., 133, Nov., 1719
paralysis of, *1950:* Nov., 1629
penicillin in, *1950:* March, 324, Nov. 1631
stomatitis in, *1948:* March, 358
treatment, *1950:* Jan., 134
Diplegia, atonic, *1950:* Jan., 155
Discogenetic diseases of cervical spine, *1949:* Nov., 1623
Dislocation of acromioclavicular joint, *1950:* Sept., 1332
Diuresis in heart failure, *1949:* March, 369
Diuretics in acute renal failure, *1949:* July, 1015
mercurial, in heart failure, *1950:* March, 568, May, 621, 629
oral and rectal, products and description, *1950:* May, 631
Diverticulitis of colon, pain in, *1948:* March, 395
Diverticulum, esophageal, *1948:* March, 364
gastric, *1948:* March, 336–354
malignant disease of stomach simulating, *1948:* March, 336–354
Dizziness in aged, *1948:* Jan., 225
Dolantin, in relief of pain, *1950:* March, 371
Dolophine, in relief of pain, *1950:* March, 369
Doryl, in gastrointestinal disorders, *1948:* Sept., 1238, 1240
Drainage headache, *1949:* Sept., 1449, Nov., 1594
Draper-Whitehead method of artificial respiration, *1950:* Sept., 1357
Drug addiction, manifestations and treatment, *1950:* March, 425–438
eruptions, *1949:* Jan., 198
bulbous, *1949:* 173, 174
drugs causing, *1949:* Jan., 200
treatment, *1949:* Jan., 201
Drugs, dermatitis exfoliativa due to, *1949:* Jan., 136
effect on electrocardiogram, *1950:* May, 873
in dermatologic therapy, pharmacodynamics of, *1949:* Jan., 263–279
use of, psychologic aspects, *1950:* July, 973–979
Ducci and Watson bilirubin test, evaluation, *1950:* Sept., 1463
Ductus arteriosus, left-sided, and left-sided descending aorta, *1948:* July, 929
patent, *1948:* July, 911–923
electrocardiogram in, *1949:* July, 1159

Ductus arteriosus, right-sided, with upper portion of descending aorta on right side, *1948:* July, 938
Dumping syndrome, *1949:* Sept., 1321–1341
Duodenal drainage, cytology of material from, in cancer diagnosis, *1950:* Sept., 1399
in renal failure, *1948:* July, 993
ulcer, medical management in light of current etiologic concepts, *1950:* Sept., 1447–1457
vagotomy for, indications, *1948:* March, 305
Duomycin, in urinary tract infections, *1949:* July, 1077, 1078
Dusting powders in dermatologic therapy, *1949:* Jan., 266
Dwarfism, *1948:* Jan., 151
pituitary, *1948:* Jan., 141, 154
Dye method for estimating plasma volume, *1949:* Nov., 1569
Dysentery, amebic, *1950:* Nov., 1670
treatment, *1950:* Nov., 1672
bacillary, *1950:* Nov., 1667
antibiotics in, choice of, *1950:* March, 313
sulfonamides in, *1950:* March, 333
treatment, *1950:* Nov., 1670
Dyshidrosis, *1949:* Jan., 10
Dyskinesia, biliary, *1948:* March, 497
Dysmenorrhea, endocrine therapy, *1950:* Sept., 1542
psychosomatic approach, *1948:* Nov., 1585
Dyspareunia, in infertility, *1948:* Sept., 1172
Dyspnea, diagnostic significance, *1949:* July, 1056
paroxysmal, treatment, *1949:* Nov., 1521

ECLAMPSIA, hypertension in, *1949:* May, 671
management, *1949:* May, 839
physiological treatment, *1948:* Nov., 1678
veratrum viride in, *1948:* Nov., 1676
Ectasias, senile, *1949:* Jan., 227
Eczema, *1950:* Sept., 1482
adult, treatment, *1950:* Sept., 1484
atopic, management, *1949:* Jan., 205–218
exudative, *1949:* Jan., 212
flexural, *1949:* Jan., 186
infantile, *1949:* Jan., 187
treatment, *1949:* Jan., 205–218; *1950:* Sept., 1483
nummular, *1949:* Jan., 10
of hands, treatment, *1950:* Sept., 1484
treatment, *1948:* Sept., 1375
vesicular and encrusted, *1949:* Jan., 211
Eczematous sensitization, *1949:* Jan., 181
Edema, angioneurotic, treatment *1950:* Sept., 1478
in chronic nephritis and nephrosis, *1950:* Jan., 76
treatment, *1950:* Jan., 85
in congestive heart failure, pathogenesis and treatment, *1950:* May, 615–628
in heart and kidney disease, water balance and, *1950:* March, 571–587
pulmonary, *1949:* Nov., 1615
Effort syndrome, *1949:* Sept., 1343–1364
Ejaculations, premature, diethylstilbestrol in, *1948:* Jan., 120
Electric coma therapy in psychoses, *1950:* Sept., 1503
narcosis in psychoses, *1950:* Sept., 1503
Electrocardiogram, extremity leads, unipolar, use, recent advances, *1950:* May, 857–867
in auricular flutter, *1949:* Sept., 1259
in congenital heart disease, *1949:* July, 1157–1175
in coronary artery disease, *1950:* May, 693
anoxemia test, *1950:* May, 713–717
exercise test, *1950:* May, 705, 877
in emotional disturbances, *1950:* May, 821
in hypertension, *1949:* May, 656
in pre-excitation syndrome, *1950:* May, 884
in venous thrombosis and pulmonary embolism, *1949:* Nov., 1505; *1950:* May, 874
precordial, unipolar, interpretation of, *1950:* May, 833–855
QRS diphasic high-potential, *1949:* July, 1171
Electrocardiography, clinical, precordial leads in, *1948:* Jan., 197–212
practical, advances in, *1950:* May, 869–886
technics, *1950:* May, 836
theory of, *1950:* May, 833
Electrodiagnosis, in peripheral nerve injuries, *1948:* May, 780
Electroencephalogram, in epilepsy, *1950:* Sept., 1511
Electrolytes, body, alterations in disease, *1950:* March, 398–402
Electrophoresis, in peripheral vascular disease, *1949:* March, 351
Electrophrenic, respiration, *1950:* Sept., 1353
Electroshock therapy, ambulatory, instructions to family of patient receiving, *1948:* May, 639
in manic-depressive psychosis, *1948:* May, 645
report of 200 cases, *1949:* March, 515–526

Electroshock therapy, in outpatient setting, *1948:* May, 585–595
in psychoses, *1950:* Sept., 1504–1505
of aged, *1950:* July, 1104
in schizophrenia, *1948:* May, 628
methods to prevent seizures, *1950:* Sept., 1505
Electrostimulation, nonconvulsive, in psychoses, *1950:* Sept., 1504
Electrotherapy, in hemiplegia, *1948:* May, 786
in peripheral nerve injuries, *1948:* May, 781
in poliomyelitis, *1948:* May, 785
Elephantiasis, due to recurrent lymphangitis and cellulitis, *1949:* July, 1089
nostras streptogenes, *1949:* July, 1089, 1093
Emancipation, in psychotherapy, *1948:* Sept., 1200, 1205
Embolism, arterial, dibenamine in *1950:* March, 385
periodic, in rheumatic heart disease, dicumarol in, *1948:* Sept. 1309–1313
cerebral, *1948:* May, 739
differentiation from hemorrhage and thrombosis, *1950:* May, 910
pulmonary, *1949:* Nov., 1503, 1617
electrocardiogram in, *1950:* May, 874
emergency treatment, *1949:* Nov., 1531
prevention, *1949:* Nov., 1506
septic, pathogenesis, *1950:* Nov., 1751–1760
Emergencies, medical, acute, symposium on, *1949:* Nov., 1499
Emerson hip-lift method of artificial respiration, *1950:* Sept., 1349, 1351
Emetine, in amebic dysentery, *1950:* Nov., 1672
Emotional conflicts, role, in neurodermatitis, *1950:* July, 1010
disturbances, functional cardiovascular changes during, *1950:* May, 818
in poliomyelitis, *1948:* Sept., 1398
prevalence, in armed forces of World War II, *1950:* July, 939
in civilian practice, *1950:* July, 941
factors in menopause, *1950:* March, 547
in skin diseases, *1948:* May, 669–685
participation in psychotherapy, *1948:* Sept., 1203
Emphysema, antibiotic aerosols in, *1948:* July, 1082
bulbous, diagnosis, angiocardiography in, *1950:* May, 749
mediastinal, *1949:* Nov., 1617
Empyema of gallbladder, *1948:* March, 491
penicillin in, *1948:* Sept., 1212
postneumonic, treatment, *1950:* Nov., 1663
Encephalitis, acute, coma in, *1948:* May, 800
behavior disorders following, *1948:* May, 660
cerebrospinal fluid in, *1950:* Jan., 112
equine, diagnosis, *1950:* Sept., 1317
management, *1950:* Sept., 1321
infectious, in children, *1950:* Nov., 1689–1692
nonsuppurative, *1950:* Jan., 162
parkinsonism following, *1949:* July, 1131
St. Louis, diagnosis, *1950:* Sept., 1316
management, *1950:* Sept., 1321
Encephalography, air travel after, *1948:* July, 1092
Encephalopathy, hypertensive, in acute glomerulonephritis, *1950:* Jan., 98
treatment, *1950:* Jan., 103
Endamoeba histolytica, concentration technic, *1949:* May, 901
Endocardial fibrosis, generalized, electrocardiogram in, *1949:* July, 1162
Endocarditis, bacterial, subacute, diagnosis and treatment, revised criteria for, *1950:* May, 769–783
etiologic considerations and prophylaxis, *1948:* Jan., 176–186
penicillin in, *1950:* March, 321
Endocervicitis, treatment, *1948:* Sept., 1179
Endocrine disease, electrocardiogram in, *1950:* May, 873
factors in menstrual cycle, *1948:* Jan., 42
function, clinical tests, *1949:* Sept., 1401–1412
problems during adolescence, *1948:* Jan., 140–150
therapy in amenorrhea, *1948:* Jan., 69; *1950:* Sept., 1538
in cancer, *1950:* Sept., 1409–1417
of breast, *1950:* March, 446
of prostate, *1950:* March, 445
in cystic enlargement of ovary, *1948:* Nov., 1620
in dysmenorrhea, *1950:* Sept., 1542
in functional menstrual disorders, *1948:* Nov., 1517
in functional uterine bleeding, *1948:* Jan., 67; *1950:* Sept., 1544, 1556
in menopause, *1948:* Jan., 69; *1950:* Sept., 1547
in menstrual disorders, *1950:* Sept., 1537–1550
in prostate disease, *1948:* Jan., 111–121
in sterility in men, *1948:* Jan., 86

Endocrinology, symposium on, *1948:* Jan., 3
Endometrial biopsy, *1948:* Jan., 49, 61, Sept., 1181, Nov., 1551
curettage, *1948:* Nov., 1515
dysfunction, tests, *1948:* Sept., 1180
Endometrium, anatomy, *1948:* Nov., 1491
cyclical changes, *1948:* Jan., 42, Nov., 1494
Enteric infections, acute, *1950:* Nov., 1667–1678
Enteritis, regional, diagnosis and treatment, study of 55 cases over nine years, *1948:* March, 419–427
Enterococcal infections, antibiotics in, choice of, *1950:* March, 314
Enuresis, causes and treatment, *1950:* July, 1085
Enzyme activity, intracellular, of brain, *1950:* Nov., 1803
Ephedrine, in allergy in infants, *1950:* Jan., 9
in asthma, *1948:* Jan., 243, Sept., 1373
in respiratory failure, *1950:* Sept., 1359
Epididymovasostomy, *1948:* Sept., 1175
Epidural hemorrhage, *1948:* May, 798
Epilepsy, air travel in, *1948:* July, 1092
behavior problems in, *1948:* May, 662
diagnosis, *1950:* Sept., 1510
drug therapy, *1950:* March, 341–350
questionable use of term, *1950:* July, 1055
seizures, treatment, *1950:* Sept., 1507–1520
types, *1950:* Sept., 1508, 1510
Epinephrine, in allergy in infants, *1950:* Jan., 9
in asthma, *1948:* Jan., 238, 243, Sept., 1373; *1949:* March, 418
in blood in pheochromocytoma, *1950:* May, 763
in gastrointestinal disorders, *1948:* Sept., 1235
in status asthmaticus, *1949:* Nov., 1597
in urticaria, *1948:* Sept., 1375
reaction in pheochromocytoma, *1950:* May, 765
Epithelial nevi, *1949:* Jan., 234
Epithelioma, basal cell, *1949:* Jan., 111
squamous cell, basal, *1949:* Jan., 112
treatment, *1949:* Jan., 120
Ergometry, in peripheral vascular disease, *1949:* March, 348
Ergot alkaloids, as adrenergic blocking agents, *1950:* March, 382
in hypertension, *1950:* March, 389
Ergotamine tartrate, in gastrointestinal disorders, *1948:* Sept., 1239, 1242
in headache, *1948:* May, 561, Sept., 1351
Erysipelas, treatment, *1950:* Jan., 135
Erysipeloid, *1949:* Jan., 244
Erythema multiforme, *1949:* Jan., 172
nodosum tuberculosum, *1949:* Jan., 257
Erythematoid benign pemphigus, *1949:* Jan., 169
Erythroblastosis fetalis, *1950:* Jan., 187–200
Rh factor and, *1948:* Nov., 1638
Erythrocytes, buffering action of, *1948:* Jan., 265
maturation factor, *1949:* March, 548
volume in gastrointestinal hemorrhage, *1949:* Nov., 1569
Erythrophagocytosis, normal, *1949:* March, 543
Erythropoiesis, normal, *1949:* March, 541
Esophageal hiatus, hernia, recurrent, *1948:* Jan., 213–222
Esophagus, atresia of, congenital, *1950:* Jan., 247–256
carcinoma, *1948:* March, 370
diverticulum, *1948:* March, 364
involvement, in scleroderma, *1949:* Jan., 61, 62
lesions, *1948:* March, 363–372
Estradiol, in functional uterine bleeding, *1950:* Sept., 1556, 1560
in menopause, *1950:* Sept., 1549
Estrogen therapy, in amenorrhea, combined with progesterone, *1950:* Sept., 1540
with psychosomatic disturbances, *1948:* Jan., 71
in carcinoma of breast, *1950:* March, 448, Sept., 1411
in carcinoma of prostate, *1948:* Jan., 111; *1950:* March, 445, Sept., 1411
in dysmenorrhea, *1950:* Sept., 1542
in functional menstrual disorders, *1948:* Nov., 1518; *1950:* Sept., 1546, 1556
in hypertrophic arthritis, *1950:* Sept., 1438
in menopause, *1948:* Jan., 71, *1950:* March, 550, Sept., 1548
dangers in, *1948:* Nov., 1525
in prostatic hypertrophy, *1948:* Jan., 119
in uterine hemorrhage, *1948:* Jan., 68
withdrawal as cause of menstrual bleeding, *1948:* Nov., 1488
Etamon, in gastrointestinal disorders, *1948:* Sept., 1233, 1237
in hypertension, *1948:* Sept., 1252
Ether anesthesia, in obstetrics, *1950:* Sept., 1529
Ethinyl estradiol, in menopause, *1950:* Sept., 1549
in oligomenorrhea, *1950:* Sept., 1541

Ethyl carbamate. See *Urethane.*
chloride spray, in relief of pain, *1950:* March, 374
Eunuchoidism, secondary, *1948:* Jan., 142
Euphoria, *1950:* July, 1024
in multiple sclerosis, *1948:* May, 746
Eve tilting board for artificial respiration, *1950:* Sept., 1351
Examination, pelvic, failure to make, as factor in cancer, *1948:* Nov., 1576
periodic, of supposedly well women, value, *1948:* Nov., 1557–1561
Excoriations, neurotic, *1949:* Jan., 18
Exercise, bed, for paralyzed patients, *1948:* Sept., 1284, 1286
in rheumatoid arthritis, *1948:* Sept., 1361
Buerger's, *1949:* March, 353
effect, in congestive heart failure, *1950:* May, 619
in cerebral palsy, *1948:* May, 791
in hypertrophic arthritis of hip, *1950:* Sept., 1443
of knee, *1950:* Sept., 1444
of spine, *1950:* Sept., 1441
in peripheral nerve injuries, *1948:* May, 782
in poliomyelitis, *1948:* May, 785
in rheumatoid arthritis, *1949:* Sept., 1379
progressive resistance, in arthritis of knee, *1949:* Sept., 1316
test in auricular flutter, *1949:* Sept., 1259
in coronary artery disease, electrocardiogram in, *1950:* May, 705–713, 877
therapeutic, in degenerative joint disease, *1949:* Sept., 1314
Exophthalmic goiter, radioactive iodine in, *1948:* Jan., 3–17
treatment, *1950:* March, 537
Exophthalmos, relationship of thyrotropic hormone to, *1948:* July, 952
Expectorants, in asthma, *1948:* Jan., 243
Expectoration, in thoracic disease, diagnostic significance, *1949:* July, 1654
Exploration, in psychotherapy, *1948:* Sept., 1201
Exsanguinotransfusion, in acute renal failure, *1950:* March, 518
Extremities, lymphangitis and cellulitis of, recurrent, *1949:* July, 1089–1098
upper, pain in, *1950:* Sept., 1323–1334
Extralin, in pernicious anemia, *1948:* July, 1117
Extrarenal excretion, clinical considerations, *1948:* July, 989–1076
methods, *1948:* July, 989
Extrasystoles, therapeutic problem in, *1948:* Sept., 1427–1438
Eyelids, heliotrope, of dermatomyositis, *1949:* Jan., 23
Eyes, crossed, treatment, problems in, *1950:* Jan., 281–302
diseases, headache with, *1948:* May, 567
fundus, changes in hypertension, *1949:* May, 665–773
involvement, in multiple sclerosis, *1948:* May, 745
movements, development, *1950:* Jan., 286
sarcoidosis of, *1949:* Jan., 37

FACIAL neuralgia, *1949:* Nov., 1591
Fainting, *1948:* May, 803
Fallopian tubes, diagnostic tests, in infertility, *1948:* Jan., 46, Sept., 1184, Nov., 1544
ligation, for sterilization, *1948:* Nov., 1632
Fallot's tetralogy, *1948:* July, 855–877
angiocardiography in, *1950:* May, 750
Family-doctor cooperation in mental illness, *1948:* May, 631–640
Fat metabolism, vascular degeneration and, *1949:* May, 786
Fatigue in aged, *1948:* Jan., 223
Fauces, infectious, acute, *1950:* Nov., 1621–1635
Fears of patient, *1950:* July, 948
Feeding, infant, in premature cases, *1950:* Jan., 46
self-demand, *1950:* Jan., 33–40
Female sex hormone. See *Estrogens.*
Femoral vein ligation in prevention of thrombosis and embolism, *1949:* Nov., 1507
in treatment of thrombosis and embolism, *1949:* Nov., 1509
Fertility in men, *1948:* Jan., 73–88
in women, *1948:* Jan., 37–56
effect of splenectomy on, *1950:* July, 1226
impaired, treatment, *1948:* Jan., 69
studies, newer approaches, *948:* Nov., 1533
Fever therapy in syphilis, *1950:* March, 499
Fibrocystic disease of pancreas, congenital, *1948:* March, 531
Fibroids of uterus, harmlessness of many, *1949:* March, 432
Fibrositis of lower back, *1949:* Nov., 1626
Filariasis, diagnosis, *1949:* May, 903
Fingernails, changes, following use of "base coats," *1949:* Jan., 95–107
Fingers, arthritis, hypertrophic, *1950:* Sept., 1439
lesions, in scleroderma, *1949:* Jan., 57, 58, 60

Fish handlers, dermatitis in, *1949:* Jan., 245
Fistula, arteriovenous, hypertension in, *1949:* Nov., 1751
biliary, hypoprothrombinemia of, *1949:* Nov., 1695, 1706
pancreatic, *1948:* March, 532
renal-visceral, *1948:* Sept., 1418
tracheo-esophageal, *1950:* Jan., 247–256
Fits. See *Convulsions.*
Fixation, development, *1950:* Jan., 283
Flexural eczema, *1949:* Jan., 186
Flocculation tests, evaluation, *1950:* Sept., 1467
Fluids, administration, in acute renal failure, *1949:* July, 1017
in intestinal obstruction, *1948:* March, 374
in spinal cord injuries, *1948:* Sept., 1281
in ulcerative colitis, streptococcal, *1948:* July, 974
parenteral, *1950:* March, 395–412
in children, *1950:* Jan., 53–70
body, alterations in disease, *1950:* March, 398
Fluorides in caries prevention, *1950:* Jan., 23
Focal infection, rheumatoid arthritis and, *1950:* Nov., 1696
theory of, pro and con, *1950:* Nov., 1705–1717
Foci of infection, elimination, in viral hepatitis, *1949:* March, 456
Folic acid, antagonists, in leukemia, *1950:* Jan., 209, March, 451
pharmacology, *1950:* March, 442
conjugates of, *1948:* July, 1128
metabolism of, *1948:* July, 1129
in macrocytic anemias, *1948:* Sept., 1264; *1950:* Sept., 1299
in pernicious anemia, *1948:* July, 550, Sept., 1394; *1950:* Sept., 1299 1125, 1133; *1949:* March, 549, 550, Sept., 1394; *1950:* Sept., 1299
neurologic complications, *1948:* July, 1134
physiology of, *1948:* July, 1128
Follicular cystosis, *1948:* Nov., 1611
Folliculitis, pyogenic, of beard, treatment, *1950:* Sept., 1476
Food allergy, *1948:* Jan., 245–263
in nutrition, *1948:* Sept., 1160
poisoning, *1950:* Nov., 1673
Foods, skin diseases due to, *1949:* Jan., 239–247
Foot, avascular necrosis of, *1950:* Jan., 183
dermatophytosis, treatment, *1950:* Sept., 1481
Foot and mouth disease, *1949:* Jan., 244
Formaldehyde in dermatologic therapy, *1949:* Jan., 278
Forneau compounds as adrenergic blocking agents, *1950:* March, 381
in pheochromocytoma, diagnostic, *1950:* March, 386
Freiberg's disease, *1950:* Jan., 185
Friedländer's bacillus infections, antibiotics in, choice of, *1950:* March, 314
Frigidity, psychosomatic approach, *1948:* Nov., 1587
Fröhlich's syndrome, *1948:* Jan., 141
Frostbite, dibenamine in, *1950:* March, 386
Functional diseases of skin, *1949:* Jan., 3
problems, psychologic testing in, *1950:* July, 1075
tests of liver, pitfalls in, *1950:* Sept., 1459–1472
uterine bleeding, endocrine therapy, *1950:* Sept., 1544, 1556
management, *1950:* Sept., 1551–1565
Fundus changes in hypertension, *1949:* May, 665–673
Fungus infection of mouth, *1948:* March, 360
superficial, treatment, *1950:* Sept., 1480
Furunculosis, emotional factors, *1948:* May, 681
penicillin in, *1950:* March, 324
treatment, *1950:* Sept., 1477

GAFFKYA tetragena infection, antibiotics in, choice of, *1950:* March, 314
Gallbladder, carcinoma, *1948:* March, 497
cholesterosis, *1948:* March, 494
empyema, *1948:* March, 491
perforation, in acute cholecystitis, *1948:* March, 491
"strawberry," *1948:* March, 494
Gallstones, *1948:* March, 487
biliary colic, *1948:* March, 487
complications, *1948:* March, 490
Gamasoidosis, *1949:* Jan., 244
Gas gangrene, penicillin in, *1950:* March, 324
Gastrectomy, subtotal, for peptic ulcer, dumping syndrome after, *1949:* Sept., 1321–1341
Gastric. See *Stomach.*
Gastritis, chronic, as source of gross hemorrhage, *1949:* Sept., 1365–1374
diseases, air travel in, *1948:* July, 1091
Gastrointestinal allergy, antihistaminic drugs in, *1950:* March, 359
antispasmodics and spasmodics in, *1948:* Sept., 1227–1245
symposium on, *1948:* March, 301; *1949:* July, 923

Gastrointestinal hemorrhage, laboratory examination, *1949:* Nov., 1567
massive, management, *1949:* Nov., 1565–1579
upper, indications for surgery, *1948:* March, 328
medical management, *1948:* March, 328–335
morphine in, dangers, *1950:* Nov., 1770
tract, utilization for dialysis, in renal failure, *1949:* July, 992
Gastrojejunal ulcer, vagotomy for, indications, *1948:* March, 305
Gastroscopy in gastric diverticulum, *1948:* March, 342
Gaucher's disease, splenectomy for, effect on subsequent pregnancies, *1950:* July, 1223
Gelatin in dermatologic therapy, *1949:* Jan., 270
Genitourinary infections, penicillin in, *1950:* March, 324
tract, diseases, air travel in, *1948:* July, 1092
Geriatrics, psychosomatic aspects, *1950:* July, 1091–1105
surgery in, *1949:* March, 583
German measles, diagnosis, *1950:* Sept., 1310
diagnosis, *1950:* Sept., 1310
treatment, *1950:* Jan., 141, Sept., 1318
Gestalt pain, *1950:* July, 987
Gigantism, *1948:* Jan., 143, 157
Gingival biopsy in diagnosis of amyloidosis, *1950:* July, 1174
Gingivostomatitis, infectious, acute, *1948:* March, 359
Girdle symptom in multiple sclerosis, *1948:* May, 744
Gitalin in congestive heart failure, *1950:* May, 669
Glandular syphilis, *1949:* Jan., 261
Glaucoma, chronic, headache as symptom, *1948:* May, 839–844
dibenamine in, *1950:* March, 389
Glomerulonephritis, acute, *1950:* Jan., 95–105
hypertension in, *1949:* May 669
Glomerulotubular imbalance in congestive heart failure, *1950:* May, 617
Glossodynia, *1948:* May, 674
Glycogen storage disease, electrocardigram in, *1949:* July, 1167
Glycosides, cardiac, in auricular flutter, *1949:* Sept., 1261
in congestic heart failure, *1950:* May, 620, 663–671
Goiter, adenomatous, treatment, *1950:* March, 536
endemic, *1948:* Jan., 122, 125
Goiter, exophthalmic, radioactive iodine in, *1948:* Jan., 3–17
treatment, *1950:* March, 537
simple, in adolescence, *1948:* Jan., 144
toxic, treatment with radioiodine, *1949:* Sept., 1211–1223
Goitrogenic drugs, *1948:* July, 953
Gold salts, reactions, BAL in, *1948:* Sept., 1366
in rheumatoid arthritis, *1948:* Sept., 1365; *1949:* Sept., 1382; *1950:* Nov., 1700
Gonadotropin therapy in functional menstrual disorders, *1948:* Nov., 1518
in impaired fertility, *1948:* Jan., 70
in ovarian failure, *1948:* Jan., 149
in primary hypogonadism, *1948:* Jan., 147
in sterility in men, *1948:* Jan., 87
in undescended testicle, *1948:* Jan., 149
urinary, assay of, in hypogonadism, *1948:* Jan., 98
Gonorrhea, penicillin in, *1949:* Sept., 1476; *1950:* March, 324
Grave's disease. See *Exophthalmic goiter.*
Growth needs in children, *1948:* Jan., 277
process in children *1948:* Jan., 272
Guaiac test for cancer, *1950:* Sept., 1395
Gynecologic investigation in menstrual irregularities *1948:* Jan., 57
Gynecology, psychosomatic aspects, *1948:* Nov., 1583–1599; *1950:* July, 995—1008
recent advances, symposium on, *1948:* Nov., 1483

HABIT disorders in children, *1948:* May, 662
Hair dyes, dermatitis due to, *1948:* Jan., 183
Halter, Sayre, in discogenetic disease of cervical spine, *1949:* Nov., 1625
Hamstring muscles, tears, in athletes, *1950:* Sept., 1265
Hands, eczema, treatment, *1950:* Sept., 1484
Haptene in erythroblastosis fetalis, *1950:* Jan., 198
Hay fever, antihistaminic drugs in, *1948:* Sept., 1372; *1950:* March, 359
injection treatment, *1948:* Sept., 1369
Headache, *1948:* May, 557–569; *1949:* July, 973–1005; Sept., 1439–1454; Nov., 1581–1596
as symptom of chronic glaucoma, *1948:* May, 839–844
clinical varieties and therapeutic suggestions, *1949:* July, 973–1005

Headache, diagnosis, *1948:* May, 557–569; *1949:* July, 978, Sept., 1439
drug addiction and psychoneurosis as background, *1949:* July, 983
drugs in, physiologic action, *1949:* July, 977
due to cerebrovascular accidents, *1949:* Nov., 1590
extracranial, *1949:* Sept., 1450
histamine, *1949:* July, 977, Sept., 1447, Nov., 1589
hypertensive, *1949:* July, 985, Nov., 1592
tetraethylammonium in, *1949:* May, 826
in sunstroke, *1949:* Nov., 1593
intracranial, *1949:* Sept., 1449
aneurysm as cause, *1949:* July, 989
mechanism and severity, *1949:* Sept., 1441, 1442
menopausal, *1949:* Nov., 1594
migrainous, *1948:* May, 560; *1949:* Sept., 1444, Nov., 1583
antihistaminic drugs in, *1950:* March, 361
history and physical examination in, *1948:* Sept., 1345
treatment, *1948:* Sept., 1343–1355
of attack, *1948:* April, 1348
prophylactic, *1948:* Sept., 1348
surgical, *1948:* Sept., 1353
mixed type, *1949:* July, 999
nerve-irritation, *1949:* Sept., 1450, 1451
nervous tension in, *1949:* July, 974
nocturnal, associated with chronic lymphatic leukemia, *1949:* July, 992
of acute infections, *1949:* Nov., 1590
of sinus thrombosis, *1949:* Nov., 1591
posttraumatic, *1949:* July, 988, Sept., 1450, 1451, Nov., 1593
provocative tests, *1949:* July, 976
psychogenic, *1948:* May, 567; *1949:* July, 987, Sept., 1448
spinal puncture, *1949:* Sept., 1449, Nov., 1594
subarachnoid hemorrhage as cause, *1949:* July, 990
summer, *1949:* July, 993
temporal arteritis and, *1949:* July, 996
tension, *1949:* July, 980, 981, Sept., 147
toxic, *1949:* Sept., 1452
traction, *1949:* Sept., 1449
treatment, *1948:* May, 557–569; *1949:* July, 979, Sept., 1439
vascular, *1949:* Sept., 1444
vasodilator, *1949:* Sept., 1447
generalized, *1949:* July, 986
winter, *1949:* July, 995
Head drop in poliomyelitis, *1950:* Jan., 122, 124
injuries, morphine in, dangers, *1950:* Nov., 1769
Head tilting, ocular, *1950:* Jan., 292
Health, modern concept of, *1949:* March, 436
Heart, amyloid disease, *1950:* July, 1137–1144
anomalies, atrial septal defects, *1948:* July, 895–910
cyanotic, in infants, less common, *1948:* July, 879–894
of derivatives of aortic arch system, *1948:* July, 925–949
patent ductus arteriosus, *1948:* July, 911–923
pulmonary stenosis: tetralogy of Fallot, *1948:* July, 855–877
symposium on, *1948:* July, 855
block, bundle branch, unipolar precordial electrocardiogram in, *1950:* May, 852
congenital, electrocardiogram in, *1949:* July, 1168
digitalis in, *1950:* May, 653
disease, acquired, angiocardiography in, *1950:* May, 752
air travel in, *1948:* July, 1090
anoxemia test, *1950:* May, 713–717
beriberi, *1949:* Nov., 1643–1655
chronic, anticoagulants in, *1949:* March, 339
diet in, *1949:* March, 564
congenital, angiocardiography in, *1950:* May, 749
electrocardiogram in, *1949:* July, 1157–1175
symposium on, *1948:* July, 855
diagnosis without laboratory aid, *1950:* May, 721–733
diet in, *1949:* Nov., 1631–1641
electrocardiogram in, normal, *1950:* May, 881
exercise test, electrocardiogram in, *1950:* May, 705–713, 877
hypertensive, *1949:* May, 651–664
insurance aspect, *1950:* May, 805–815
precordial leads in, *1948:* Jan., 197–212
pregnancy and, *1949:* Nov., 1735–1742; *1950:* May, 795–804
psychosomatic aspects, *1950:* May, 817–831
pulsation and percussion signs in, *1950:* May, 721–733
rheumatic, with periodic arterial embolism, ambulatory treatment with dicumarol, *1948:* Sept., 1309–1313
smoking in, *1950:* May, 697–703
symposium on, *1950:* May, 609
two-step exercise test, *1950:* May, 705–713
valvular, angiocardiography in, *1950:* May, 752

Heart disease, water balance in, as related to edema and oliguria, *1950:* March, 571–587
effect of syphilis on, clinicopathologic study, *1948:* Sept., 1439–1466
enlargement, insurance aspect, *1950:* May, 811
failure, acute, treatment, *1949:* Nov., 1523
causes of, *1949:* March, 362
chronic, renal insufficiency complicating, *1950:* May, 646
congestive, cardiac glycosides in, *1950:* May, 663–671
diet in, *1949:* March, 365; Nov., 1631–1641; *1950:* March, 566, 567
digitalis in, *1949:* March, 367; *1950:* March, 565, May, 651, 663–671
diuresis in, *1949:* March, 369; *1950:* March, 568, May, 629–640
nature of, *1949:* March, 359, Nov., 1632
pathogenesis, *1950:* May, 615
rest and restriction of activity, *1949:* March, 363
salt and water retention in, pathogenesis and treatment, *1950:* May, 615–628
treatment, March, 359–373; *1950:* March, 563–570, May, 620
in acute glomerulonephritis, *1950:* Jan., 98
treatment, *1950:* Jan., 104
in hypertension, *1949:* May, 651–664
involvement, in scleroderma, *1949:* Jan., 61
malformations, congenital, in infants, clinicopathologic correlation, *1948:* July, 879–894
murmurs, insurance aspect, *1950:* May, 808
percussion of, *1950:* May, 729–732
roentgenograms of, in coronary artery disease, *1950:* May, 693
sounds, variation, in auricular flutter, *1949:* Sept., 1259
strain, precordial leads in, *1948:* Jan., 205
Heat exhaustion and stroke, diagnosis, *1948:* May, 803
therapy in degenerative joint disease, *1949:* Sept., 1314
in peripheral nerve injuries, *1948:* May, 781
in peripheral vascular disease, *1949:* March, 349
in poliomyelitis, *1948:* May, 784
in rheumatoid arthritis, *1949:* Sept., 1379
Heberden's disease (angina pectoris), neuralgic features, *1949:* May, 635–649
Heberden's nodes, *1950:* Sept., 1439
physical medicine, *1949:* Sept. 1315
Hebra's pityriasis rubra, *1949:* Jan., 137
Heine-Medin disease, *1950:* Jan., 140
Heliotrope eyelids of dermatomyositis, *1949:* Jan., 23
Hemachromatosis of liver, *1948:* March, 511
Hemagglutination-inhibition test in viral diseases, *1950:* Nov., 1611
Hemangiomas, *1949:* Jan., 219
cavernous, *1949:* Jan., 225
Hemarthrosis in hemophilia, *1950:* March, 467
Hematoma, subdural, *1948:* May, 738, 799
Hematospermia, diethylstilbestrol in, *1948:* Jan., 121
Hematuria in chronic nephritis, *1950:* Jan., 82
Hemiplegia, aphasia complicating, treatment, *1948:* May, 741
due to cerebral lesions, treatment, *1948:* May, 735–742
physical medicine in, *1948:* May, 786
Hemolytic anemia, *1949:* March, 552
splenectomy for, relapses after, *1949:* March, 557
treatment, *1948:* Sept., 1269
disease of newborn, *1950:* Jan., 187
breast feeding in, *1948:* Nov., 1643
management, *1948:* Nov., 1638
not due to Rh factor, *1950:* Jan., 199
jaundice, *1948:* March, 446
Hemophilia, problems of surgery in, *1950:* March, 467
treatment, *1950:* March, 464
Hemophilus infections, antibiotics in, choice of, *1950:* March, 314
Hemoptysis in lung disease, *1949:* July, 1056
Hemorrhage, abdominal, pain in, *1948:* March, 393
cerebral, *1948:* May, 735, 736
differentiation from hemorrhage and thrombosis, *1950:* May, 910
epidural, *1948:* May, 798
laboratory examination, *1949:* Nov., 1567
massive indications for surgery, *1948:* March, 328
management, *1948:* March, 320–335; *1949:* Nov., 1565–1599
morphine in, dangers, *1950:* Nov., 1770
gross, chronic gastritis as source, *1949:* Sept., 1365–1374
intracranial, in newborn, *1948:* May, 737
pulmonary, *1949:* Nov., 1605
severe, conservation and replacement of blood in, practical considerations, *1949:* Nov., 1555–1563

Hemorrhage, subarachnoid, *1948:* May, 738, 800
headache due to, *1948:* May, 565; *1949:* July, 990
uterine, *1948:* Jan., 67
in menopause, *1950:* March, 546
Hemorrhagic disease of newborn, *1949:* Nov., 1692
Hemorrhagic diseases, treatment, *1950:* March, 459–468
Heparin, administration, *1949:* March, 342
hemorrhage in, control, *1949:* Nov., 1514
laboratory control, *1949:* Nov., 1512
and Dicumarol, combined use, *1949:* March, 344
in cerebral thrombosis, *1950:* May, 909–924
in chronic cardiovascular diseases, *1949:* March, 335–345
in prevention of intravascular thrombosis, *1949:* Nov., 1507
in treatment of thrombosis and embolism, *1949:* Nov., 1509, 1510
Hepatic. See also *Liver.*
jaundice, *1948:* March, 448
Hepatitis, acute, portal cirrhosis and, *1948:* March, 505
amebic, *1948:* March, 479, 481; *1950:* Nov., 1672
chronic, *1948:* March, 500–517
miscellaneous forms, *1949:* March, 458
serum protein fractions in, *1948:* March, 460
diffuse, acute, *1948:* March, 469
infectious, diagnosis, *1950:* Sept., 1313
epidemic, *1948:* March, 469
management, *1950:* Sept., 1319
serum protein fractions in, *1948:* March, 457
sporadic, *1948:* March, 474
serum, diagnosis, *1950:* Sept., 1313
management, *1950:* Sept., 1320
suppurative, acute, *1948:* March, 479
viral, chronic, *1949:* March, 448–458
Hernia, diaphragmatic, air travel in, *1948:* July, 1092
hiatus, esophageal, recurrent, *1948:* Jan., 213–222
Herpes, *1949:* Jan., 145–164
gestationis, *1949:* Jan., 172
labialis, *1949:* Jan., 147
progenitalis, *1949:* Jan., 147
simplex, diagnosis, *1950:* Sept., 1311
emotional factors, *1948:* May, 679; *1949:* Jan., 145–154
encephalitis, *1950:* Nov., 1691
management, *1950:* Sept., 1319
treatment, *1949:* Jan., 152
zoster, *1949:* Jan., 154–163
Herpes zoster, diagnosis, *1950:* Sept., 1311
etiology, *1949:* Jan., 160
management, *1949:* Jan., 163; *1950:* Sept., 1319
Herpetic stomatitis, *1948:* March, 359
Hiatus hernia, esophageal, recurrent, *1948:* Jan., 213–222
Hidradenitis, suppurative, treatment, *1950:* Sept., 1476
Hip, arthritis, hypertrophic, *1950:* Sept., 1442
physical medicine, *1949:* Sept., 1316
necrosis, avascular, *1950:* Jan., 173
osteochondritis, *1950:* Jan., 173
Hip-lift method of artificial respiration, *1950:* Sept., 1349, 1351
Histadyl, dosage, *1950:* March, 352, 357
Histamine and mecholyl iontophoresis in peripheral vascular disease, *1949:* March, 351
antagonists. See *Antihistaminic drugs.*
desensitization, *1949:* July, 979
headache, *1949:* July, 97, Nov., 1589
intravenous administration, *1949:* July, 980
test in pheochromocytoma, *1950:* May, 763
Histaminic cephalgia, *1949:* July, 977, 1002, Sept., 1447
History taking, careful, need for, *1949:* July, 925
Hives. See *Urticaria.*
Hoarseness, diagnostic significance, *1949:* July, 1056
Hodgkin's disease, nitrogen mustards in *1949:* March, 532, Sept., 1301; *1950:* March, 453
treatment, *1949:* March, 529
x-ray treatment, *1949:* March, 530, 532; *1950:* March, 453
Hog itch, *1949:* Jan., 244
Holistic treatment, of neurologic disease, *1950:* July, 1019–1028
Homatropine in gastrointestinal disorders, *1948:* Sept., 1231, 1236
Hookworm, diagnosis, *1949:* May, 905
Hormones, influence, on cerebral metabolism, *1950:* Nov., 1806
levels in functional uterine bleeding, *1948:* Jan., 62
nutrients and, *1949:* Nov., 1715
therapy. See *Endocrine therapy.*
Horton's syndrome, *1949:* July, 1002
Hospital, future, character of, *1949:* March, 596
Hot flushes, *1950:* March, 543
Huhner test, *1948:* Jan., 76
Hycodan bitartrate in asthma, *1948:* Jan., 238
Hydrillin, dosages, *1950:* March, 353, 357
in asthma, *1948:* Jan., 244

Hydriodic acid, syrup, in asthma, *1948:* Jan., 243
Hydrocephalus, cerebrospinal fluid in, *1950:* Jan., 109
Hydrochloric acid in nephrotic edema, *1950:* Jan., 87
in pernicious anemia, *1949:* Sept., 1392
Hydronephrosis, infected, *1949:* Sept., 1465
Hydrops folliculi, *1948:* Nov., 1613
Hydrotherapy for psychiatric patients, *1949:* July, 1121–1130
sedative, *1949:* July, 1124
stimulative, *1949:* July, 1123
Hykinone, *1949:* Nov., 1705
Hyoscyamine in gastrointestinal disorders, *1948:* Sept., 1230, 1234
Hyperidrosis, *1948:* May, 675
Hyperinsulinism, diagnosis, *1948:* May, 802
Hypermenorrhea, *1948:* Jan., 67
Hyperpituitarism in adolescence, *1948:* Jan., 143
Hypersplenism, *1949:* March, 552; *1950:* Sept., 1271–1289
Hypersensitiveness in poliomyelitis, *1950:* Jan., 122
Hypertension, benign aspects, *1949:* May, 611–617, 667
blood pressure, basic, determination, *1949:* May, 688
capillary fragility in, *1949:* May, 675–686
classification, *1949:* May, 667
diet therapy, *1948:* Sept., 1256; *1949:* March, 323, 325, 328, 566, May, 662, 691, 713, Sept., 1271; *1950:* Nov., 1742
drug therapy, *1948:* Sept., 1247–1258; *1949:* May, 662, Sept., 1270
due to pheochromocytoma, *1949:* Nov., 1743
electrocardiogram in, *1949:* May, 656
essential, adrenergic blocking agents in *1950:* March, 387
in children, sympathectomy for, *1949:* Sept., 1295
prognostic signs, *1948:* Sept., 1247
psychosomatic factors, *1949:* May, 691, 703–712
severe, treatment, *1950:* Nov., 1741–1750
symptoms, *1949:* March, 310
treatment, *1949:* May, 687; Sept., 1269–1282
recent advances, with particular reference to drugs, *1948:* Sept., 1247–1258
fundus changes, *1949:* May, 665–673
grading of, *1949:* Sept., 1270
headache in, *1949:* July, 985
heart in, *1949:* May, 651–664
hygienic measures in, *1949:* May, 691
Hypertension, in aged, *1948:* Jan., 226
in kidney disease, *1949:* May, 669
in children, sympathectomy for, *1949:* Sept., 1283
in menopause, *1950:* March, 545
in pheochromocytoma, *1950:* May, 760
in preeclampsia and eclampsia of pregnancy, *1949:* May, 671
insurance aspect, *1950:* May, 807
Kempner regimen in, *1949:* March, 323, 568, May, 662, Nov., 1639; *1950:* Nov., 1742
malignant, *1949:* May, 668
treatment, *1950:* Nov., 1749
nephrectomy for, *1949:* March, 330, May, 761–771
of pregnancy, management, *1949:* May, 833–842
psychotherapy, *1949:* May, 661, 691, 708, Sept., 1276
rutin in, effect on capillary fragility, *1949:* May, 681
salt restriction in, *1949:* May, 713–725, Sept., 1274
secondary, *1949:* March, 313
sympathectomy for, *1948:* Jan., 187–196, *1949:* March, 326, May, 663, 751–761, Sept., 1275; *1950:* Nov., 1745
analysis of results in 300 cases, *1949:* May, 735–749
of 66 patients obtaining excellent results, *1949:* May, 727–733
evaluation of effects, *1949:* May 740, 753
in children, *1949*, Sept., 1283–1299
postoperative complications, *1949:* May, 738
response to tetraethylammonium after, *1949:* May, 823
selection of cases, *1949:* May, 727, 735
tetraethylammonium test to predict outcome, *1949:* May, 824
sympatholytic agents in, *1948:* Sept., 1251
symposium on, *1949:* May, 609
tetraethylammonium in, *1949:* May, 805–831
test procedure, *1949:* May, 815
therapeutic uses, *1949:* May, 826
thiocyanates in, *1948:* Sept., 1249; *1949:* May, 695; Sept., 1271
effect on capillary fragility, *1949:* May, 681
treatment, *1949:* March, 661, Sept., 1269–1282
medical, *1949:* May, 687–701, Sept., 1270; *1950:* Nov., 1741
surgical, *1949:* March, 326, May, 663, 751–761, Sept., 1275; *1950:* Nov., 1745
types demanding surgery, *1949:* Nov., 1743–1753

Hypertension, veratrum viride in, *1948:* Sept., 1253; *1950:* Nov., 1743
without significant cardiac enlargement, clinicopathologic study, *1949:* May, 843
Hypertensive encephalopathy in acute glomerulonephritis, *1950:* Jan., 98
treatment, *1950:* Jan., 103
headache, *1949:* Nov., 1592
heart disease, *1949:* May, 651–664, Nov., 1639
vascular disease, *1949:* March, 309–333
sodium chloride restriction in, *1949:* May, 713–725
surgical treatment, *1949:* May, 727–733, 735–749, 751–771
treatment, *1949:* March, 322
Hyperthyroidism. See *Thyrotoxicosis.*
Hypnotic psychotherapy, *1948:* May, 571–583
Hypoglycemia, *1950:* Nov., 1803
Hypogonadism in female, *1948:* Jan., 55, 56, 149
in male in adolescence, *1948:* Jan., 147
physiological basis, *1948:* Jan., 97–110
Hypophysis. See *Pituitary gland.*
Hypopituitarism in adolescence, *1948:* Jan., 140
Hypoproteinemia as surgical risk, *1949:* March, 574
Hypoprothrombinemia, clinical causes and their treatment, *1949:* Nov., 1701–1708; *1950:* March, 459–464
Hyposensitization, short interval, in asthma, *1949:* March, 415
Hypotension in left arm in coarctation of aorta, physiologic observations, *1950:* July, 1177–1185
Hypothyroidism in adolescence, *1948:* Jan., 144
in children, *1948:* Jan., 152; *1950:* Jan., 235–245
morphine in, dangers, *1950:* Nov., 1767
Hypotonia, congenital, *1950:* Jan., 154
Hysterectomy in functional menstrual disorders, *1948:* Nov., 1522
Hysteria, conversion, *1950:* Sept., 1489
questionable use of term, *1950:* July, 1063
Hysterical coma, *1948:* May, 803
Hysterosalpingography, *1949:* July, 1113
in sterility, *1948:* Jan., 45

ICHTHAMMOL in dermatologic therapy, *1949:* Jan., 275
Ichthyol in dermatologic therapy, *1949:* Jan., 275
Ichthyosis hystrix, *1949:* Jan., 237
Icteric index, evaluation, *1950:* Sept., 1463
Icterus. See *Jaundice.*
Ideational content, tests, *1950:* July, 1075
Ileus, paralytic, *1949:* Sept., 1462
Iliac vein ligation in treatment of thrombosis and embolism, *1949:* Nov., 1509
Imidazoline as adrenergic blocking agent, *1950:* March, 383
Immunization, mandatory procedures for foreign travel, *1950:* Nov., 1724, 1726
pediatric aspects, *1950:* Nov., 1722, 1725
today's practices, *1950:* Nov., 1713–1740
Immunity, nutrients and, *1949:* Nov., 1713
protein deficiency and, *1949:* Nov., 1730
Impetigo, bullous, *1949:* Jan., 173, 174
treatment, *1950:* Sept., 1475
Impotence, treatment, *1948:* Sept. 1179
Indifference and apathy in illness, *1950:* July, 1024
Infants, cerebrospinal fluid in, *1950:* Jan., 107–118
diseases, symposium on, *1950:* Jan., 1
feeding, in premature cases, *1950:* Jan., 46
self-demand, *1950:* Jan., 33–40
newborn. See *Newborn.*
premature, care of, *1950:* Jan., 41–51
Infantile diarrhea, dehydration in, *1949:* May, 851–870
eczema, *1949:* Jan., 187
treatment, *1949:* Jan., 205–218
1950: Sept., 1483
paralysis. See *Poliomyelitis.*
Infection, rheumatoid arthritis and, *1950:* Nov., 1693–1704
Infectious diseases, acute, cerebrospinal fluid in, *1950:* Jan., 112
treatment, modern, *1948:* July, 1105; *1950:* Jan., 133–145
diagnosis and treatment, role of bacteriologist in, *1950:* Nov., 1589–1604
role of virologist in, *1950:* Nov., 1605–1620
symposium on, *1950:* Nov., 1587
Infertility (sterility), abortion and, relationship, *1949:* July, 1111–1120
classification, *1948:* Nov., 1533
diagnosis, minimal survey, *1948:* Nov., 1535
in female, *1948:* Jan., 37–56, Sept., 1171–1193, Nov., 1533–1553; *1949:* July, 1112
organic causes, *1948:* Jan., 38
treatment, *1948:* Jan., 42

Infertility (sterility), in male, *1948:* Jan., 73–88; *1949:* July, 1111
diagnosis, *1948:* Nov., 1537
physiological basis, *1948:* Jan., 97
treatment, *1948:* Jan., 85
investigation and treatment, *1948:* Sept., 1171–1193; *1949:* July, 1113
newer approaches, *1948:* Nov., 1533–1553
psychosomatic approach, *1948:* Nov., 1591
Inflammations, abdominal, pain in, *1948:* March, 394
Influenza, *1950:* Nov., 1643
diagnosis, *1950:* Sept., 1312
immunization, *1950:* Nov., 1733
Influenza, prophylaxis and treatment, *1950:* Sept., 1319, Nov., 1644
Influenzal meningitis, *1949:* May, 874
streptomycin in, *1948:* May, 818; *1949:* May, 875; *1950:* Jan., 137, March, 329
sulfadiazine in, *1949:* May, 875
pneumonia, *1950:* Nov., 1654
Injection treatment of varicose veins, *1950:* May, 904
Injuries, athletic, treatment, *1950:* Sept., 1255–1269
of acromioclavicular joint, *1950:* Sept., 1332
peripheral nerve, physical medicine in, *1948:* May, 779
Insanity, better doctor-family cooperation in, *1948:* May, 631–640
questionable use of term, *1950:* July, 1064
Insect stings and bites, antihistaminic drugs in, *1950:* March, 361
Insemination, test of, in infertility, *1948:* Sept., 1173, Nov., 1542
Insomnia in aged, *1948:* Jan., 228
in chronic illness, treatment, *1949:* March, 433
Insufflation, tubal, *1948:* Sept., 1184, Nov., 1544, 1545
Insulin in diabetes, clinical approach, *1950:* March, 486
in diabetic coma, *1949:* Nov., 1550
in psychoses, *1950:* Sept., 1502
coma therapy, *1950:* Sept., 1503
Insurance aspects of heart disease, *1950:* May, 805–815
Intellectual inadequacy in children, *1948:* May, 659
Intelligence tests in adoptive placements and behavior disorders, *1950:* July, 1073
in mental retardation, *1950:* July, 1067
Intention tremor in multiple sclerosis, *1948:* May, 746
Internal disease, dermatopathology as window to, *1949:* Jan., 281
Intervertebral disk, cervical, rupture of, *1950:* Sept., 1327
protruded, syndrome of, *1948:* Sept., 1403–1413
Intestinal disorders, hypoprothrombinemia of, *1949:* Nov., 1692, 1706
infections, acute, *1950:* Nov., 1667–1678
streptomycin in, *1948:* May, 805
irrigation in acute renal failure, *1950:* March, 517
metazoa, diagnosis, *1949:* May, 905
obstruction, abdominal pain in, *1948:* March, 393
air travel in, *1948:* July, 1092
management, *1949:* Sept., 1455–1464
mechanical, *1949:* Sept., 1455, 1457, 1458
medical aspects, *1948:* March, 373–381
physicochemical changes in, *1948:* Nov., 1717–1723
strangulation, *1949:* Sept., 1456, 1459
tract, diseases, anemia in, *1948:* March, 382–388
tuberculosis, *1950:* Nov., 1676
Intestines, irrigation, in renal failure, *1948:* July, 993
large, tumors, x-ray diagnosis, *1948:* March, 428–435
small, impaired absorption from, anemia due to, *1948:* March, 383
tumors, x-ray diagnosis, *1948:* March, 436–442
Intocostrin in poliomyelitis, *1950:* March, 556
Intracranial aneurysm, headache due to, *1949:* July, 989
headache, *1949:* Sept., 1449
hemorrhage in newborn, *1948:* May, 737
injuries, air travel in, *1948:* July, 1092
Intraventricular block, precordial leads in, *1948:* Jan., 208
Involutional melancholia, *1950:* July, 1097
prefontal lobotomy for, *1950:* July, 1097
Iodide eruption, bullous, *1949:* Jan., 174
Iodides in arteriosclerosis, *1949:* May, 777
Iodine in thyrotoxicosis, *1949:* March, 500
protein-bound, in hypothyroidism, *1950:* Jan., 237
in plasma, in diagnosis of hyperthyroidism, *1949:* Sept., 1233
radioactive, excretion, in diagnosis of thyrotoxicosis, *1949:* Sept., 1232

Iodine, radioactive, in carcinoma of thyroid, *1948:* July, 962; *1950:* March, 450
in diagnosis of hypothyroidism, *1950:* Jan., 238
in hyperthyroidism, *1948:* Jan., 3–17, July, 956, 959; *1949:* March, 512, Sept., 1211–1223
pharmacology, *1950:* March, 443
Iodochloroxyquinoline in dermatology, *1949:* Jan., 273
Iontophoresis in peripheral vascular disease, *1949:* March, 351
Ipecac in asthma, *1949:* March, 417
in auricular paroxysmal tachycardia, *1950:* May, 737
Iridocyclitis in sarcoidosis, *1949:* Jan., 41
Iron deficiency anemia, *1949:* March, 551
treatment, *1948:* Sept., 1264
metabolism, current concepts, *1950:* Nov., 1779–1789
therapy in anemia, *1950:* Nov., 1779–1789
in erythroblastosis fetalis, *1950:* Jan., 199
in hypochromic anemia, *1950:* Sept., 1303
Irradiation. See *Roentgen* and *Radium.*
Irrigations in ulcerative colitis, streptococcal, *1948:* July, 973
intestinal, in renal failure, *1948:* July, 994
Irritable colon, diagnosis and treatment, *1948:* March, 398–407
Irritability, *1950:* July, 1023
Isonipecaine in relief of pain, *1950:* March, 371
Itch, swimmer's, *1950:* Jan., 266
Ivy poisoning, treatment, *1950:* Sept., 1474

JAUNDICE, *1948:* March, 443–454
classification, *1948:* March, 446
constitutional, mild, *1948:* March, 446
hemolytic, *1948:* March, 447
congenital, *1950:* Sept., 1293
splenectomy for, effect on subsequent pregnancies, *1950:* July, 1221
hepatic, *1948:* March, 448
homologous serum, *1948:* March, 475
in erythroblastosis fetalis, *1950:* Jan., 189
liver function tests, *1948:* March, 452
serum, homologous, diagnosis, *1950:* Sept., 1313
Jejunum, drainage, in renal failure, *1948:* July, 993
obstruction, anemia due to, *1948:* March, 383
Joint disease, degenerative, *1950:* Sept., 1435–1446
physical medicine in, *1949:* Sept., 1313–1319
psychosomatic approach, *1949:* July, 1061–1069

KAD itch, *1949:* Jan., 244
Kala-azar, diagnosis, *1949:* May, 905
Kaposi's varicelliform eruption, *1949:* Jan., 147
complicating atopic eczema, *1949:* Jan., 214
Karell diet, *1949:* March, 564, Nov., 1636
in heart failure, *1949:* March, 365, 366
Kayquinone, *1949:* Nov., 1705
Kempner regimen in hypertension, *1949:* March, 323, 568, May, 662; Sept., 1271, Nov., 1639; *1950:* Nov., 1742
Keratoconjunctivitis, epidemic, diagnosis, *1950:* Sept., 1314
management, *1950:* Sept., 1320
Keratolytic and keratoplastic agents in dermatology, *1949:* Jan., 277
Keratoses, arsenical, *1949:* Jan., 110
seborrheic, *1949:* Jan., 110
senile, *194:* Jan., 109
Kerion, *1950:* Jan., 259
17-Ketosteroids, androgenic function, *1948:* Jan., 93
excretion, in endocrine disorders, *1948:* Jan., 94
Kidney, abscess, cortical, *1949:* Sept., 1465
artificial, in acute anuria, *1950:* March, 513
calculi, medical management, *1948:* Sept., 1315
disease, chronic, diet in, *1949:* March, 565
complicating congestive heart failure, *1950:* May, 626
hypertension due to, *1949:* May, 669
sympathectomy for, *1949:* Sept., 1283
water balance in, as related to edema and oliguria, *1950:* March, 571–587
failure, acute, conservative management, *1949:* July, 1007–1025
treatment, *1950:* March, 509–523
dialysis in, *1948:* July, 990–995
in acute glomerulonephritis, *1950:* Jan., 98
treatment, Jan., 104
nature of, *1949:* July, 1007
peritoneal lavage to promote extrarenal excretion in, *1948:* July, 989–1076
function tests, in chronic nephritis, *1950:* Jan., 83

Kidney, insufficiency, due to circulatory failure, *1950:* May, 641–648
severely affected, management, *1948:* Sept., 1415–1425
Klotogen, *1949:* Nov., 1705
Knee, arthritis, hypertrophic, *1950:* Sept., 1444
physical medicine, *1949:* Sept., 1316
region, avascular necrosis of bone in, *1950:* Jan., 180
prains, in athletics, treatment, *1950:* Sept., 1262
strapping, protective, in athletics, *1950:* Sept., 1266
Köhler's disease, *1950:* Jan., 183
Kraurosis vulvae, *1949:* Jan., 110
Kveim test in sarcoidosis, *1949:* Jan., 49
Kyphoscoliosis, morphine in, dangers, *1950:* Nov., 1768
Kyphosis dorsalis juvenilis, *1950:* Jan., 170

LABOR, continuous caudal and spinal analgesia in, present status, *1948:* Nov., 16 83–1697
sedation, analgesia and anesthesia in, *1950:* Sept., 1521–1535
Laboratories, reliability of, *1950:* Sept., 1462
Laboratory aids in early cancer diagnosis, *1950:* Sept., 1395
bacteriologic, in diagnosis and control of acute infections diseases, *1950:* Nov., 1589–1603
virus diagnostic, in control of acute infectious diseases, *1950:* Nov., 1605–1620
Lacquer, nail, "base coats," nail changes following, *1949:* Jan., 95–107
Lacrimal gland and duct, tuberculosis of, *1949:* Jan., 261, 262
Lactobacillus casei factor, *1948:* July, 1127
Laennec's cirrhosis, serum protein fractions in, *1948:* March, 460
Lanatoside C, *1950:* May, 657
in congestive heart failure, *1950:* May, 669
Landis-Gibbon test, *1949:* March, 347
Larynx, amyloid tumors, *1950:* July, 1145–1150
Lavage, colonic, in renal failure, *1948:* July, 993
gastric, in renal failure, *1948:* July, 992
intestinal, in renal failure, *1948:* July, 993
peritoneal, in promotion of extrarenal excretion, *1948:* July, 989–1076
Legg-Perthes' disease, *1950:* Jan., 173
obturator nerve section in, *1950:* Jan., 180
Leishmaniasis, dermal, diagnosis, *1949:* May, 904
visceral, diagnosis, *1949:* May, 905
Leukemia, chronic, treatment, *1949:* March, 527, 536–540
cutaneous lesions in, *1949:* Jan., 282
folic acid antagonists in, *1950:* Jan., 209, March, 451
in children, treatment, recent advances, *1950:* Jan., 201–216
lymphatic, chronic, headache associated with, *1949:* July, 992
myelocytic, chronic, urethane in, results of three-year study, *1950:* July, 1205–1215
nitrogen mustards in, *1949:* March, 539; *1950:* Jan., 204, March, 452, 453
radioactive phosphorus in, *1950:* Jan., 207, March, 452, 453
urethane in, *1950:* Jan., 202, March, 452, 453
Leukoplakia, *1949:* Jan., 110
of mouth, *1948:* March, 361
Leukorrhea, psychic aspects, *1950:* July, 1003
rational management, *1948:* Nov., 1601–1610
Levocardia, electrocardiogram in, *1949:* July, 1164
Levy's anoxemia test in heart disease, *1950:* May, 713
Lichen nitidus, *1949:* Jan., 259
planus, emotional factors, *1948:* May, 677
sclerosis et atrophicus, *1949:* Jan., 70
scrofulosorum, *1949:* Jan., 259
simplex chronicus, *1949:* Jan., 4
urticatus following insect bites, *1950:* Jan., 269
Life stress, relation to cardiovascular symptoms and disease, *1950:* May, 817–831
Light sensitivity in multiple sclerosis, *1948:* May, 747
Liniments in dermatologic therapy, *1949:* Jan., 267
Lip, carcinoma, squamous cell, *1949:* Jan., 115
treatment, *1949:* Jan., 122
Lipotropic factors in portal cirrhosis, *1948:* March, 502, 509
Listerella infections, antibiotics in, choice of, *1950:* March, 314
Lithiasis, pancreatic, *1948:* March, 530; *1949:* May, 883
Liver, abscess, acute, *1948:* March, 481
amebic, *1948:* March, 479; *1950:* Nov., 1672

Liver, biopsy, evaluation, *1950:* Sept., 1466
in diagnosis of amyloidosis, *1950:* July, 1113, 1173
carcinoma, with portal cirrhosis, clinicopathologic conference, *1948:* March, 544
cirrhosis. See *Cirrhosis.*
damage, hypoprothrombinemia from, *1950:* March, 464
disease, hypoprothrombinemia of, *1949:* Nov., 1698, 1706
jaundice in, *1948:* March, 449
morphine in, dangers, *1950:* Nov., 1764
serum proteins in, *1948:* March, 455–468
functional tests, in jaundice, *1948:* March, 452
pitfalls in, *1950:* Sept., 1459–1472
hemachromatosis, *1948:* March, 511
infections, acute, *1948:* March, 469–485
injury, endocrine and genetic factors, *1949:* Nov., 1663
hypoprothrombinemia of, *1949:* Nov., 1698, 1706
nutritional aspects, *1949:* Nov., 1657–1669
insufficiency, *1949:* March, 447–461
involvement, in primary systemic amyloidosis, *1950:* July, 1112–1118
in secondary amyloidosis, *1950:* July, 1165–1169
necrosis, acute, dietary factors, *1949:* Nov., 1659
serum protein fractions in, *1948:* March, 460
therapy, in pernicious anemia, *1948:* July, 1118, Sept., 1266; *1950:* Sept., 1298
oral, *1949:* Sept., 1390
reactions, *1948:* July, 1125; *1949:* Sept., 1389
venous pulsations, *1950:* May, 728
Lobar pneumonia. See *Pneumonia.*
Lobotomy, prefrontal, in psychoses, *1950:* Sept., 1501
indications for and complications of, *1950:* July, 1019–1028
Localization, cerebral, clinical aspects, *1948:* May, 721–726
Lockjaw. See *Tetanus.*
Lonalac, recipe, *1950:* March, 567
Long-term illness, treatment, symposium on, *1949:* March, 293. See also *Chronic disease.*
Lotions in dermatologic therapy, *1949:* Jan., 266
Lumbago, treatment, *1949:* Nov., 1626
Lumbar puncture, headache following, *1948:* May, 564, 565
in infants and children, *1950:* Jan., 116
Lumbar puncture, in syphilis, 1950; March, 496
Lumbosacral strain, *1949:* Nov., 1627
Lung, abscess, *1949:* March, 395
antibiotic aerosols in, *1948:* July, 1082
penicillin in, *1948:* Sept., 1121; *1949:* March, 404
aerosol method, *1949:* March, 404
postpneumonic, *1950:* Nov., 1664
sulfadiazine in, *1949:* March, 403
treatment, *1949:* March, 400
surgical, *1949:* March, 406
atelectasis, *1949:* Nov., 1613
carcinoma, inoperable, nitrogen mustards in, *1949:* Sept., 1309
nitrogen mustard in, *1950:* March, 450
diseases, chronic, clinical investigation, *1949:* July, 1047–1059
epidemic, *1949:* July, 1099–1110
edema, *1949:* Nov., 1615
embolism, *1949:* Nov., 1617
emergencies, diagnosis and treatment *1949:* Nov., 1605–1618
hemorrhage from, *1949:* Nov., 1605
infections, nontuberculous, streptomycin in, *1948:* May, 826
penicillin in, *1948:* Sept., 1207–1225
involvement, in scleroderma, *1949:* Jan., 61, 63
resection, for tuberculosis, *1950:* Sept., 1372
roentgenograms, undiagnosed shadows, *1949:* July, 1049
secretion, cytology of, in cancer diagnosis, *1950:* Sept., 1397
suppurations, nontuberculous, management, *1949:* March, 391–410
tuberculosis. See *Tuberculosis.*
tumors, diagnosis, angiocardiography in, *1950:* May, 747
Lupus erythematosus, disseminated, clinical and pathologic study, *1949: Jan.*, 79–94
subacute, dermatomyositis and, differentiation, *1949:* Jan., 27
miliaris disseminatus, *1949:* Jan., 255
pernio, *1949:* Jan., 31, 37
psoriasiforme, *1949:* Jan., 255
vulgaris, *1949:* Jan., 249, 252
Lymphadenitis, tuberculous, streptomycin in, *1950:* Jan., 279
Lymphadenopathy, giant follicular, *1949:* Jan., 138
Lymphangiectasias, *1949:* Jan., 228
Lymphangiectodes, *1949:* Jan., 228
Lymphangioma, *1949:* Jan., 228
circumscriptum, *1949:* Jan., 228
simplex, *1949:* Jan., 228
Lymphangitis and cellulitis, recurrent, of the extremities, *1949:* July, 1089

Lymphedema of inflammatory origin, progressive, *1949:* July, 1089–1098
Lymphoblastoma, dermatitis exfoliativa due to, *1949:* Jan., 137
of stomach simulating gastric diverticulum, *1948:* March, 345
Lymphocytic choriomeningitis, *1950:* Nov., 1687
Lymphogranuloma benignum, *1949:* Jan., 31, 260
inguinale, antibiotics in, choice of, *1950:* March, 314
venereum, antibiotics in, choice of, *1950:* March, 314
diagnosis, *1950:* Sept., 1313
management, *1950:* Sept., 1319
Lymphomas, nitrogen mustards in, therapeutic indications, *1949:* Sept. 1301–1311
malignant, chronic forms, treatment, *1949:* March, 527–540
Lymphosarcoma, nitrogen mustard in, *1950:* March, 454
treatment, *1949:* March, 534

MACROCYTIC anemias, vitamin B_{12} in, *1950:* July, 1197–1204
Macular degeneration, cerebral, *1950:* Jan., 162
Magnesium sulfate in auricular paroxysmal tachycardia, *1950:* May, 739
in ventricular paroxysmal tachycardia, *1950:* May, 741
Malaria, diagnosis, *1949:* May, 899
Malignant degeneration in ulcerative colitis, *1949:* Sept., 1421–1437
Malignant tumors, chemotherapy, *1950:* March, 439–458
of internal organs, cutaneous lesions in, *1949:* Jan., 284
Malnutrition as surgical risk, *1949:* March, 573, 575
Malta fever. See *Brucellosis.*
Mandelic acid in urinary tract infections, *1949:* Sept. 1478; March, 529, 531
Manic-depressive psychosis, *1948:* May, 641–646
electroshock therapy, report of 200 cases, *1949:* March, 515–526
Mantoux tuberculin test, *1948:* July, 1096
Massage in degenerative joint disease, *1949:* Sept., 1314
in peripheral nerve injuries, *1948:* May, 782
in peripheral vascular disease, *1949:* March, 354
Mastery of long-term illness, *1949:* March, 435–446
Maturation in psychotherapy, *1948:* Sept., 1200, 1205
Measles, diagnosis, *1950:* Sept., 1310
treatment, *1950:* Jan., 141, Sept., 1318
Meat, skin diseases due to handling or eating, *1949:* Jan., 243
Mebaral in epilepsy, *1950:* March, 345, Sept., 1513, 1517
Mecholyl and histamine iontophoresis in peripheral vascular disease, *1949:* March, 351
in auricular paroxysmal tachycardia, *1950:* May, 738
in gastrointestinal disorders, *1948:* Sept., 1238, 1240
test in pheochromocytoma, *1950:* May, 765
Mediastinal emphysema, *1949:* Nov., 1617
Mediastinum, tumors, diagnosis, angiocardiography in, *1950:* May, 747
Medical care, current trends and influences, *1949:* March, 589
future pattern of, *1949:* March, 594
emergencies, acute, symposium on, *1949:* Nov., 1499
therapeutics, symposium on, *1950:* March, 307
Medicine in an aging population, *1949:* March, 295–308
Mediterranean anemia, *1949:* March, 543
Megacolon, congenital, air travel in, *1948:* July, 1091
treatment, recent advances, *1948:* July, 981–987
Megaesophagus, *1948:* March, 366
Megaloblastic anemia of infants, vitamin B_{12} in, *1950:* July, 1201
of pregnancy, vitamin B_{12} in, *1950:* July, 1202
Melancholia, involutional, *1950:* July, 1098
electroshock therapy, *1949:* March, 517
prefrontal lobotomy for, *1950:* July, 1046
Melano-epithelioma *1949:* Jan., 115
Melanoma, malignant, *1949:* Jan., 234
Meltzer-Auer technic of artificial respiration, *1950:* Sept., 1357
Menadione, *1949:* Nov., 1705
Menarche, psychosomatic approach, *1948:* Nov., 1584
Meningism, cerebrospinal fluid in, *1950:* Jan., 109
tularemic, *1948:* May, 769–778
Meningitis, bulbar type, *1950:* Jan., 126
cerebrospinal fluid in, *1950:* Jan., 112
common forms, treatment, *1949:* May, 871–881
complicating pneumonia, *1950:* Nov., 1664
headache in, *1948:* May, 565
in children, *1950:* Nov., 1679–1688

Meningitis, influenzal, *1949:* May, 784
streptomycin in, *1948:* May, 818; *1949:* May, 875. *1950:* Jan., 137, March, 329
sulfadiazine in, *1949:* May, 875
meningococcic, *1949:* May, 871
penicillin in, *1949:* May, 871; *1950:* March, 323
sulfadiazine in, *1949:* May, 871
sulfonamides in, *1950:* Jan., 136, March, 335
nonpurulent, in children, *1950:* Nov., 1686
pneumococcal, *1949:* May, 873
penicillin in, *1949:* May, 873; *1950:* Jan., 137
streptomycin in, *1948:* May, 822
sulfadiazine in, *1949:* May, 873
purulent, in children, *1950:* Nov., 1680
treatment, *1950:* Nov., 1682
serous, tularemic, *1948:* May 769–778
streptomycin in, *1948:* May, 822
streptomycin in, *1948:* May, 818
syphilitic, *1950:* Nov., 1688
treatment, *1950:* Jan., 136
tuberculous, *1949:* May, 877; *1950:* Nov., 1687
para-aminosalicylic acid in, *1949:* May, 879; *1950:* Nov., 1688
promizole in, *1949:* May, 878; *1950:* Nov., 1688
streptomycin in, *1948:* May, 830; *1949:* May, 877; *1950:* Jan., 138; Nov., 1687
Meningococcal infections, antibiotics in, choice of, *1950:* March, 314
sulfonamides in, *1950:* March, 335
Meningococcemia, sulfonamides in, *1950:* March, 335
Menometrorrhagia, management, *1950:* Sept., 1561
Menopausal headache, *1949:* Nov., 1594
Menopause, diagnosis, *1950:* March, 542
emotional factors, *1950:* March, 547
endocrine therapy, *1948:* Jan., 71; Nov., 1525; *1950:* March, 550; Sept., 1547
management, dangers in, *1948:* Nov., 1523–1532
psychosomatic aspects, *1948:* Nov., 1593; *1950:* July, 1004
psychotherapy, *1950:* March, 550
symptoms, *1948:* Nov., 1523
treatment during, *1950:* March, 541–551
Menorrhagia, *1948:* Jan., 67
Menstrual cycle after splenectomy, *1950:* July, 1226
physiology of, *1948:* Jan., 42
disorders, endocrine therapy, *1950:* Sept., 1537–1550
functional, etiologic factors, evaluation, *1948:* Nov., 1511
Menstrual disorders, functional, management, *1948:* Nov., 1509–1522
in cystic enlargement of ovary, *1948:* Nov., 1617
psychosomatic aspects, *1950:* July, 999
Menstruation, anovular, and infertility, *1948:* Nov., 1546
current hypothesis, *1950:* Sept., 1555
cyclic endometrial changes, *1948:* Jan., 42, Nov., 1494
irregularities of, and their treatment, *1948:* Jan., 57–72
physiology and endocrinology, present concepts, *1948:* Nov., 1485–1507
Mental deficiency in children, *1948:* May, 659
hospital, instructions to family of patient going to, *1948:* May, 639
illness, better doctor-family cooperation in, *1948:* May, 631–640
treatment, modern, *1950:* Sept., 1499–1506
retardation, intelligence tests in, *1950:* July, 1067
management, *1950:* July, 1071
Menthol in dermatology, *1949:* Jan., 271
Meperidine in relief of pain, *1950:* March, 369
Mercurial diuretics in congestive heart disease, *1950:* March, 568, May, 621, 629–640
parenteral, products and description, *1950:* May, 630
potentiation of, *1950:* May, 623
Mercurialism, *1950:* May, 637
Mercury, ammoniated, in dermatology, *1949:* Jan., 273
as diuretic in heart failure, *1949:* March, 369
bichloride poisoning, BAL in, *1950:* March, 469–484
Mesantoin in epilepsy, *1950:* March, 347, Sept., 1513, 1516
Metabolic acidosis and alkalosis, repair solutions in, *1948:* Sept., 1293–1307
aspects of vascular degeneration, *1949:* May, 783–794
disease, cerebral, pathologic physiology, *1950:* Nov., 1801–1815
Metabolism, basal, in hypothyroidism, *1950:* Jan., 235
test for, clinical application, *1950:* Nov., 1839–1851
Metatarsal head, avascular necrosis, *1950:* Jan., 185
Metazoa, intestinal, diagnosis, *1949:* May, 905
Methacholine. See *Mecholyl.*
Methadone in obstetrics *1950:* Sept., 1525
in relief of pain, *1950:* March, 369

Methenamine in urinary tract infection, *1950:* March, 529, 531
Methylphenylethylhydantoin. See *Mesantoin.*
Methyltestosterone in menopause, *1950:* Sept., 1549
Metopon in relief of pain, *1950:* March, 372
Metrazol in respiratory failure, *1950:* Sept., 1359
Metrorrhagia, *1948:* Jan., 67
Microsporum audouini, *1948:* Jan., 286; *1950:* Jan., 258
lanosum, *1948:* Jan., 286; *1950:* Jan., 258
Migraine. See *Headache, migrainous.*
Mikulicz syndrome, *1949:* Jan., 41
Minerals, interrelations, *1949:* Nov., 1713
Miscarriage. See *Abortion.*
Mitral stenosis, angiocardiography in, *1950:* May, 754
valve, atresia, with rudimentary left ventricle, patent foramen ovale and ventricular septal defect, *1948:* July, 880
lesions, percussion in, *1950:* May, 732
pulsatory phenomena, *1950:* May, 723
Moles, *1949:* Jan., 230
Moniliasis, treatment, *1950:* Sept., 1482
Mononucleosis, infectious, diagnosis, *1950:* Sept., 1315
management, *1950:* Sept., 1320
Mood response, *1950:* July, 1022
Moronic children, behavior problems in, *1948:* May, 659
Morphea, *1949:* Jan., 67
Morphine in obstetrics, *1950:* Sept., 1525
poisoning, acute, diagnosis, *1948:* May, 802
use, hazards in, *1950:* Nov., 1761–1771
Mother, parturient, bedside care of newborn by, *1948:* Nov., 1699–1709
Motion sickness, antihistaminic drugs in *1950:* March, 361
Motor unit, disorders, in infants and children, *1950:* Jan., 147–167
Mouth, hygiene, and caries, *1950:* Jan., 22
inflammations, common forms, diagnosis and treatment, *1948:* March, 355
Mouth-to-mouth insufflation, *1950:* Sept., 1351
Mouthwashes, ammonia-urea compounds in, *1950:* Jan., 28
fluoride, *1950:* Jan., 27
Multiple sclerosis, *1948:* May, 743–754
Mumps, diagnosis, *1950:* Sept., 1311
encephalitis, *1950:* Nov., 1691
treatment, *1950:* Jan., 134, Sept., 1318
Muscles, contracted, headache due to, *1948:* May, 565
contusions, in athletics, treatment, *1950:* Sept., 1264
reeducation in peripheral nerve injuries, *1948:* May, 782
in poliomyelitis, *1948:* May, 785
relaxants, in obstetrics, *1950:* Sept., 1531
skeletal, disorders, in infants and children, *1950:* Jan., 147–167
spasm in rheumatic disorders, alleviation, *1949:* Nov., 1619
strains, in athletics, treatment, *1950:* Sept., 1265
Muscular atrophy, spinal, progressive, in infants, *1950:* Jan., 147
Myanesin in parkinsonism, *1949:* July, 1138
Myasthenia gravis, *1950:* Jan., 159
Mycosis fungoides, nitrogen mustard in, *1949:* Sept., 1309; *1950:* March, 454
Myeloma, multiple, amyloidosis complicating, *1950:* July, 1151–1164
chemotherapy, *1950:* March, 455
Myocardial anoxia in causation of angina, *1949:* May, 636
Myocardial infarction, *1950:* May, 687
acute, anticoagulants in, *1949:* March, 339
precordial leads in, *1948:* Jan., 200
unipolar precordial electrocardiogram in, *1950:* May, 846
Myochrysine in rheumatoid arthritis, *1948:* Sept., 1365
Myomas of uterus, infertility due to, *1948:* Nov., 1540
Myositis, multiple. See *Dermatomyositis.*
Myxedema, diagnosis and treatment, problems in, *1949.* Sept., 1249–1254
infantile or childhood, *1948:* Jan., 124, 127
pituitary, morphine in, dangers, *1950:* Nov., 1767

NAIL changes following use of "base coats," *1949:* Jan., 95–107
polish, dermatitis due to, *1949:* Jan., 184
Narcosis, drug, in psychosis, *1950:* Sept., 1501
electric, in psychoses, *1950:* Sept., 1503
Narcotics, addiction to, manifestations and treatment, *1950:* March, 425–438
Nasopharyngeal bursa, abscess, *1950:* Nov., 1633
Nebulizer for aerosol therapy, *1948:* July, 1078
Neck, pain, in, *1950:* Sept., 1323–1334
stiffness, in poliomyelitis, *1950:* Jan., 122

Neck, veins, pulsations, in disturbances of rhythm, *1950:* May, 727
Necrosis, avascular, of bone in children, *1950:* Jan., 165–186
Negro, cutaneous tuberculosis in, *1949:* Jan., 249–262,
Neo-antergan, dosages, *1950:* March, 352, 357
Neoarsphenamine in Vincent's angina, *1950:* Nov., 1628
Neohetramine, dosages, *1950:* March, 353, 357
Neoplastic diseases, chemotherapy, *1950:* March, 439–458
Neoprontosil in ulcerative colitis, streptococcal, *1948:* July, 971
Neostigmine in gastrointestinal disorders, *1948:* Sept., 1238, 1241
Neosynephrine in auricular paroxysmal tachycardia, *1950:* May, 740
Nephrectomy, unilateral, for hypertension, *1949:* March, 330; May, 761–771
Nephritis, acute glomerular, acute anuria due to, *1950:* March, 309
acute hemorrhagic, *1950:* Jan., 95–105
chronic, in children, *1950:* Jan., 71–94
treatment, *1950:* Jan., 85
diet in, *1949:* March, 565
Nephrosclerosis, diet in, *1949:* March, 566
Nephrosis, diet in, *1949:* March, 565
in children, *1950:* Jan., 71–94
treatment, *1950:* Jan., 85
lower nephron, *1950:* Jan., 72, 74, 76, 82, 88
acute anuria due to, *1950:* March, 509
prerenal azotemia and, *1950:* May, 646
Nerves, peripheral, injuries, physical medicine in, *1948:* May, 779
nutritional polyneuropathy, *1948:* May, 727–733
Nervous breakdown, questionable use of term, *1950:* July, 1065
system, central, infections, penicillin in, *1950:* March, 323
tension in headache, *1949:* July, 974
Neuralgia of face and head, *1949:* Nov., 1591
Neuralgic features of angina pectoris, *1949:* May, 635–649
Neurasthemia, *1949:* Sept., 1343–1364
Neurectomy, presacral, in functional menstrual disorders, *1948:* Nov., 1522
Neuritis, multiple. See *Polyneuritis.*
of cervical spine, *1950:* Sept., 1325
retrobulbar, in multiple sclerosis, *1948:* May, 745
nutritional, *1948:* May, 730
Neurocirculatory asthenia, *1949:* Sept., 1343–1364
Neurodermatitis, *1949:* Jan., 1–14
disseminated, *1948:* May, 675; *1949:* Jan., 186
dry, *1949:* Jan., 4
disseminated, *1949:* Jan., 7
exudative, *1949:* Jan., 10
treatment, dermatologic and psychiatric approaches, correlation, *1950:* July, 1009–1017
Neurodermite, *1949:* Jan., 4
Neurological complications in folic acid therapy of pernicious anemia, *1948:* July, 1134
disorders, holistic treatment, *1950:* July, 1019–1026
examination, simultaneous stimulation in, advantages of method, *1948:* May, 755–758
Neurology, symposium on, *1948:* May, 1948
Neuromuscular affections, physical medicine in, *1948:* May, 779–788
psychosomatic approach, *1949:* July, 1061–1069
Neuropathy, multiple, nutritional, *1948:* May, 727–733
Neuroses, anxiety, *1949:* Sept., 1343–1364
better doctor-family cooperation in, *1948:* May, 631–640
cardiac, *1949:* Sept., 1343–1364
diagnosis and treatment, *1949:* July, 931; *1950:* Sept., 1487–1497
advantage of family physician, *1949:* July, 924
obsessive compulsive, prefrontal lobotomy for, *1950:* July, 1047
psychosis and, differentiation, *1950:* July, 957–971
Neurosurgery, air travel after, *1948:* July, 1092
Neurosyphilis, *1948:* May, 707–719
penicillin in, *1948:* May, 711–718
spinal fluid examination in, *1948:* May, 707–119
treatment, *1950:* March, 501; Sept., 1502
Neurotic excoriations, *1948:* May, 673; *1949:* Jan., 18
traits in children, *1948:* May, 663
Neutralization test in viral diseases, *1950:* Nov., 1611
Neutropenia, splenic, *1949:* March, 555; *1950:* Sept., 1271
plus thrombocytopenia, *1950:* Sept., 1280
Nevus (nevi) arraneus, *1949:* Jan., 226
bathing trunk, *1949:* Jan., 231
capillary, *1949:* Jan., 220, 222
cellular, *1949:* Jan., 229
common, identification and management, *1949:* Jan., 219
connective tissue, *1949:* Jan., 237
epithelial, *1949:* Jan., 234
flammeus, *1949:* Jan., 220

Nevus (nevi). nonvascular, *1949:* Jan., 229
pigmented, *1949:* Jan., 229
methods of removal, *1949:* Jan., 233
treatment from point of view of possible malignant change, *1949:* Jan., 232
spider, *1949:* Jan., 226
unius lateralis, *1949:* Jan., 237
vascular, *1949:* Jan., 219
verrucous, *1949:* Jan., 235, 236
Newborn, bedside care by parturient mother, *1948:* Nov., 1699–1709
cerebrospinal fluid in, *1950:* Jan., 107
hemolytic disease, *1950:* Jan., 187
breast feeding in, *1948:* Nov., 1643
management, *1948:* Nov., 1638
not due to Rh factor, *1950:* Jan., 199
hypoprothrombinemia of, *1949:* Nov., 1692, 1706
intracranial hemorrhage in, *1948:* May, 737
Niacin, interrelationships, *1949:* Nov., 1710
Nicotinic acid deficiency. See *Pellagra.*
Nikolsky sign, *1949:* Jan., 168
Nitrites in gastrointestinal disorders, *1948:* Sept., 1233, 1235
Nitroacridine in rickettsial diseases, *1948:* Sept., 1337
Nitrogen mustards, administration and dosage, *1949:* Sept., 1302, 1303
in carcinoma of lung, *1950:* March, 450
in Hodgkin's disease, *1949:* March, 532, Sept., 1301; *1950:* March, 453
in inoperable carcinoma of lung, *1949:* Sept., 1309
in leukemia, *1949:* March, 539; *1950:* Jan., 204, March, 452, 453
in lymphoma, therapeutic indications, *1949:* Sept., 1301–1311
in lymphosarcoma, *1950:* March, 454
in mycosis fungoides, *1950:* March, 454
in polycythemia vera, *1950:* March, 455
pharmacology, *1950:* March, 440
toxicity, *1949:* Sept., 1303
Nitrous oxide and ethylene anesthesia in obstetrics, *1950:* Sept., 1530
No. 7337 as adrenergic blocking agent, *1950:* March, 383
Nodal paroxysmal tachycardia, *1950:* May, 740
Nodules, thyroid, benign and malignant, function of, *1949:* Sept., 1225–1230
Nor-epinephrine in blood in pheochromocytoma, *1950:* May, 763
Nose drops in allergy in infants, *1950:* Jan., 9
Nu-445 in kidney disease, *1948:* Sept., 1423
Nuclear amyotrophies, *1950:* Jan., 147
Nummular eczema, *1949:* Jan., 10
Nutrient factors, interrelation, clinical relationship, *1949:* Nov., 1709–1720
Nutrients, biological synthesis, *1949:* Nov., 1716
hormones and, *1949:* Nov., 1715
immunity and, *1949:* Nov., 1713
Nutrition, caries and, *1950:* Jan., 20
in protracted disease, *1948:* Sept., 1159–1169; *1949:* March, 561–572
recent advances, *1949:* Nov., 1721–1733
Nutritional aspects of liver injury, *1949:* Nov., 1657–1669
of senility, *1949:* Nov., 1681–1684
deficiency diseases. See *Deficiency diseases.*
disorders, symposium on, *1949:* Nov., 1629
macrocytic anemia, *1949:* March, 548
treatment, *1948:* Sept., 1268
polyneuropathy, *1948:* May, 727–733
supplements, *1948:* Sept., 1162

OBESITY in children, management, *1950:* Jan., 223–234
Obstetrics, continuous caudal and spinal analgesia in, present status, *1948:* Nov., 1683–1697
sedation, analgesia and anesthesia in, *1950:* Sept., 1521–1535
recent advances, symposium on, *1948:* Nov., 1483
Rh factor in, *1948:* Nov., 1635–1646
Obturator nerve section in Legg-Perthes' disease, *1950:* Jan., 180
Occupational dermatitis, *1949:* Jan., 183
therapy in peripheral nerve injuries, *1948:* May, 783
Octin in migraine, *1949:* Nov., 1587
Ocular pressure in auricular paroxysmal tachycardia, *1950:* May, 737
Ointments in dermatologic therapy, *1949:* Jan., 268
Old age, psychosomatic aspects, *1950:* July, 1091–1105
surgery in, *1949:* March, 583
Oligomenorrhea, endocrine therapy, *1950:* Sept., 1540
Oliguria, conservative management, *1949:* July, 1007
in heart and kidney disease, water balance and, *1950:* March, 571–587
Oophorectomy for cystic enlargement of ovary, *1948:* Nov., 1622

Optic nerve disturbances in multiple sclerosis, *1948:* May, 745
Orchiectomy in carcinoma of breast in male, *1950:* Sept., 1410
of prostate, *1949:* Jan., 117; *1950:* Sept., 1411
Orchitis, mumps, *1950:* Jan., 135
Orthopedic treatment of rheumatoid arthritis, *1949:* Sept., 1379
Os calcis, apophysitis of, *1950:* Jan., 183
Oscillating bed in peripheral vascular disease, *1949:* March, 353
Oscillometry, *1950:* May, 891
Osgood-Schlatter's disease, *1950:* Jan., 180
Osteitis tuberculosa multiplex cystica, *1949:* Jan., 42
Osteoarthritis, *1950:* Sept., 1435–1446
physical medicine in, *1949:* Sept., 1313–1319
Osteochondritis of hip, *1950:* Jan., 173
Osteomyelitis in infants, streptomycin in, *1948:* May, 834
penicillin in, *1950:* March, 323
OT, *1948:* July, 1095
Ouabain, *1950:* May, 657
in congestive heart failure, *1950:* May, 670
Ovary, agenesis, dwarfism with, *1948:* Jan., 156
aging of, *1950:* March, 541
cyclical changes, *1948:* Jan., 42
cytic enlargement, significance with respect to treatment, *1948:* Nov., 1611–1628
diagnostic tests, in infertility, *1948:* Sept., 1189
function, study in sterility, *1948:* Jan., 49
tumors of, insufficiency, treatment, *1948:* Sept., 1192
tumors of, infertility due to, *1948:* Nov., 1542
Ovulation, *1948:* Jan., 42
timing of, *1948:* Sept., 1190
Oxygen anoxemia test in heart disease, *1950:* May, 713–717
supply of brain, *1950:* Nov., 1808
therapy in heart failure, *1949:* March, 365
in respiratory failure, *1950:* Sept., 1359
physiologic basis, *1950:* Sept., 1343
in ulcerative colitis, streptococcal, *1948:* July, 972
Oxygen-helium therapy in asthma, *1948:* Jan., 238–241
Oxythiamine, *1949:* Nov., 1721
Oxytocics, in functional uterine bleeding, *1948:* Nov., 1517

PACKS, wet, in psychoses, *1949:* July, 1124
Pain, abdominal, differential diagnosis, *1948:* March, 389–397
back, low, treatment, *1949:* Nov., 1625
control of, synthetic analgesics in, *1950:* March, 369–378
Gestalt, *1950:* July, 987
in coronary artery disease, *1950:* May, 689
in gastric perforation, *1949:* July, 965–972
in neck and upper extremity, *1950:* Sept., 1323–1334
intractable, in phantom limb, treatment, psychiatric aspects, *1950:* July, 1029–1041
prefrontal lobotomy for, *1950:* 1047
psychogenic, *1950:* July, 989
psychosomatic aspects, *1950:* July, 981–993
thoracic, diagnostic significance, *1949:* July, 1057
visceral, experimental production, by chemical agents, *1949:* May, 637
inconclusiveness of, in prognosis, *1949:* May, 644
Palsy. See *Paralysis.*
Pancreas, anatomical abnormalities, *1948:* March, 533
anatomy and physiology, *1948:* March, 518
calculi of, *1948:* March, 530
carcinoma, *1948:* March, 533
cysts, *1948:* March, 532
diseases, *1948:* March, 518–536
fibrocystic disease, congenital, *1948:* March, 531
head, carcinoma, jaundice in, *1948:* March, 451
islet-cell tumors, multiple parathyroid adenomas associated with, report of 2 cases, with necropsy findings, *1949:* July, 1141–1156
Pancreatic diabetes, frequency, in chronic pancreatitis, *1949:* May, 883–897
fistula, *1948:* March, 532
insufficiency chronic, *1948:* March, 522
lithiasis, *1949:* May, 883
Pancreatitis, acute, *1948:* March, 523
chronic and recurrent, *1948:* March, 529
pain in, *1948:* March, 394
portal cirrhosis and, *1948:* March, 505
relapsing, *1949:* May, 883–897; July, 943–956
Pancytopenia, splenic, *1950:* Sept., 1281
Panhematopenia, splenic, *1949:* March, 555

Papanicolaou method for diagnosis of uterine cancer, *1948:* Nov., 1563–1572
Papaverine in gastrointestinal disorders, *1948:* Sept., 1231, 1235
Para-aminobenzoic acid in rickettsial diseases, *1948:* Sept., 1337
in Rocky Mountain spotted fever, *1948:* July, 1109
Para-aminosalicylic acid in tuberculosis, *1950:* Sept., 1366
in tuberculous meningitis, *1949:* May, 879; *1950:* Nov., 1688
Paracentesis, abdominal in nephrotic edema, *1950:* Jan., 88
Paradione in epilepsy, *1950:* March, 349, Sept., 1513, 1516
Paraffin treatment of hypertrophic arthritis of fingers, *1950:* Sept., 1440
Paraldehyde anesthesia in obstetrics, *1950:* Sept., 1529
in status epilepticus, *1950:* March, 349
Paralysis agitans, *1949:* July, 1131
Bell's, physical medicine in, *1948:* May, 783
cerebral, treatment, *1948* May, 789–793
diphtheritic, *1950:* Nov., 1629
infantile. See *Poliomyelitis.*
Paralytic ileus, *1949:* Sept., 1462
Paralyzed patients, care of, in spinal cord and cauda equina injuries, *1948:* Sept., 1273–1291
Paranasal sinuses. See *Sinuses.*
Parasitic disorders of skin in children, *1950:* Jan., 257–269
Parasitosis, delusions of, *1949:* Jan., 18
Parathyroid adenomas, multiple, associated with islet-cell tumors of pancreas, report of 2 cases, with necropsy findings, *1949:* July, 1141–1156
tetany in adolescence, *1948:* Jan., 146
Paravertebral block in obstetrics, *1950:* Sept., 1526
Parenteral feeding, *1948:* Sept., 1164
Parenteral fluid therapy, *1950:* March, 395–412
in children, *1950:* Jan., 53–70
in metabolic acidosis and alkalosis, *1948:* Sept., 1293–1307
Parkinsonism and related disorders, treatment in general practice, *1949:* July, 1131–1139
Parkinson's disease, antihistaminic drugs in, *1950:* March, 361
Parotitis, epidemic, treatment, *1950:* Jan., 134
Paroxysmal auricular fibrillation, *1950:* May, 741
flutter, *1950:* May, 743
Paroxysmal dyspnea, treatment, *1949:* Nov., 1521
tachycardias, *1950:* May, 735–744
digitalis in, *1950:* May, 653
treatment, *1949:* Nov., 1528
Parpanit in parkinsonism, *1949:* July, 1136
Parturient mother, bedside care of newborn by, *1948:* Nov., 1699–1709
Pastes in dermatologic therapy, *1949:* Jan., 267
Pasteurella infections, antibiotics in, choice of, *1950:* March, 314
Patch tests in contact dermatitis, *1949:* Jan., 182
Patella, necrosis, avascular, *1950:* Jan., 180
Patent ductus arteriosus, *1948:* July, 911–923
electrocardiogram in, *1949:* July, 1159
Pathogenesis, current concepts, symposium on, *1950:* Nov., 1739
Patients, transportation by air, *1948:* July, 1087
Pavatrine in gastrointestinal disorders, *1948:* Sept., 1232, 1237
Pavaex boot in peripheral vascular disease, *1949:* March, 353
Pediatrics, symposium on, *1950:* Jan., 1
Pediculosis, treatment, *1950:* Sept., 1478
Pellagra, dermatomyositis and, differentiation, *1949:* Jan., 27
Pels-Macht phytopharmacologic test, *1949:* Jan., 168
Pelvic carcinoma, diagnosis, delay period in, *1948:* Nov., 1573–1581
examination, failure to make, as factor in cancer, *1948:* Nov., 1576
periodic, of supposedly well women, value, *1948:* Nov., 1557–1561
inflammatory disease as cause of infertility, *1948:* Nov., 1540
masses, urinary infection due to, *1949:* Sept., 1471
Pelvimetric technics, radiographic, evaluation of, *1948:* Nov., 1659–1671
Pemphigus, *1949:* Jan., 165–176
butcher's, *1949:* Jan., 243
differential diagnosis, *1949:* Jan., 170
erythematoid, benign, *1949:* Jan., 168
foliaceous, *1949:* Jan., 168
treatment, *1949:* Jan., 175
vegetans, *1949:* Jan., 168
vulgaris, *1949:* Jan., 165
Penicillin, aerosol administration, *1948:* July, 1079
current use, *1950:* March, 319–326
dentifrices, *1950:* Jan., 30
dosages and administration, *1950* March, 316, 320

Penicillin, hypoprothrombinemia induced by, *1949:* Nov., 1703
in abscess of brain, *1950:* March, 323
of lung, *1948:* Sept., 1221; *1950:* Nov., 1664
in actinomycosis, *1948:* July, 1109; *1950:* March, 324
in allergy in infants, *1950:* Jan., 9
in asthma, *1948:* Sept., 1220; *1949:* March, 417
in bacteremia, *1950:* March, 321
in bronchiectasis, *1948:* Sept., 1218
aerosol therapy, *1948:* July, 1081
in bronchopneumonia, *1948:* Sept., 1212
in bronchopulmonary suppuration, *1949:* March, 404
aerosol method, *1949:* March, 404
in brucellosis, sulfadiazine with, *1948:* July, 1108
in diphtheria, *1950:* March, 324, Nov., 1631
in empyema, *1948:* Sept., 1212
in gas gangrene, *1950:* March, 324
in gonorrhea, *1949:* Sept., 1476; *1950:* March, 324
in indeterminate ulcerative colitis, *1948:* March, 417
in influenza, *1950:* Nov., 1644
in measles, *1950:* Jan., 142
in meningitis, *1949:* May, 871; *1950:* March, 323
complicating pneumonia, *1950:* Nov., 1664
in children, *1950:* Nov., 1685
in neurosyphilis, *1948:* May, 711–718
in osteomyelitis, *1950:* March, 323
in pharyngitis, *1950:* Nov., 1632
in pleural effusions, postpneumonic, *1950:* Nov., 1663
in pneumococcic meningitis, *1949:* May, 873
in pneumonia, *1948:* Sept., 1207; *1950:* March, 322, Nov., 1657
in primary atypical pneumonia, *1948:* Sept., 1212
in pulmonary infections, *1948:* Sept., 1207–1225
in rheumatic fever, *1950:* Sept., 1430
in rickettsial diseases, *1948:* Sept., 1337
in scarlet fever, *1950:* Jan., 143
in septic sore throat, *1950:* Nov., 1624
in sinusitis, *1950:* March, 322
in skin infections, *1950:* March, 324
in staphylococcic pneumonia, *1948:* Sept., 1211
in streptococcic pneumonia, *1948:* Sept., 1210
in subacute bacterial endocarditis, *1950:* March, 321, May, 780
in syphilis, *1950:* March, 495–507
in pregnancy, *1948:* Nov., 1647–1658
prophylactic, *1948:* Nov., 1651
Penicillin, in tetanus, *1950:* March, 324
in tonsillitis, *1950:* Nov., 1624
in ulcerative colitis, streptococcal, *1948:* July, 972
in urinary tract infections, *1949:* July, 1076, 1077, Sept., 1475, 1476; *1950:* March, 532
in Vincent's angina, *1950:* Nov., 1627
increased concentrations, caronamide for, *1948:* July, 1107
pharmacology and toxicology, *1950:* March, 308
prophylactic use, *1950:* March, 325
resistance, *1950:* March, 319
toxicity, *1950:* March, 311, 325
Pentaquine in hypertension, *1948:* Sept., 1252
Pentobarbital in surgical anesthesia, *1950:* March, 594
Pentothal in surgical anesthesia, *1950:* March, 592
Peptic ulcer, antacids in, *1950:* Sept., 1453
antispasmodics in, *1948:* March, 321
diet in, *1948:* March, 321; *1950:* Sept., 1452
gastrectomy for, dumping syndrome after, *1949:* Sept., 1321–1341
hemorrhage in, massive, *1948:* March, 328
medical management in light of current etiologic concepts, *1950:* Sept., 1447–1457
perforated, pain in, *1949:* July, 965–972
psychogenic factors, *1950:* Sept., 1447
relation to symptoms and to indications for operation, *1948:* March, 313–327
symptoms, mechanism of production, *1948:* March, 314
syndrome, components of, *1948:* March, 317
treatment planning, *1948:* March, 320
use of tobacco in, *1950:* Sept., 1454
vagotomy for, clinical conference on, *1948:* March, 301–312
complications, *1948:* March, 307
indications, *1948:* March, 304
medical management after, *1948:* Nov., 1711–1716
physiologic aspects, *1948:* March, 301
Perazil, dosages, *1950:* March, 353, 357
Percussion of heart, *1950:* May, 729–732
Perforation of gallbladder in acute cholecystitis, *1948:* March, 491
of stomach, pain in, *1949:* July, 965–972
of viscus, abdominal pain in, *1948:* March, 394

Periarteritis nodosa, clinicopathologic conference, *1948:* Jan., 161
Periarthritis of upper extremity, *1950:* Sept., 1329
Pericardial cavity, bullet in, angiocardiography in, *1950:* May, 754, 755
disease, adhesive, pulsation in, *1950:* May, 727
effusion, angiocardiography in, *1950:* May, 753
percussion in, *1950:* May, 732
Pericarditis, precordial leads in, *1948:* Jan., 205
purulent, complicating pneumonia, *1950:* Nov., 1664
Perinephritic abscess, *1949:* Sept., 1465
Peripheral nerve injuries, physical medicine in, *1948:* May, 779
polyneuropathy, nutritional, *1948:* May, 727–733
vascular diseases, adrenergic blocking agents in, *1950:* March, 384
physical diagnosis, *1949:* March, 347
physical medicine in, *1949:* March, 347–358
rehabilitation, *1949:* March, 356
vessels, examination, methods, *1950:* May, 887–896
Peritendinitis of upper extremity, *1950:* Sept., 1329
Peritoneal dialysis in acute renal failure, *1950:* March, 516
in congestive heart failure, *1950:* May, 624
lavage in promotion of extrarenal excretion, *1948:* July, 989–1076
method, *1948:* July, 1015
Peritoneum, physiology, experimental studies, *1948:* July, 996
Peritonitis, streptomycin in, *1948:* May, 835
Peritonsillar abscess, *1950:* Nov., 1631
incision of, *1950:* Nov., 1632
Pernicious anemia. See *Anemia, pernicious.*
Personality, changes in, following prefrontal lobotomy, *1950:* July, 1048
relation, to cardiovascular patterns, *1950:* May, 824
tests, *1950:* July, 1075
vitamins and, *1949:* Nov., 1717
Pertussis. See *Whooping cough.*
Phantom limb, intractable pain in, treatment, psychiatric aspects, *1950:* July, 1029–1041
Pharmacodynamics of vehicles and drugs in dermatologic therapy, *1949:* Jan., 263–279
Pharyngitis, acute, *1950:* Nov., 1632
viral, *1950:* Nov., 1641
Pharynx, infections, acute, *1950:* Nov., 1621–1635
Phenobarbital in epilepsy, *1950:* March, 345, Sept., 1517
in hypertension, *1949:* May, 662, Sept., 1270
in status epilepticus, *1950:* March, 349
Phenol in dermatology, *1949:* Jan., 271
Phenurone in epilepsy, *1950:* Sept., 1513, 1517
Pheochromocytoma, diagnosis, adrenergic block in, *1950:* March, 386
differential diagnosis, *1950:* May, 757–767
hypertension in, *1949:* Nov., 1743
Phlebography in venous thrombosis and pulmonary embolism, *1949:* Nov., 1505
Phlebothrombosis, treatment, *1949:* March, 580
Phosphatase determinations in carcinoma of prostate, *1948:* Jan., 112
in diagnosis of cancer, *1950:* Sept., 1395
in liver disease, *1950:* Sept., 1468
Phosphorus, radioactive, in leukemia, *1949:* March, 537, 539; *1950:* Jan., 207, March, 452, 453
in polycythemia vera, *1950:* March, 454
pharmacology, *1950:* March, 441
Phrenic paralysis in tuberculosis, *1950:* Sept., 1369
Phthalylsulfathiazole. See *Sulfathalidine.*
Physical diagnosis in peripheral vascular disease, *1949:* March, 347
therapy in cerebral palsy, *1948:* May, 791
in degenerative joint disease, *1949:* Sept., 1313–1319
in hemiplegia, *1948:* May, 786
in multiple sclerosis, *1948:* May, 53
in neuromuscular affections, *1948:* May, 779–788
in peripheral nerve injuries, *1948:* May, 779
in peripheral vascular disease, *1949:* March, 347–358
in poliomyelitis, *1948:* May, 784
in rheumatic disorders, *1949:* Nov., 1621
in rheumatoid arthritis, *1949:* Sept. 1378
Pick's disease, *1950:* July, 1099
Picrotoxin in respiratory failure, *1950:* Sept., 1359
Pigmented nevi, *1949:* Jan., 229, 232, 233
Pinworms, diagnosis, *1949:* May, 905
Pituitary disorders in adolescence, *1948:* Jan., 140

Pituitary dwarfism, *1948:* Jan., 141, 154
extracts in gastrointestinal disorders, *1948:* Sept., 1238, 1241
Pituitary-thyroid relationship, *1948:* Jan., 127
Pityriasis rubra of Hebra, *1949:* Jan., 137
Plague, immunization, *1950:* Nov., 1729, 1731
Plague, streptomycin in, *1948:* July, 1109; *1950:* March, 328
Plant dermatitis, *1949:* Jan., 184
Plasma administration in hemophilia, *1950:* March, 465
buffers, *1948:* Jan., 264
fractions, in hemophilia, *1950:* March, 466
pooled, in chronic nephritis and nephrosis, *1950:* Jan., 86
postpartum, in psoriatic arthritis, *1949:* May, 907–911
protein-bound iodine in, as test for thyrotoxicosis, *1949:* Sept., 1233
volume, estimation, dye method, *1949:* Nov., 1569
in gastrointestinal hemorrhage, *1949:* Nov., 1569
Plasmodia, thick film method, *1949:* May, 900
Plaster resting shells in rheumatoid arthritis, *1948:* Sept., 1363
Plasters in dermatologic therapy, *1949:* Jan., 270
Platybasia, *1950:* Jan., 155
Plethysmography, *1950:* May, 892
Pleural effusion, diagnostic significance, *1949:* July, 1057
postpneumonic, *1950:* Nov., 1663
Pneumectomy for tuberculosis, *1950:* Sept., 1372
Pneumococcal infection, antibiotics in choice of, *1950:* March, 314
meningitis, *1949:* May, 873
penicillin in, *1949:* May, 873; *1950:* Jan., 137
streptomycin in, *1948:* May, 822
sulfadiazine in, *1949:* May, 873
pneumonia, *1950:* Nov., 1654
Pneumoencephalography, headache following, *1948:* May, 564, 565
Pneumonia, air travel in, *1948:* July, 1090
atypical, *1949:* July, 1099–1110; *1950:* Nov., 1645
antibiotics in, choice of, *1950:* March, 314
diagnosis, *1950:* Sept., 1312
management, *1950:* Sept., 1319, Nov., 1646
penicillin, in, *1948:* Sept., 1212
bacterial, management, *1950:* Nov., 1653–1666
chloromycetin in, *1950:* Nov., 1661
Pneumonia, complications, management, *1950:* Nov., 1663
diagnosis, *1949:* July, 1053
penicillin in, *1948:* Sept., 1207; *1950:* March, 322, Nov., 1657
retarded resolution, *1950:* Nov., 1665
staphylococcal, penicillin in, *1948:* Sept., 1211
streptococcal, penicillin in, *1948:* Sept., 1210
streptomycin in, *1950:* Nov., 1660
sulfonamides in, *1950:* Nov., 1662
terramycin in, *1950:* Nov., 1661
viral, *1950:* Nov., 1645
Pneumoperitoneum in tuberculosis, *1950:* Sept., 1368
Pneumothorax, artificial, in tuberculosis, *1950:* Sept., 1367
spontaneous, *1949:* Nov , 1608
sucking wound, *1949:* Nov., 1612
tension or pressure, *1949:* Nov., 1610
Polioencephalitis, *1948:* Sept., 1387, 1399
Poliomyelitis, abortive, *1948:* Sept., 1381, 1389; *1950:* Jan., 119
bulbar, *1948:* Sept., 1385, 1396; *1950:* Jan., 140, March, 559
hypoventilation syndrome in, *1950:* Sept., 1337
cerebrospinal fluid in, *1950:* Jan., 108
classification, *1948:* Sept., 1381
curare in, *1948:* Sept., 1392; *1950:* March, 556
diagnosis, *1948:* Sept., 1377–1402; *1950:* Jan., 119–132, March, 553–556, Sept., 1315
dromedary type, *1950:* Jan., 120
emotional disturbances in, *1948:* Sept., 1399
encephalitic type, *1950:* Jan., 126, 141, March, 560
epidemiology and incidence, *1950:* Jan., 129
in infancy, *1950:* Jan., 161
meningitic type, *1950:* Jan., 126
nonparalytic, *1948:* Sept., 1382, 1390; *1950:* Jan., 119, 140
paralytic, *1950:* Jan., 120, March, 558
spinal type, *1948:* Sept., 1383, 1391
physical medicine in, *1948:* May, 784
respirator in, *1948:* Sept., 1393; *1950:* March, 560
respiratory, *1950:* Jan., 141
second attacks, *1950:* Jan., 126
spinal type, *1950:* Jan., 140, March, 558
treatment, *1948:* Sept., 1377–1402; *1950:* Jan., 140, March, 556–561, Sept., 1320
Polish, nail, "base coats," nail changes following, *1949:* Jan., 95–107
dermatitis, due to, *1949:* Jan., 184
Pollen injections, allergic shock from, prevention, *1949:* March, 412, 413

Polycythemia vera, chemotherapy, *1950:* March, 454
Polymyositis, *1949:* Jan., 22
Polyneuritis, postdiphtheritic, cerebrospinal fluid in, *1950:* Jan., 112
Polyneuropathy, nutritional, *1948:* May, 727–733
Pompholyx, *1949:* Jan., 10
Port-wine mark, *1949:* Jan., 220
Portal cirrhosis. See *Cirrhosis, portal.*
Positive pressure breathing, effects on circulation, *1950:* Sept., 1344
intermittent, face mask or endotracheal tube to provide, *1950:* Sept., 1352
Postcholecystectomy syndrome, *1948:* March, 390
Postcoital examination, *1948:* Sept., 1173
Postoperative use of morphine, *1950:* Nov., 1773
Postpartum plasma in psoriatic arthritis, *1949:* May, 907–911
Potassium bromide in epilepsy, *1950:* March, 348
iodide in asthma, *1948:* Jan., 237, 243
replacement, *1950:* March, 409
thiocyanate in hypertension, *1948:* Sept., 1249; *1949:* May, 662, 695, Sept., 1271
effect on capillary fragility, *1949:* May, 681
PPD, *1948:* July, 1095
Pratt test for incompetent communicating veins, *1950:* May, 903
Preanesthetic medication, *1950:* March, 595
Precancerous dermatoses, *1949:* Jan., 109
Bowen's *1949:* Jan., 125–134
Precordial electrocardiograms, *1948:* Jan., 197–212
unipolar, interpretation of, *1950:* May, 831–855
Preeclampsia, hypertension in, *1949:* May, 671
Pre-excitation syndrome, electrocardiogram in, *1950:* May, 884
Pregnancy after splenectomy, prognosis, *1950:* July, 1217–1236
eclampsia in, management, *1949:* May, 839
ectopic, ruptured, coma in, *1948:* May, 803
heart disease and, *1949:* Nov., 1735–1742; *1950:* May, 795–804
hypertensive disease of, management, *1949:* May, 833–842
megaloblastic anemia of, vitamin B_{12} in, *1950:* July, 1202
simulated, *1948:* Nov., 1592
symptoms, psychosomatic approach to, *1948:* Nov., 1591
Pregnancy, syphilis and, management, *1948:* Nov., 1647–1658
penicillin in, *1948:* Nov., 1647–1658
toxemias, veratrum viride in, *1948:* Nov., 1673–1682
urinary infection complicating, *1949:* Sept., 1470
Pregnenilone in amenorrhea, *1950:* Sept., 1540
Premarin in amenorrhea, *1948:* Jan., 71
in impaired fertility, *1948:* Jan., 70
in uterine hemorrhage, *1948:* Jan., 68
Premature contractions, ventricular, *1948:* Sept., 1427–1438
infant, care of, *1950:* Jan., 41–51
Premenstrual tension, psychic aspects, *1950:* July, 1002
Preoperative use of morphine, *1950:* Nov., 1773
Prerenal azotemia, pathogenesis, *1950:* May, 642
Pressure measurements in vessels, *1950:* May, 895
sores in paralyzed patients, *1948:* Sept., 1280
Pretibial fever, diagnosis, *1950:* Sept., 1314
Priscoline as adrenergic blocking agent, *1950:* March, 383
in Buerger's disease, *1950:* March, 386
in cerebral vascular accidents, *1950:* March, 385
in hypertension, *1950:* March, 389
Procaine in dermatology, *1949:* Jan., 272
in relief of pain, *1950:* March, 375
intravenous, in surgical anesthesia, *1950:* March, 590
Procaine penicillin G, *1948:* July, 1106
Profenil in gastrointestinal disorders, *1948:* Sept., 1231, 1237
Progeria, *1948:* Jan., 157
Progesterone in amenorrhea, *1950:* Sept., 1539, with estrogen, Sept., 1540
in cystic enlargement of ovary, *1948:* Nov., 1620
in dysmenorrhea, *1950:* Sept., 1544
in functional menstrual disorders, *1948:* Nov., 1519
in functional uterine bleeding, *1950:* Sept., 1547, 1557, 1560
in oligomenorrhea, *1950:* Sept., 1541
metabolism in sterility, *1948:* Jan., 51
withdrawal as cause of menstrual bleeding, *1948:* Nov., 1488
Progestin, oral, in uterine hemorrhage, *1948:* Jan., 68
Promizole in tuberculous meningitis, *1949:* May, 878; *1950:* Nov., 1688
Propylthiouracil in thyrotoxicosis, *1950:* March, 537

Propylthiouracil in thyrotoxicosis, action, *1949:* March, 499
effectiveness, *1949:* March, 502
maintenance therapy, *1950:* March, 538
medical and surgical treatment, *1949:* March, 506
preoperative, *1948:* July, 956; *1950:* March, 538
Prostate, carcinoma, *1949:* March, 479
estrogen therapy, *1948:* Jan., 111; *1950:* March, 445, Sept., 1411
orchiectomy in, *1948:* Jan., 117; *1950:* Sept., 1411
phosphatase determinations, *1948:* Jan., 112
diseases, endocrine therapy, *1948:* Jan., 111–121
hypertrophy, *1949:* March, 467
estrogen therapy, *1948:* Jan., 119
symptoms, *1949:* March, 471
treatment, preoperative, operative and postoperative, *1949:* March, 472
Prostatic secretion, cytology of, in cancer diagnosis, *1950:* Sept., 1403
Prostatitis, acute, urinary infection in, *1949:* Sept., 1467
chronic, urinary infection in, *1949:* Sept., 1469
nonspecific treatment, *1950:* March, 527
Prostigmine in gastrointestinal disorders, *1948:* Sept., 1238, 1241
methyl sulfate in auricular paroxysmal tachycardia, *1950:* May, 739
Protein deficiency, immunity and, *1949:* Nov., 1730
estimation, total, of spinal fluid in neurosyphilis, *1948:* May, 709
supplements in nutrition, *1948:* Sept , 1162
therapy in congestive heart failure, *1949:* Nov., 1635
in malnutrition, preoperative, *1949:* March, 576
Proteus infections, antibiotics in, choice of, *1950:* March, 314
Prothrombin deficiency, *1949:* Nov., 1701–1708
treatment, *1950:* March, 459–464
time, determinations, *1949:* Nov., 1685
in gastrointestinal hemorrhage, *1949:* Nov., 1568
Quick test, *1949:* March, 343, Nov., 1685
vitamin K and, relationship, *1949:* Nov., 1685
Protracted disease, nutrition in, *1948:* Sept., 1159–1169
Prurigo Besnier, *1949:* Jan., 186
Pruritus, *1949:* Jan., 14–19
ani, *1949:* Jan., 16
Pruritus, generalized, *1949:* Jan., 14
idiopathic, emotional factors, *1948:* May, 676
localized, *1949:* Jan., 16
of scalp, *1949:* Jan., 17
vulvae, *1949:* Jan., 17
treatment, *1950:* Sept., 1479
Pseudocyesis, *1948:* Nov., 1592
Pseudohermaphrodism, *1948:* Jan., 150
Psittacosis, *1950:* Nov., 1650
antibiotics in, choice of, *1950:* March, 314
diagnosis, *1950:* Sept., 1312
management, *1950:* Sept., 1319
Psoriasis, dermatitis exfoliativa and, *1949:* Jan., 136, 143
emotional factors, *1948:* May, 677
treatment, *1950:* Sept., 1479
Psoriatic arthritis, postpartum plasma in, *1949:* May, 907–911
Psychiatric treatment, modern, *1950:* Sept., 1499–1506
of drug addiction, *1950:* March, 436
of intractable pain in phantom limb, *1950:* July, 1029–1041
Psychiatry, acceptance as medical discipline, *1950:* July, 942
and general practitioner, symposium on, *1950:* July, 939
symposium on, *1948:* May, 1948
Psychic influence in relief of pain, *1950:* March, 375
states, quantitative differences between, theory of, *1950:* July, 969
Psychoanalytic contributions to psychiatry, *1950:* July, 966
Psychogenic factors in dermatologic disorders, *1948:* May, 669–685
in peptic ulcer, *1950:* Sept., 1447
headache, *1948:* May, 567; *1949:* July, 987, Sept., 1448
Psychologic aspects of drugs, *1950:* July, 973–979
stages in woman, *1950:* July, 996
testing from standpoint of general practitioner, *1950:* July, 1067–1077
Psychoneuroses, dementia praecox and, differentiation, *1950:* July, 963, 964
diagnosis and treatment, *1950:* Sept., 1487
prevalence in armed forces of World War II, *1950:* July, 939
in civilian practice, *1950:* July, 941
psychosis and, differentiation, *1950:* July, 957–971
symptom formation in, *1948:* May, 701
Psychopaths, prefrontal lobotomy for, *1950:* July, 1047
Psychoses, adrenergic block in, *1950:* March, 392
air transportation of patient with, *1948:* July, 1092

Psychoses, better doctor-family cooperation in, *1948:* May, 631–640
electroshock therapy, outpatient, *1948:* May, 585–595
hydrotherapy in, *1949:* July, 1121–1130
in aged, *1950:* July, 1097
in children, *1948:* May, 664
in general practice, *1950:* July, 943
manic-depressive, *1948:* May, 641–646
electroshock therapy, report of 200 cases, *1949:* March, 515–526
prefrontal lobotomy in, indications, *1950:* July, 1043–1051
psychoneuroses and, differentiation, *1950:* July, 957–971
treatment, modern, *1950:* Sept., 1499–1506
Psychosomatic approach, *1950:* July, 947
aspects of geriatrics, *1950:* July, 1091–1105
of gynecology, *1948:* Nov., 1583–1599; *1950:* July, 995–1008
of heart disease, *1950:* May, 817–831
of hypertension, *1949:* May, 691, 703–712
of irritable colon, *1948:* March, 401
of menstrual irregularities, treatment, *1948:* Jan., 71
of neuromuscular and joint diseases, *1949:* July, 1061–1069
of pain, *1950:* July, 981–993
concept, *1950:* July, 944
disorders, diet in, *1949:* March, 571
disorders, treatment *1950:* July, 950
types, *1950:* July, 946
medicine, definition, *1948:* May, 609–610
general practitioner and, *1949:* July, 923–933; *1950:* July, 939–955
theory and practice in a general hospital, *1948:* May, 611–616
Psychotherapy, approach to patient, *1948:* May, 696
brief, in medical practice, *1948:* Sept., 1195–1206
defined, *1950:* July, 950
doctor-patient relationship, *1948:* May, 704
goals of, *1948:* Sept., 1198
hypnotic, *1948:* May, 571–583
in alcoholism, *1948:* May, 692
in anxiety states, *1948:* May, 603
in behavior disorders in children, *1948:* May, 665
in functional menstrual disorders, *1948:* Nov., 1515
in gynecologic problems, *1948:* Nov., 1595
in hypertension, *1949:* May, 661, 708, Sept., 1276
in manic-depressive psychosis, *1948:* May, 646
in menopause, *1950:* March, 550
Psychotherapy, in mental disorders of aged, *1950:* July, 1104
in neuroses, *1950:* Sept., 1487–1497
in psychoses, *1950:* Sept., 1499
in rheumatoid arthritis, *1949:* Sept., 1381
orientation for general practitioner, *1948:* May, 695–706
outpatient electroshock therapy and, *1948:* May, 592
symptom formation, *1948:* May, 701
technics, *1948:* Sept., 1201
Psychotic symptom masking onset of brain tumor, *1948:* May, 759–767
Pteroylglutamic acid. See *Folic acid.*
Pthalylsulfathiazole. See *Sulfathalidine.*
Pudendal nerve block in obstetrics, *1950:* Sept., 1526
Pulled tendon, treatment, *1950:* Sept., 1265
Pulmonary. See also *Lung.*
artery, and aorta, complete transposition, *1948:* July, 890
embolism, *1949:* Nov., 1503
electrocardiogram in, *1950:* May, 874
emergency treatment, *1949:* Nov., 1531
prevention, *1949:* Nov., 1506
septic, pathogenesis, *1950:* Nov., 1751–1760
stenosis, *1948:* July, 855–877
angiocardiography in, *1950:* May, 752
electrocardiogram in, *1949:* July, 1159
tetralogy of Fallot, *1948:* July, 855, 858, 863, 868
without septal defect associated with recurrent ascites, *1950:* July, 1187–1195
without ventricular septal defect but with patent foramen ovale, *1948:* July, 870
Pulsation signs in heart disease, *1950:* May, 722–729
Pulsator, Bragg-Paul, *1950:* Sept., 1357
Purpura, thrombocytopenic, essential, *1949:* July, 1027–1046
secondary, *1949:* July, 1032
Pyelitis, *1949:* Sept., 1465
Pyelography in prostatism, *1949:* March, 475
Pyelonephritis, *1949:* Sept., 1465
chronic, streptomycin in, *1948:* May, 831
Pylephlebitis, suppurative, acute, *1948:* March, 484
Pyloric stenosis in children, parenteral fluid therapy in, *1950:* Jan., 63
Pyocyaneus infections, antibiotics in, choice of, *1950:* March, 314
Pyonephrosis, *1948:* Sept., 1417, 1418 1419; *1949:* Sept., 1465

Pyribenzamine, dosages, *1950:* March, 352, 357
in hay fever, *1948:* Sept., 1372
Pyridium in urinary infections, *1949:* Sept., 1479
Pyridoxine, interrelationships, *1949:* Nov., 1712
Pyrogallic acid in dermatology, *1949:* Jan., 276
Pyrrolazote, dosages, *1950:* March, 353, 357

Q FEVER, *1950:* Nov., 1651
treatment, *1948:* Sept., 1333–1342
Quadriceps muscle, contusion, in athletics, treatment, *1950:* Sept., 1264
Quick test of prothrombin time, *1949:* March, 343, Nov., 1685
Quinidine in auricular fibrillation, *1949:* Nov., 1531; *1950:* May, 742
prophylactic, *1950:* May, 743
in auricular flutter, *1949:* Nov., 1529
in paroxysmal auricular tachycardia, *1950:* May, 739
in children, *1950:* Jan., 222
in paroxysmal ventricular tachycardia, *1950:* May, 741
in supraventricular tachycardia, *1949:* Nov., 1528
Quinine, hypoprothrombinemia induced by, *1949:* Nov., 1702

RABELLON in parkinsonism, *1949:* July, 1137
Rabies, diagnosis, *1950:* Sept., 1316
immunization, *1950:* Nov., 1730
management, *1950:* Sept., 1321
Radiation sickness, antihistaminic drugs in, *1950:* March, 361
Radiographic pelvimetric technics, evaluation of, *1948:* Nov., 1659–1671
Radioiodine. See *Iodine, radioactive.*
Radiophosphorus. See *Phosphorus, radioactive.*
Radium treatment of carcinoma of skin, *1949:* Jan., 119–123
of functional menstrual disorders, *1948:* Nov., 1521
Raynaud's disease, dibenamine in, *1950:* March, 385
diffuse scleroderma and, differentiation, *1949:* Jan., 65
test for, *1949:* March, 348
Recent advances in medicine symposium on, *1949:* Sept., 1211,
Rectal anesthesia in obstetrics, *1950:* Sept., 1528
Reduction diet in hypertension, *1949:* March, 569
Refrigeration in peripheral vascular disease, *1949:* March, 355
Rehabilitation as final goal of therapy, *1949:* March, 597
Renal. See also *Kidney.*
acidosis, repair solutions in, *1948:* Sept., 1301
Renal-visceral fistula, *1948:* Sept., 1418
Rendu-Osler-Weber syndrome, *1949:* Jan., 220
Repair solutions in treatment of metabolic acidosis and alkalosis, *1948:* Sept., 1293–1307
Reproductive organs in female, physiology of, *1948:* Jan., 40
Resorcin in dermatologic therapy, *1949:* Jan., 277
Respiration, artificial, methods, *1950:* Sept., 1348
electrophrenic, *1950:* Sept., 1353
Respirator, chest, *1950:* Sept., 1353
in poliomyelitis, *1948:* Sept., 1393; *1950:* March, 560
tank, *1950:* Sept., 1352
Respiratory alkalosis and acidosis in children, parenteral fluid therapy, *1950:* Jan., 65
failure, classification, *1950:* Sept., 1335
treatment, *1950:* Sept., 1358
physiologic principles, *1950:* Sept., 1335–1362
problems in paralyzed patients, management, *1948:* Sept., 1277
tract, infections, air travel in, *1948:* July, 1090
penicillin in, *1950:* March, 322
virus diseases, *1950:* Nov., 1637–1652
Rest in heart failure, *1949:* March, 363
in rheumatoid arthritis, *1949:* Sept., 1377
in tuberculosis, *1950:* Sept., 1363
in viral hepatitis, *1949:* March, 455
Resuscitation, methods, *1950:* Sept., 1348
Retinal examination, *1950:* May, 889
Retrobulbar neuritis in multiple sclerosis, *1948:* May, 745
nutritional, *1948:* May, 730
Retropharyngeal abscess, *1950:* Nov., 1634
drainage of, *1950:* Nov., 1635
Rh factor and erythroblastosis fetalis, *1948:* Nov., 1638; *1950:* Jan., 187
immunization against, *1948:* Nov., 1635
in obstetrics, *1948:* Nov., 1635–1646
nomenclature, *1948:* Nov., 1643
Rh-negative women, immunized, prevention or attenuation of injury to infants of, *1948:* Nov., 1637
Rhabdomyoma, congenital, electrocardiogram in, *1949:* July, 1167
Rheumatic disorders, acute, treatment, *1949:* Nov., 1617
fever, ACTH in, *1950:* Sept., 1424

Rheumatic fever, cortisone in, *1950:* March, 373, Sept., 1424
modern concept of, *1950:* May, 785–793
penicillin in, *1950:* Sept., 1430
prophylaxis, sulfonamides in, *1950:* March, 337
salicylates in, *1950:* Sept., 1419
treatment, *1950:* Sept., 1419–1434
heart disease with periodic arterial embolism, ambulatory treatment with Dicumarol, *1948:* Sept., 1309–1313
Rheumatoid arthritis, ACTH in, *1950:* March, 374
amyloidosis secondary to, *1950:* July, 1167
cortisone in, *1950:* March, 373, Nov., 1703
gold therapy, *1948:* Sept., 1365; *1950:* Nov., 1700
infection and, *1950:* Nov., 1693–1704
treatment, *1948:* Sept., 1357–1367; *1949:* Sept., 1375–1384; *1950:* Nov., 1700
vaccines in, *1950:* Nov., 1701
spondylitis, *1949:* Nov., 1627
Rhinitis, vasomotor, antihistaminic drugs in, *1950:* March, 359
Rib, cervical, *1950:* Sept., 1326
Riboflavin, interrelationships, *1949:* Nov., 1710
Rice diet in hypertension, *1949:* March, 323, 325, 568, May, 662, Sept., 1271, Nov., 1639; *1950:* Nov., 1742
Rickettsial infections, antibiotics in, choice of, *1950:* March, 315
diagnosis, *1950:* Nov., 1606
treatment, *1948:* Sept., 1333–1342
Ringworm of scalp, *1950:* Jan., 257
diagnosis, *1950:* Jan., 259
epidemic, *1948:* Jan., 283–296
topical applications, *1948:* Jan., 294; *1950:* Jan., 264
x-ray depilation in, *1948:* Jan., 295; *1950:* Jan., 264
Rocking bed for artificial respiration, *1950:* Sept., 1351
Rocky Mountain spotted fever, diagnosis, *1950:* Sept., 1480
para-aminobenzoic acid in, *1948:* July, 1109
treatment, *1948:* Sept., 1333–1342; *1950:* Sept., 1320
Roentgen depilation in ringworm of scalp, *1948:* Jan., 295; *1950:* Jan., 264
diagnosis, cancer, *1950:* Sept., 390
chronic pulmonary disease, *1949:* July, 1049
differentiation of abdominal pain, *1948:* March, 395
gallstones, *1948:* March, 489
Roentgen diagnosis, hypertensive heart disease, *1949:* May, 655
hypothyroidism, *1950:* Jan., 237
pheochromocytoma, *1950:* May, 762
pulmonary embolism, *1949:* Nov., 1505
tumors of large intestine, *1948:* March, 428–435
of small intestine, *1948:* March, 436–442
examination of heart in coronary artery disease, *1950:* May, 693
pelvimetry, evaluation of, *1948:* Nov., 1659–1671
treatment, bursitis, *1949:* Nov., 1622
carcinoma of skin, *1949:* Jan., 119–123
functional menstrual disorders, *1948:* Nov., 1521
Hodgkin's disease, *1949:* March, 530, 532; *1950:* March, 453
leukemia, *1949:* March, 536, 537, 539; *1950:* March, 452, 453
lymphosarcoma, *1949:* March, 535
rheumatoid arthritis, *1949:* Sept., 1383
thyrotoxicosis, *1949:* March, 513
Rosacea, emotional factors, *1948:* May, 678
Roundworms, diagnosis, *1949:* May, 905
Rubella, treatment, *1950:* Jan., 141
Rubeola. See *Measles*.
Rubin test for tubal patency, *1948:* Nov., 1544, 1545
Rutin in hypertension, effect on capillary fragility, *1949:* May, 681

SACROILIAC strain, *1949:* Nov., 1627
SALAZOPYRIN in ulcerative colitis, *1949:* July, 935–942
Salicylanilide in ringworm of scalp, *1950:* Jan., 264
Salicylates, hypoprothrombinemia induced by, *1949:* Nov., 1702
in hypertrophic arthritis, *1950:* Sept., 1438
in rheumatic disorders, *1949:* Nov., 1620
in rheumatic fever, *1950:* Sept., 1419
in rheumatoid arthritis, *1948:* Sept., 1364; *1949:* Sept., 1378
in ulcerative streptococcal, colitis, *1948:* July, 971
toxic effects, *1950:* Sept., 1422
Salicylazosulfapyridine in ulcerative colitis, *1949:* July, 935–942
Salicylic acid in dermatologic therapy, *1949:* Jan., 277
Salmonella infections, antibiotics in, choice of, *1950:* March, 315
streptomycin in, *1948:* May, 813
Salpingography in sterility, *1948:* Jan. 45, *1948:* Sept., 1186

Salt depletion in congestive heart failure, *1950:* May, 625
restriction in dietary therapy, *1948:* Sept., 1167
in heart disease, *1949:* March, 564; *1950:* March, 578
in heart failure, *1949:* March, 366, 367, Nov., 1638; *1950:* March, 566, 567, May, 621
with mercurials, *1950:* May, 636
in hypertension, *1949:* March, 323, 325, 328, 329, 567, May, 713–725, 662, Sept., 1274
retention in congestive heart failure, *1950:* May, 615–628
Saphenous-femoral vein incompetency, test, *1950:* May, 902
Sarcoid, Boeck's, *1949:* Jan., 32, 35, 36, 257–258
Darier-Roussy, *1949:* Jan., 31, 36, 37
Sarcoidosis, *1949:* Jan., 31–54, 257
Kveim test in, *1949:* Jan., 49
treatment, *1949:* Jan., 50
Sayre halter in discogenetic disease of cervical spine, *1949:* Nov., 1625
Scabies, treatment, *1950:* Sept., 1477
Scalenus anticus syndrome, *1950:* Sept., 1328
Scalp, pruritus, *1949:* Jan., 17
ringworm of, *1948:* Jan., 283–296, *1950:* Jan., 257
topical applications, *1948:* Jan., 294; *1950:* Jan., 264
x-ray depilation in, *1948:* Jan., 295; *1950:* Jan., 264
Scaphoid bone, necrosis, avascular, *1950:* Jan., 183
Scapula, winged, *1950:* Sept., 1325, 1326
Scarlet fever, immunization, *1950:* Jan., 143, Nov., 1732
treatment, *1950:* Jan., 143
Schemm diet, *1949:* Nov., 1636
Scheuermann's disease, *1950:* Jan., 170
Schistosome dermatitis, *1950:* Jan., 266
Schistosomiasis, diagnosis, *1949:* May, 902
concentration technic, *1949:* May, 903
Schizophrenia, *1948:* May, 623–629
better doctor-family cooperation in, *1948:* May, 637
in children, *1948:* May, 665
prefrontal lobotomy for, *1950:* July, 1047
shock therapy, *1948:* May, 628
treatment, *1950:* Sept., 1499
Schizophrenic disorders, differential diagnosis, *1950:* July, 963, 964
Scleredema adultorum, dermatomyositis and, differentiation, *1949:* Jan., 26
diffuse scleroderma and, differentiation, *1949:* Jan., 65
Sclerodactylia, *1949:* Jan., 57, 58, 60
Scleroderma, *1949:* Jan., 55–77
treatment, *1949,* Jan., 72
Sclerosis, multiple, *1948:* May, 743–754
Scopolamine in gastrointestinal disorders, *1948:* Sept., 1230, 135
in obstetrics, *1950:* Sept., 1522
in parkinsonism, *1949:* July, 1136
Scrub typhus, treatment, *1948:* Sept., 1333–1342
Seborrhea, emotional factors, *1948:* May, 677
Seborrheic features in atopic dermatitis, *1949:* Jan., 215
keratoses, *1949:* Jan., 110
Sedation in aged, *1950:* July, 1103
in asthma, *1949:* March, 419
in obstetrics, *1950:* Sept., 1521–1535
Seizures, treatment, *1950:* March, 341–350; Sept., 1507–1520
Self-demand feeding of infants, *1950:* Jan., 33–40
Semen as factor in infertility, *1948:* Sept., 1173
examination, *1948:* Jan., 75, Sept., 1174, Nov., 1537; *1949:* July, 1111
methods of obtaining, *1948:* Jan., 75
Senear-Usher syndrome, *1949:* Jan., 169
Senile angiomas, *1949:* Jan., 227
ectasias, *1949:* Jan., 227
keratoses, *1949:* Jan., 109
vaginitis, leukorrhea in, *1948:* Nov., 1606
Senility, dietary needs, *1949:* March, 563, Nov., 1681–1684
Separation anxiety in children, *1950:* July, 1084
Septal defects, atrial, *1948:* July, 895–910
electrocardiogram in, *1949:* July, 1159
Septicemia, streptomycin in, *1948:* May, 823
Serologic tests in viral diseases, *1950:* Nov., 1610
Serratus magnus muscle, paralysis, *1950:* Sept., 1325, 1326
Serum hepatitis, diagnosis, *1950:* Sept., 1313
management, *1950:* Sept., 1320
homologous, jaundice due to, *1948:* March, 475
pooled, in chronic nephritis and nephrosis, *1950:* Jan., 86
proteins in hepatic disease, *1948:* March, 455–468
sickness, antihistaminic drugs in *1950:* March, 359
therapy in meningitis in children, *1950:* Nov., 1686
Sexual intercourse, difficult, psychic factors, *1950:* July, 1003

Shafer prone-pressure method of artificial respiration, *1950:* Sept., 1348
Shock, dibenamine in, *1950:* March, 391
hypoprothrombinemia of, *1950:* March, 464
morphine in, dangers, *1950:* Nov., 1771
Shock therapy in schizophrenia, *1948:* May, 628
Shoulder, bursitis, *1950:* Sept., 1329
injuries, *1950:* Sept., 1332
pain in, referred, *1950:* Sept., 1334
tendon strain, *1950:* Sept., 1334
Signal symptom in multiple sclerosis, *1948:* May, 745
Silver nitrate in tonsillitis, *1950:* Nov., 1624
Sims-Huhner test, *1948:* Nov., 1543
Sinuses, tuberculous, from bone infection, streptomycin in, *1950:* Jan., 279
Sinusitis, headache in, *1948:* May, 567
penicillin in, *1950:* March, 322
Sinusoidal current, interrupted, in bursitis, *1949:* Nov., 1622
Situs inversus, complete, electrocardiogram in, *1949:* July, 1164
Skeletal diseases, abdominal pain in, *1948:* March, 389
system, infections, penicillin in, *1950:* March, 323
Skin, allergic diseases, *1949:* Jan., 77–204
bullous diseases, *1949:* Jan., 165
carcinoma, *1949:* Jan., 109–117
treatment, *1949:* Jan., 119–123
diseases, as window to internal disease, *1949:* Jan., 281–287
common, treatment, *1950:* Sept., 1473–1486
due to foods, *1949:* Jan., 239–247
due to handling or eating of meat, *1949:* Jan., 243
psychogenic factors in, *1948:* May, 669–685
symposium on, *1949:* Jan., 1
treatment, pharmacodynamics of vehicles and drugs in, *1949:* Jan., 263–279
functional diseases, *1949:* Jan., 3
infections, penicillin in, *1950:* March, 324
irritants, foods which may act as, *1949:* Jan., 241
lupus erythematosus, *1949:* Jan., 79
neurotic excoriations, *1948:* May, 673
sarcoidosis of, *1949:* Jan., 35
scleroderma, *1949:* Jan., 55
temperature, testing, *1950:* May, 890
tests in contact dermatitis, *1949:* Jan., 182
in urticaria, *1949:* Jan., 193
tineal and parasitic disorders, in children, *1950:* Jan., 257
Skin, tuberculosis, in Negro, *1949:* Jan., 249–262
streptomycin in, *1950:* Jan., 279
Skull, basilar impression, *1950:* Jan., 155
Sleep problems in early childhood, *1950:* July, 1081
Smallpox, diagnosis, *1950:* Sept., 1310
immunization, *1950:* Jan., 144, Nov., 1713
management, *1950:* Sept., 1318
Smears vaginal, in diagnosis of uterine cancer, *1948:* Nov., 1563–1572
Smoking for cardiac patient, *1950:* May, 697–703
Soaps in dermatologic therapy, *1949:* Jan., 270
Sodium bromide in epilepsy, *1950:* March, 348
naphuride in pemphigus, *1949:* Jan., 175
perborate in Vincent's angina, *1950:* Nov., 1628
replacement, *1950:* March, 406
salicylate in rheumatic fever, *1950:* Sept., 1421
Sore throat, septic, *1950:* Nov., 1623
Solganol B in rheumatoid arthritis, *1948:* Sept., 1365
Solution "G" in urinary calculi, *1948:* Sept., 1330
Solutions in dermatologic therapy, *1949:* Jan., 265
Sontoquin in rickettsial diseases, *1948:* Sept., 1337
Spasm, muscle, in rheumatic disorders, alleviation, *1949:* Nov., 1619
Spasmodics in gastrointestinal disorders, *1948:* Sept., 1238, 1240
Sperm, counting technic, *1948:* Jan., 79
morphology of, *1948:* Jan., 79, 80
motility of, estimating, *1948:* Jan., 78
Spider nevus, *1949:* Jan., 226
Spinal anesthesia, continuous, in obstetrics, present status, *1948:* Nov., 1683–1697
in obstetrics, *1950:* Sept., 1527
cord, injuries, at birth, *1950:* Jan., 158
care of patients paralyzed by, *1948:* Sept., 1273–1291
drainage, headache following, *1948:* May, 564
fluid examination in neurosyphilis, *1948:* May, 707–719
puncture headache, *1949:* Sept., 1449, Nov., 1594
Spine, arthritis, hypertrophic, *1950:* Sept., 1440
physical medicine in, *1949:* Sept., 1315
cervical, discogenetic diseases, *1949:* Nov., 1623
lesions, *1950:* Sept., 1323

Spine, necrosis, avascular, *1950:* Jan., 170
sign in poliomyelitis, *1950:* Jan., 122, 123
Spirochetal infections, antibiotics in, choice of, *1950:* March, 315
Spleen, abnormal mechanisms, anemias due to, *1949:* March, 552
biopsy, in diagnosis of amyloidosis, *1950:* July, 1173
Splenectomy in congenital hemolytic jaundice, *1950:* Sept., 1293
in hemolytic anemia, *1948:* Sept., 1269
in women of childbearing age, effect on fertility and course of subsequent pregnancies, *1950:* July, 1217–1236
relapses after, *1949:* March, 557
Splenic neutropenia, *1950:* Sept., 1271
plus thrombocytopenia, *1950:* Sept., 1280
pancytopenia, *1950:* Sept., 1280
thrombocytopenia, *1950:* Sept., 1279
Spondylitis, rheumatoid, *1949:* Nov., 1627
Sprains of ankle in athletics, treatment, *1950:* Sept., 1259
of knee in athletics, treatment, *1950:* Sept., 1262
Sprue, *1949:* Nov., 1671–1680
vitamin B_{12} in, *1950:* July, 1201
Sputum, cytology of, in cancer diagnosis, *1950:* Sept., 1397
Squamous cell carcinoma, *1949:* Jan., 115
epithelioma, *1949:* Jan., 112
Staphylococcal infections, antibiotics in, choice of, *1950:* March, 315
meningitis, streptomycin in, *1948:* May, 822
pneumonia, *1950:* Nov., 1654
penicillin in, *1948:* Sept., 1211
Statural disturbances in pediatric practice, *1948:* Jan., 151–160
Status asthmaticus, *1948:* Jan., 238, 241
dibenamine in, *1950:* March, 390
management, *1949:* Nov., 1597–1603
epilepticus, *1950:* Sept., 1518
drug therapy, *1950:* March, 349
Stenosis, pulmonary. See *Pulmonary stenosis.*
Sterility. See *Infertility.*
Sterilization, therapeutic, role in preventive medicine, *1948:* Nov., 1629–1634
Sternal marrow, aspiration biopsy, *1950:* Sept., 1388
Stevens-Johnson syndrome, *1948:* March, 359
Stiff neck, *1950:* Sept., 1323
Stilbestrol. See *Diethylstilbestrol.*
Stimulation, simultaneous, advantages, in neurological examination, *1948:* May, 755–758
Stings and bites, insect, antihistaminic drugs in, *1950:* March, 361
Stokes-Adams syndrome, diagnosis, *1948:* May, 802
Stomach, carcinoma, in pernicious anemia, prevention, *1949:* Sept., 1397
desiccated, in pernicious anemia, *1948:* July, 1116
diverticulum, *1948:* March, 336–354
malignant disease simulating, *1948:* March, 345
lavage, in renal failure, *1948:* July, 992
malignant disease, simulating gastric diverticulum, *1948:* March, 336
perforation, pain in, *1949:* July, 965–972
secretion, cytology of, in cancer diagnosis, *1950:* Sept., 1403
ulcer. See *Peptic ulcer.*
vagotomy for, indications, *1948:* March, 304
Stomatitis, common forms, diagnosis and treatment, *1948:* March, 355–362
Strabismus, nonparalytic, treatment problems, *1950:* Jan., 283–302
Strains, muscle, in athletics, treatment *1950:* Sept., 1265
sacroiliac or lumbosacral, *1949:* Nov., 1627
Stramonium leaves in parkinsonism, *1949:* July, 1137
Strapping, protective, in athletics, *1950:* Sept., 1266, 1267
Strawberry gallbladder, *1948:* March, 494
mark, *1949:* Jan., 222
Streptobacillus moniliformis infections, antibiotics in, choice of, *1950:* March, 315
Streptococcal infections, antibiotics in, choice of, *1950:* March, 315
sulfonamides in, prophylactic, *1950:* March, 337
pneumonia, *1950:* Nov., 1654
penicillin in, *1948:* Sept., 1210
sore throat, *1950:* Nov., 1623
stomatitis, *1948:* March, 357
ulcerative colitis, present-day therapy, *1948:* July, 967–979
Streptodornase in pleural effusions, postpneumonic, *1950:* Nov., 1663
Streptomycin, aerosol administration, *1948:* July, 1079
current use, *1950:* March, 326–330
dosage and administration, *1950:* March, 317, 327
experiences with, *1948:* May, 805–838
hypoprothrombinemia induced by, *1949:* Nov., 1703
in bacteremia, *1950:* March, 328

Streptomycin, in bronchiectasis, aerosol method, *1948:* July, 1081
in brucellosis, *1950:* March, 329
sulfadiazine combined with, *1949:* July, 1079–1088
in diarrhea and enteric infections, *1948:* May, 805
in influenzal meningitis, *1948:* May, 818; *1949:* May, 875; *1950:* Jan., 137, March, 329
in meningitis, *1948:* May, 818
in children, *1950:* Nov., 1686
in nontuberculous pulmonary infection, *1948:* May, 826
in osteomyelitis in infants, *1948:* May, 834
in peritonitis, *1948:* May, 835
in plague, *1948:* July, 1109; *1950:* March, 328
in pneumonia, *1950:* Nov., 1660
in rickettsial diseases, *1948:* Sept., 1337
in salmonella infections, *1948:* May, 813
in septicemia, *1948:* May, 823
in tracheobronchial tuberculosis, *1948:* July, 1083
in tuberculosis, *1948:* May, 828; *1949:* March, 375–389; *1950:* Sept., 1364
dosage and administration, *1949:* March, 377; *1950:* Sept., 1366
indications and contraindications, *1949:* March, 383, 385
in infants and children, *1950:* Jan., 271–281
of intestines, *1950:* Nov., 1677
in tuberculous meningitis, *1949:* May, 877; *1950:* Jan., 138, Nov., 1687
in tularemia, *1948:* May, 826; *1950:* March, 328
in urinary tract infections, *1948:* May, 831; *1949:* Sept., 1477; *1950:* March, 328, 532
in whooping cough, *1950:* Jan., 139, March, 329
pharmacology, *1950:* March, 309
resistance, *1950:* March, 313, 328
toxicity, *1949:* May, 876; *1950:* March, 312
Stricture of bile ducts, benign, *1948:* March, 497
Stridor, diagnostic significance, *1949:* July, 1056
Stroke, questionable use of term, *1950:* July, 1058
Strophanthidin, acetyl, in congestive heart failure, *1950:* May, 670
Strophanthin K, *1950:* May, 657
Stuttering, nature of, *1948:* May, 617–622
Subacromial bursitis, *1949:* Nov., 1621
Subarachnoid hemorrhage, *1948:* May, 738, 800
headache due to, *1948:* May, 565; *1949:* July, 990
Subdeltoid arthritis, chronic adhesive, *1950:* Sept., 1331
bursitis, *1949:* Nov., 1621; *1950:* Sept., 1330
Subdural hematoma, *1948:* May, 738, 799
puncture in infants and children, *1950:* Jan., 117
Succinylsulfathiazole. See *Sulfasuxidine.*
Sugar consumption and dental caries, *1950:* Jan., 15
Suggestion, role, in hypnosis, *1948:* May, 573
Sulfadiazine in bacillary dysentery, *1950:* March, 334, Nov., 1670
in bronchopulmonary suppuration, *1949:* March, 403
in brucellosis, penicillin with, *1948:* July, 1108
streptomycin with, *1949:* July, 1079–1088
in meningitis in children, *1950:* Nov., 1685
in meningococcal meningitis, *1949:* May, 871; *1950:* March, 336
in pneumococcal meningitis, *1949:* May, 873
in streptococcal infections, prophylactic use, *1950:* March, 337
in tonsillitis, *1950:* Nov., 1624
in ulcerative colitis, streptococcal, *1948:* July, 971
in urinary tract infections, *1950:* March, 332, 530, 531
Sulfaguanidine, in bacillary dysentery, *1950:* Nov., 1670
Sulfamerazine, in meningitis in children, *1950:* Nov., 1685
Sulfamethazine, in urinary tract infections, *1950:* March, 332
Sulfasudadine, in indeterminate ulcerative colitis, *1948:* March, 415
Sulfathalidine, in ulcerative colitis, streptococcal, *1948:* July, 971
in urinary infections, *1949:* Sept., 1474
Sulfathiazole, in Vincent's angina, *1950:* Nov., 1621
Sulfonamides. See also the individual drugs.
choice of drug, *1950:* March, 339
combinations, use of, *1948:* July, 1107
hypoprothrombinemia induced by, *1949:* Nov., 1703
in bacillary dysentery, *1950:* March, 333
in dermatology, *1949:* Jan., 273
in erysipelas, *1950:* Jan., 136
in measles, *1950:* Jan., 142
in meningitis in children, *1950:* Nov., 1685
in meningococcal meningitis, *1950:* Jan., 136, March, 335

Sulfonamides, in pneumonia, *1950:* Nov., 1662
in rheumatic fever, prophylactic, *1950:* March, 337
in rickettsial diseases, *1948:* Sept., 1337
in streptococcal infections, prophylactic use, *1950:* March, 337
in ulcerative colitis, *1948:* March, 415, July, 970
in urinary tract infections, *1949:* July, 1076, 1078, Sept., 1474; *1950:* March, 331, 530, 531
present status, *1950:* March, 331–340
Sulfur in dermatologic therapy, *1949:* Jan., 276, 277
Summer headache, *1949:* July, 993
Sunstroke, headache in, *1949:* Nov., 1592
Suprarenal. See *Adrenal.*
Swimmer's itch, *1950:* Jan., 266
Swimming, therapeutic, in psychoses, *1949:* July, 1126
Sycosis barbae, treatment, *1950:* Sept., 1476
Sympathectomy, for congenital megacolon, *1948:* July, 984
for hypertension, *1949:* Jan., 187–196; *1949:* March, 326, May, 663, 751–761, Sept., 1275; *1950:* Nov., 1745
analysis of results in 300 cases, *1949:* May, 735–749
of 66 patients obtaining excellent results, *1949:* May, 727–733
effect on fundus changes, *1949:* May, 671
evaluation of effects, *1949:* May, 740, 753
in children, *1949:* Sept., 1283–1299
postoperative complications, *1949:* May, 738
response to tetraethylammonium after, *1949:* May, 823
selection of cases, *1949:* May, 727, 735
tetraethylammonium test to predict outcome, *1949:* May, 824
Sympatholytic agents in hypertension, *1948:* Sept., 1251
Symptom formation in psychoneurosis, *1948:* May, 701
Syncope, treatment, *1949:* Nov., 1519
Syncurine with electroshock therapy, *1950:* Sept., 1506
Synkamin, *1949:* Nov., 1705
Synkayvite, *1949:* Nov., 1705
Syntropan, in congenital megacolon, *1948:* July, 983
in gastrointestinal disorders, *1948:* Sept., 1231, 1236
Syphilis, effect on heart and aorta, clinicopathologic study, *1948:* Sept., 1439–1466
glandular, *1949:* Jan., 261
Syphilis, in pregnancy, management, *1948:* Nov., 1647–1658
of nervous system, *1948:* May, 707–719
penicillin in, in pregnancy, *1948:* Nov., 1647–1658
treatment, present status, *1950:* March, 495–507
Syphilitic aortitis, *1948:* Sept., 1439
angiocardiography in, *1950:* May, 752
diagnosis and course, *1948:* Sept., 1458
cirrhosis, nodular, *1948:* March, 514
meningitis, *1950:* Nov., 1688
stomatitis, *1948:* March, 359
Syphilophobia, *1948:* May, 675

TACHYCARDIAS, paroxysmal, *1950:* May, 735–744
supraventricular, in infants and children, *1950:* Jan., 217–222
treatment, *1949:* Nov., 1528
supraventricular, treatment, *1949:* Nov., 1528
Tagathen, dosages *1950:* March, 352, 357
Tapeworm disease, diagnosis, *1949:* May, 906
Tars in dermatologic therapy, *1949:* Jan., 274
Teeth, caries of, control and prevention, *1950:* Jan., 13–32
Telangiectasias, congenital, *1949:* Jan., 219
Temperature, body, basal, in functional uterine bleeding, *1948:* Jan., 60
in study of sterility, *1948:* Jan., 51, Sept., 1190; *1948:* Nov., 1549
Temporal arteritis, headache and, *1949:* July, 996
Tendon, "pulled," treatment, *1950:* Sept., 1265
strain, of shoulder, *1950:* Sept., 1334
Tension headache, *1949:* July, 980, 981, Sept., 1447
Terminology, tyranny of certain terms, *1950:* July, 1053–1066
Terramycin, in influenza, *1950:* Nov., 1645
in pharyngitis, *1950:* Nov., 1632
in pneumonia, *1950:* Nov., 1661
in septic sore throat, *1950:* Nov., 1624
Testicular biopsy, *1948:* Jan., 81, 98, Sept., 1175; *1948:* Nov., 1538
failure in adolescence, *1948:* Jan., 147
primary, *1948:* Jan., 99
secondary, *1948:* Jan., 105
Testis, aspiration, to obtain sperm, *1948:* Jan., 77
undescended, *1948:* Jan., 149
Testosterone, in carcinoma of breast, *1948:* Jan., 18–36; *1950:* Sept., 1410

Testosterone, in cystic enlargement of ovary, *1948:* Nov., 1621
in dysmenorrhea, *1950:* Sept., 1543
in functional menstrual disorders, *1948:* Nov., 1520
in functional uterine bleeding, *1950:* Sept., 1546, 1559, 1560
in menopause, *1950:* Sept., 1549
in primary hypogonedrim, *1948:* Jan., 148
Tests, intelligence, in adoptive placements and behavior disorders, *1950:* July, 1073
in mental retardation, *1950:* July, 1067
personality, *1950:* July, 1075
psychologic, from standpoint of general practitioner, *1950:* July, 1067–1077
vocational, *1950:* July, 1077
Tetanus, immunization, *1950:* Nov., 1717
penicillin in, *1950:* March, 324
Tetany, parathyroid, in adolescence, *1948:* Jan., 146
Tetraethylammonium, cardiovascular effects, with special reference to hypertension, *1949:* May, 805–831
in gastrointestinal disorders, *1948:* Sept., 1233, 1237
in hypertension, *1948:* Sept., 1252; *1949:* May, 805–831
Tetralogy of Fallot, *1948:* July, 855–877
angiocardiography in, *1950:* May, 750
Thenylene, dosages, *1950:* March, 352, 357
Theophorin, dosages, *1950:* March, 353, 357
Therapeutics, medical, symposium on, *1950:* March, 307
Thiamine, in atherosclerosis, *1949:* May, 776
in nutritional polyneuropathy, *1948:* May, 731
interrelationships, *1949:* Nov., 1711
Thibierge - Weissenbach syndrome, *1949:* Jan., 63
Thiocyanates, in hypertension, *1948:* Sept., 1249; *1949:* May, 695, Sept., 1271
effect on capillary fragility, *1949:* May, 631
Thiomerin, to potentiate mercurials, *1950:* May, 623
Thiouracil, *1948:* July, 953
in thyrotoxicosis, *1949:* March, 499–512
preoperative preparation, *1948:* July, 955
Thoracoplasty, for tuberculosis, *1950:* Sept., 1370
Thoractomy, diagnostic, *1949:* July, 1058
Thornwaldt's disease, *1950:* Nov., 1633
Throat, infections, acute, *1950:* Nov., 1621-1635
Thrombidiosis, *1950:* Jan., 267
Thrombin in hemophilia, *1950:* March, 467
Thrombitis following varicosities, *1950:* May, 907
Thromboangiitis obliterans, adrenergic blocking agents in, *1950:* March, 386
anticoagulants in, *1949:* March, 335
physical medicine in, *1949:* March, 348
Thrombocytopenia, recurrent, clinicopathologic conference, *1948:* Jan., 167
splenic, *1950:* Sept., 1279
plus neutropenia, *1950:* Sept., 1280
Thrombocytopenic purpura, essential, *1949:* July, 1027–1046
splenectomy for, effect on subsequent pregnancies, *1950:* July, 1223
splenic, *1949:* March, 555
Thrombo-embolism as surgical risk, *1949:* March, 579
Thrombophlebitis, idiopathic, recurring, anticoagulants in, *1949:* March, 338
treatment, *1949:* March, 580
Thrombosis, arterial, anticoagulants in, *1949:* March, 337
cerebral, *1948:* May, 738
anticoagulants in, *1949:* March, 339; *1950:* May, 909–924
coronary, abdominal pain in, *1948:* March, 389
of cerebral sinuses and veins, *1948:* May, 739, 801
of superior sagittal sinus, *1948:* May, 801
varicosities following, *1950:* May, 897, 899, 906
venous, anticoagulants in, *1949:* March, 338
prevention, *1949:* Nov., 1506
recognition and emergency treatment, *1949:* Nov., 1501–1517
sequelae, *1949:* Nov., 1515
Thrombo-ulcerative colitis, present-day therapy, *1948:* July, 967–979
Thrush, *1948:* March, 360
Thyloquinone, *1949:* Nov., 1705
Thyroid clinic, *1949:* Sept., 1241–1248
deficiency in childhood, *1950:* Jan., 235–245
disturbances in adolescence, *1948:* Jan., 144
gland, absence of, *1950:* Jan., 241–244
carcinoma, radioiodine in, *1948:* July, 962; *1950:* March, 450
diseases, treatment, recent advances, *1948:* July, 945–965
physiology, in relation to therapy, *1949:* March, 497

Thyroid gland, study of, recent advances, *1948:* July, 945–965
hormone, fetal requirements, *1948:* Jan., 129
nodules, benign and malignant, function of, *1949:* Sept., 1225–1230
therapy in atherosclerosis, *1949:* May, 777
in cretinism, *1948:* Jan., 130
in functional menstrual disorders, *1948:* Nov., 1516
in habitual abortion, *1949:* July, 1119
in hypertrophic arthritis, *1950:* Sept., 1438
in nephrotic edema, *1950:* Jan., 85
Thyroid-pituitary relationship, *1948:* Jan., 127
Thyrotoxicosis, diagnosis, clinic on, *1949:* Sept., 1241–1248
problems in, *1949:* Sept., 1231–1239
hypertension in, *1949:* Nov., 1750
in adolescence, *1948:* Jan., 144
iodine in, *1949:* March, 513
action of, *1949:* March, 500
plasma protein-bound iodine test, *1949:* Sept., 1233
propylthiouracil in, medical and surgical treatment, *1948:* July 956; *1949:* March, 499, 502, 507; *1950:* March, 537, 538
radioiodine in, *1948:* Jan., 3–17, July, 956; *1949:* March, 512, Sept., 1211–1223
diagnostic test, *1949:* Sept., 1232
thiouracil in, *1948:* July, 955
treatment, current methods, *1949:* March, 497–514; *1950:* March, 535–539
x-rays in, *1949:* March, 513
Thyrotropic hormone, *1948:* July, 951
Thyroxine, formation, *1949:* March, 499
Tibial tubercle, avascular necrosis, *1950:* Jan., 180
Tibione, in tuberculosis, *1950:* Sept., 1367
Tic, diagnosis and treatment, *1950:* July, 1079
Tick fever. See *Rocky Mountain spotted fever.*
Tinea capitis, treatment, *1950:* Sept., 1480
corporis, treatment, *1950:* Sept., 1481
cruris, treatment, *1950:* Sept., 1481
Tineal disorders, of skin in children, *1950:* Jan., 257–269
Tobacco, use of, in peptic ulcer, *1950:* Sept., 1454
Tolserol, in bursitis, *1949:* Nov., 1621
in discogenetic diseases of cervical spine, *1949:* Nov., 1623
in rheumatic disorders, *1949:* Nov., 1620
in parkinsonism, *1949:* July, 1138
Tonsillitis, acute lacunar, *1950:* Nov., 1624
ulcerative, *1950:* Nov., 1626
viral, *1950:* Nov., 1641
Torticollis, *1950:* Sept., 1328
ocular, *1950:* Jan., 292
Toxemia of pregnancy, physiology, *1948:* Nov., 1674
veratrum viride in, *1948:* Nov., 1673–1682
Tourniquets, in severe hemorrhage, *1949:* Nov., 1556
Trachea, amyloid tumors, *1950:* July, 1145–1150
aspiration, in pulmonary atetectasis, *1949:* Nov., 1614
Tracheobronchial tuberculosis, streptomycin in, *1948:* July, 1083
Tracheo-esophageal fistula, *1950:* Jan., 247–256
Tracheotomy, in respiratory failure, *1950:* Sept., 1359
Traction, cervical, method, *1950:* Sept., 1325
headache, *1949:* Sept., 1449
Trance, in hypnotic psychotherapy, *1948:* May, 572
Transfusions, blood, *1950:* March, 405
in chronic nephritis and nephrosis, *1950:* Jan., 86
in erythroblastosis fetalis, *1950:* Jan., 196
substitution therapy, *1950:* Jan., 197
in gastrointestinal hemorrhage, *1949:* Nov., 1573
in hemophilia, *1950:* March, 465
in malnutrition, preoperative, *1949:* March, 577
in massive hemorrhage from peptic ulcer, *1948:* March, 330
in pernicious anemia, *1949:* Sept., 1386
in rheumatoid arthritis, *1949:* Sept., 1382
in severe hemorrhage, *1949:* Nov., 1559
in ulcerative colitis, streptococcal, *1948:* July, 972
Transportation of patients by air, *1948:* July, 1084–1093
Transposition of great vessels of heart, *1948:* July, 890
Trasentine in gastrointestinal disorders, *1948:* Sept., 1231, 1236
Trauma, behavior disorders following, *1948:* May, 661
Traumatic headache, *1949:* July, 988, Sept., 1450, 1451, Nov., 1593
Treatment, current concepts, symposium on, *1950:* Nov., 1739
specific methods, symposium on, *1948:* Sept., 1159; *1950:* Sept., 1253
Trench mouth, *1950:* Nov., 1626

Trichinosis, dermatomyositis and, differentiation, *1949:* Jan., 26
diagnosis, *1949:* May, 906
Trichlorethylene anesthesia, in obstetrics, *1950:* Sept., 1530
Trichomonas vaginalis vaginitis, *1948:* Nov., 1609
Trichophytin in diagnosis and treatment of dermatophytosis, *1949:* Jan., 197
reaction, *1950:* Jan., 261
Trichophyton, *1950:* Jan., 259
Trichophytosis of toes, recurrent lymphangitis in, *1949:* July, 1090
Trichotillomania, *1948:* May, 673
Tricuspid atresia, congenital anatomic classification, *1949:* July, 1177–1196
with rudimentary right ventricle, patent foramen ovale and ventricular septal defect, *1948:* July, 886
insufficiency, venous pulsations of liver in, *1950:* May, 728
regurgitation, pulsation in, *1950:* May, 725
Tridione in epilepsy, *1950:* March, 347, Sept., 1513, 1516
Trimethadione. See *Tridione.*
Trimeton, dosages, *1950:* March, 353, 357
Trophic ulcers in scleroderma, *1949:* Jan., 57, 59, 74
Tropical diseases, diagnosis, *1949:* May, 899
Tsutsugamushi disease, treatment, *1948:* Sept., 1333–1342
Tubal insufflation, *1948:* Sept., 1184; *1949:* July, 1113
ligation for sterilization, *1948:* Nov., 1632
patency, tests for, *1948:* Jan., 46, Sept., 1184, Nov., 1544
Tube feeding, *1948:* Sept., 1163
formula for, *1948:* Sept., 1165
Tuberculin reactions, development and variations, *1948:* July, 1098
positive, criteria, *1948:* July, 1097
test, *1948:* July, 1050
changing concepts, *1948:* July, 1095–1103
clinical implications, *1948:* July, 1099
methods, *1948:* July, 1096
types, *1948:* July, 1095
Tuberculosis, amyloidosis secondary to, *1950:* July, 1167
chronic, dietary needs, *1949:* March, 563
collapse procedures, changing picture, *1950:* Sept., 1367
combined therapy, *1950:* Sept., 1374
cutaneous, in Negro, *1949:* Jan., 249–262
Tuberculosis, hematogenous, acute, bone marrow examination in, diagnostic importance, *1950:* Nov. 1817–1827
immunization, *1950:* Nov., 1733
in infants and children, streptomycin in, *1950:* Jan., 271–281
of intestines, *1950:* Nov., 1676
of lacrimal gland and duct, *1949:* Jan., 261, 262
para-aminosalicylic acid in, *1950:* Sept., 1366
pulmonary, air travel in, *1948:* July, 1090
diagnosis, *1949:* July, 1049
treatment, recent advances, *1950:* Sept., 1363–1380
rest in, *1950:* Sept., 1363
streptomycin in, *1948:* May, 828; *1949:* March, 375–389; *1950:* Sept. 1364
dosage and administration, *1949:* March, 377; *1950:* Sept., 1366
indications and contraindications, *1949:* March, 383, 385
surgical technics in, *1950:* Sept., 1370
tibione in, *1950:* Sept., 1367
tracheobronchial, streptomycin in, *1948:* July, 1083
verrucosa cutis, *1949:* Jan., 249, 250
Tuberculous meningitis, *1949:* May, 877; *1950:* Nov., 1687
para-aminosalicylic acid in, *1949:* May, 879
promizole in, *1949:* May, 878
streptomycin in, *1949:* May, 877; *1950:* Jan., 138
Tubocurarine in obstetrics, *1950:* Sept., 1531
Tularemia, cutaneous, *1949:* Jan., 244
streptomycin in, *1948:* May, 826; *1950:* March, 328
Tularemic meningism and serous meningitis, *1948:* May, 769–778
Tumors, amyloid, of larnyx and trachea, *1950:* July, 1145–1150
intrathoracic, diagnosis, angiocardiography in, *1950:* May, 746, 747
malignant, chemotherapy, *1950:* March, 439–458
of internal organs, cutaneous lesions in, *1949:* Jan., 284
of brain, coma in, *1948:* May, 800
headache due to, *1948:* May, 563
psychotic symptoms masking, *1948:* May, 759–767
of large intestine, x-ray diagnosis, *1948:* March, 428–435
of lung, diagnosis, *1949:* July, 1052
of pancreas, islet-cell, multiple parathyroid adenomas associated with, report of 2 cases, with necropsy findings, *1949:* July, 1141–1156

Tumors, of small intestine, x-ray diagnosis, *1948:* March, 436–442
Two-step exercise test in heart disease, *1950:* May, 705–713
Typhoid fever, *1950:* Nov., 1673
immunization, *1950:* Nov., 1716
treatment, *1950:* Nov., 1674
Typhus fever, immunization, *1950:* Nov., 1729, 1730
treatment, *1948:* Sept., 1333–1342
Tyrothricin, dosage, *1950:* March, 316
pharmacology and toxicology, *1950:* March, 308
toxicity, *1950:* March, 311

ULCER, duodenal. See *Duodenal ulcer* and *Peptic ulcer*.
gastric. See *Peptic ulcer*.
peptic. See *Peptic ulcer*.
trophic, in scleroderma, *1949:* Jan. 57, 59, 75
varicose, *1950:* May, 907
Ulcerative colitis. See *Colitis, ulcerative*.
Understature in children, *1948:* Jan., 151
Underwater exercises in hemiplegia, *1948:* May, 786
in poliomyelitis, *1948:* May, 785
Urecholine, in gastrointestinal disorders, *1948:* Sept., 1238, 1240
Uremia, acute, true, in acute glomerulonephritis, *1950:* Jan., 104
diagnosis, *1948:* May, 802
treatment, peritoneal lavage in, *1948:* July, 989–1076
Ureteral calculus, *1948:* Sept., 1415, 1416
obstruction, chronic urinary infection due to, *1949:* Sept., 1468
Ureteropelvic obstructions, chronic urinary infection due to, *1949:* Sept., 1468
Urethane, in chronic myelocytic leukemia, results of three-year study, *1950:* July, 1205–1215
in leukemia, *1950:* Jan., 202, March, 452, 453
in multiple myeloma, *1950:* March, 455
pharmacology, *1950:* March, 441
toxicity, *1950:* July, 1212
Urethral lesions, chronic urinary infection due to, *1949:* Sept., 1469
mucosa, prolapse of, *1949:* Sept., 1466
Urethritis, acute, urinary infection in, *1949:* Sept., 1466
nonspecific, treatment, *1950:* March, 527
Uric acid stones, medical management, *1948:* Sept., 1317
Urinary calculi, medical management, *1948:* Sept., 1315
obstruction, congenital, and acidosis, parenteral fluid therapy in, *1950:* Jan., 61
Urinary sediment, cytology of, in cancer diagnosis, *1950:* Sept., 1403
stasis, adynamic, *1949:* Sept., 1471
tract disease, abdominal pain in, *1948:* March, 390
infections, arsenicals in, *1949:* Sept., 1479
aureomycin in, *1949:* Sept., 1477
chloromycetin in, *1949:* Sept., 1478
complicating stasis, *1949:* Sept., 1470
management, *1949:* Sept., 1465–1480; *1950:* March, 525–533
mandelic acid in, *1949:* Sept., 1478
nephritis-like, *1949:* Sept., 1472
penicillin in, *1949:* Sept., 1475–1476
pyridium in, *1949:* Sept., 1479
role of obstruction and stasis, *1949:* Sept., 1467
streptomycin in, *1948:* May, 831; *1949:* Sept., 1477; *1950:* March, 328
sulfonamides in, *1949:* Sept., 1474; *1950:* March, 331
symptoms, diagnosis and treatment, *1949:* July, 1071–1078
Urine, bacteriology, *1949:* Sept., 1472
chloride excretion, test, *1949:* Sept., 1273
specimen, proper collection, *1949:* Sept., 1473
Urobilinogen in urine, determinations, value of, *1950:* Sept., 1464
Urogenital disorders of aged, *1949:* March, 463–483
Urologic surgery, anesthesia for, *1949:* March, 476
Urticaria, *1949:* Jan., 191
antihistaminic drugs in, *1950:* March, 358
skin tests in, *1949:* Jan., 193
treatment, *1948:* Sept., 1375; *1949:* Jan., 194; *1950:* Sept., 1478
Uterine bleeding, functional, causes, *1950:* Sept., 1551
endocrine therapy, *1950:* Sept., 1544, 1556
treatment, *1948:* Nov., 1509; *1950:* Sept., 1551
irregularities of, and their treatment, *1948:* Jan., 57–72
Uterosalpingography, *1948:* Nov., 1546
Uterotubal insufflation, *1948:* Nov., 1544, 1545
Uterus, abnormalities, congenital and developmental, *1948:* Sept., 1182
carcinoma, diagnosis, vaginal smear, for, *1948:* Nov., 1563–1572
early detection, value of periodic examination of well women in, *1948:* Nov., 1557
cervix. See *Cervix uteri*.

Uterus, cyclical changes, *1948:* Jan., 42; Nov., 1491
diagnostic tests, in infertility, *1948:* Sept., 1180
fibroids, harmlessness of many, *1949:* March, 432
malformations, infertility due to, *1948:* Nov., 1541
myomas, infertility due to, *1948:* Nov., 1540
Uveitis in sarcoidosis, *1949:* Jan., 41
Uveoparotid fever, *1949:* Jan., 31, 34, 41

VACCINATION, smallpox, *1950:* Nov., 1713
Vaccines, in rheumatoid arthritis, *1950:* Nov., 1701
in ulcerative colitis, streptococcal, *1948:* July, 970
Vagina, absence of, *1948:* Jan., 150
biology, changed, leukorrhea due to, *1948:* Nov., 1605
normal, *1948:* Nov., 1601
diagnostic tests, in infertility, *1948:* Sept., 1171
Vaginal smear, in cancer diagnosis, *1948:* Nov., 1563–1572; *1950:* Sept., 1396
Vaginitis, senile, leukorrhea in, *1948:* Nov., 1606
treatment, *1948:* Sept., 1172
Trichomonas vaginalis, *1948:* Nov., 1609
Vagotomy for peptic ulcer, clinical conference on, *1948:* March, 301–312
medical management following, *1948:* Nov., 1711–1716
Valvular heart disease, angiocardiography in, *1950:* May, 753
Van den Bergh test, modifications, evaluation of, *1950:* Sept., 1463
Varicella. See *Chickenpox.*
Varicelliform eruption of Kaposi, *1949:* Jan., 147
complicating atopic eczema, *1949:* Jan., 214
Varices, arterial, differential diagnosis and treatment, *1950:* May, 897–908
Varicose ulcer, *1950:* May, 907
veins, differential diagnosis and treatment, *1950:* May, 897–908
Variola. See *Smallpox.*
Vascular degeneration, metabolic aspects, *1949:* May, 783–794
diseases, peripheral, adrenergic blocking agents in, *1950:* March, 384
physical diagnosis, *1949:* March, 347
physical medicine in, *1949:* March, 347–358
rehabilitation, *1949:* March, 356
symposium on, *1950:* May, 609
headaches, *1949:* Sept., 1444
Vascular nevi, *1949:* Jan., 219
sclerosis in diabetes, *1950:* March, 491
Vasodilator headache, *1949:* Sept., 1447
Vasodilators, in acute renal failure, *1949:* July, 1014
in multiple sclerosis, *1948:* May, 753
in peripheral vascular disease, *1949:* March, 351
Vasomotor disturbances of menopause, *1950:* March, 543
rhinitis, antihistaminic drugs in, *1950:* March, 359
Vehicles in dermatologic therapy, pharmacodynamics of, *1949:* Jan., 263–279
Veins, pathologically enlarged, differential diagnosis and treatment, *1950:* May, 897–908
peripheral, examination, methods, *1950:* May, 887
postthrombotic, May, 897, 899
treatment, *1950:* May, 906
varicose, *1950:* May, 897–908
Vena cava ligation, in treatment of thrombosis and embolism, *1949:* Nov., 1509
Venography, *1950:* May, 894
Venous disease, chronic, anticoagulants in, *1949:* March, 338
thrombosis, prevention, *1949:* Nov., 1506
recognition and emergency treatment, *1949:* Nov., 1501–1517
sequelae, *1949:* Nov., 1515
Ventral flexion sign in poliomyelitis, *1950:* Jan., 122
Ventricular hypertrophy, electrocardiogram in, *1949:* July, 1159, 1169
unipolar precordial electrocardiogram in, *1950:* May, 849
paroxysmal tachycardia, *1950:* May, 740
premature contractions, a therapeutic challenge, *1948:* Sept., 1427–1438
puncture in infants and children, *1950:* Jan., 117
Ventriculin, in pernicious anemia, *1948:* July, 1117
Ventriculography, air travel after, *1948:* July, 1092
Veratrum viride, in hypertension, *1948:* Sept., 1253; *1950:* Nov., 1743
in toxemias of pregnancy, *1948:* Nov., 1673–1682
Verruca necrogenica, *1949:* Jan., 244
Verrucae, emotional factors, *1948:* May, 680
Verrucous nevus, *1949:* Jan., 235, 236
Vesicles, recurrent, streptomycin in, *1948:* May, 834
Vincent's angina, *1950:* Nov., 1926

Vinobel in parkinsonism, *1949:* July, 1137
Vioform, in dermatology, *1949:* Jan., 273
Viral diseases, diagnosis and management, *1950:* Sept., 1303–1322, Nov., 1606
of respiratory tract, *1950:* Nov., 1637–1652
hepatitis, chronic, *1949:* March, 448–458
infection, stomatitis due to, *1948:* March, 359
pharyngitis and tonsillitis, *1950:* Nov., 1641
pneumonia, *1950:* Nov., 1645
Virologist, role, in diagnosis of acute infectious diseases, *1950:* Nov., 1605
Virus diagnostic laboratory, utilization, by physician, *1950:* Nov., 1615
in etiology of zoster, *1949:* Jan., 160
Visceral leishmaniasis, diagnosis, *1949:* May, 905
Vision, development, *1950:* Jan., 284
Visual acuity, determination, i infants and children, *1950:* Jan., 284, 286
Vitamin A, interrelationships, *1949:* Nov., 1709
preparations of, comparative absorption, *1950:* March, 413–424
Vitamin antagonists, *1949:* Nov., 1715, 1721
Vitamin B in atherosclerosis, *1949:* May, 776
in pernicious anemia, *1949:* Sept., 1394
interrelationships, *1949:* Nov., 1710
Vitamin B_c, *1948:* July, 1127
Vitamin B_{12}, *1949:* Nov., 1723
clinical results, *1949:* Nov., 1726
in megaloblastic anemia of infants, *1950:* July, 1201
in pernicious anemia, *1949:* March, 551, Sept., 1394; *1950:* July, 1197–1204, Sept., 1298
in sprue, *1950:* July, 1201
Vitamin C. See also *Ascorbic acid.*
interrelationships, *1949:* Nov., 1712
Vitamin deficiency, electrocardiogram in, *1950:* May, 870
imbalance, *1949:* Nov., 1715
Vitamin K, clinical administration, *1949:* Nov., 1685
deficiency, *1949:* Nov., 1688, 1690
in Dicumarol poisoning, *1950:* March, 463
in specific conditions, dosages, *1949:* Nov., 1706
in prothrombin deficiency, *1950:* March, 461
metabolism, *1949:* Nov., 1687
preparations and dosages, *1949:* Nov., 1705
prothrombin and, relationship, *1949:* Nov., 1685
test, response to, *1949:* Nov., 1703
Vitamin M, *1948:* July, 1127
Vitamin therapy in congestive heart failure, *1949:* Nov., 1635
in functional menstrual disorders, *1948:* Nov., 1516
in gastrointestinal hemorrhage, *1949:* Nov., 1577
in malnutrition, preoperative, *1949:* March, 577
in nutritional polyneuropathy, *1948:* May, 731
in senility, *1949:* Nov., 1682
in ulcerative colitis, *1948:* July, 969
Vitamins, in nutrition, *1948:* Sept., 1162
personality and, *1949:* Nov., 1717
Vocational tests, *1950:* July, 1077
Vomiting, cyclic, abdominal pain in, *1948:* March, 392
in chronic nephritis, *1950:* Jan., 82
Von Gierke's disease, electrocardiogram in, *1949:* July, 1167
Vulva, pruritus, *1949:* Jan., 17

WALKING, in peripheral vascular disease, *1949:* March, 354
Warts, anatomic, *1949:* Jan., 244
emotional factors, *1948:* May, 680
Washstand syndrome in multiple sclerosis, *1948:* May, 744
Water balance in heart and kidney disease as related to edema and oliguria, *1950:* March, 571–587
retention in congestive heart failure, *1950:* May, 615–628
Weber-Sturge syndrome, *1949:* Jan., 220
Weil's disease, *1948:* March, 476
serum protein fractions in, *1948:* March, 459
Werdnig-Hoffmann's disease, *1950:* Jan., 149
Whooping cough, immunization, *1950:* Nov., 1721
streptomycin in, *1948:* May, 834; *1950:* March, 329
treatment, *1950:* Jan., 139
Wills factor, *1948:* July, 1126
Wilson-Brocq type of dermatitis exfoliativa, *1949:* Jan., 135
Winged scapula, *1950:* Sept., 1325, 1326
Winter headache, *1949:* July, 995
Wolff-Parkinson-White syndrome, electrocardiogram in, *1949:* July, 1169
Wood light in diagnosis of ringworm of scalp, *1950:* Jan., 259

XANTHOMA, *1949:* Jan., 286
X-ray. See *Roentgen.*

YELLOW fever, *1948:* March, 475
immunization, *1950:* Nov., 1728

ZINC sulfate centrifugal flotation technic for amebae, *1949:* May, 901
Zoster, *1949:* Jan., 154–163